

Lampiran 1

Tests of Normality

| Sampel | | Kolmogorov-Smirnov ^a | | | Shapiro-Wilk | | |
|------------|------------------|---------------------------------|----|-------------------|--------------|----|------|
| | | Statistic | df | Sig. | Statistic | df | Sig. |
| KadarLemak | Susu Biji Nangka | .263 | 10 | .049 | .893 | 10 | .184 |
| | Susu Kedelai | .155 | 10 | .200 ^a | .966 | 10 | .853 |

Lampiran 2

Uji T - Test

Independent Samples Test

| | | Levene's Test for Equality of Variances | | t-test for Equality of Means | | | | | | |
|--------------------|-----------------------------|---|------|------------------------------|-------|-----------------|-----------------|-----------------------|---|----------|
| | | | | | | | | | 99% Confidence Interval of the Difference | |
| | | F | Sig. | t | df | Sig. (2-tailed) | Mean Difference | Std. Error Difference | Lower | Upper |
| KadarLemak assumed | Equal variances assumed | 14.499 | .001 | -6.580 | 18 | .000 | -2.38200 | .36198 | -3.42394 | -1.34006 |
| | Equal variances not assumed | | | -6.580 | 9.902 | .000 | -2.38200 | .36198 | -3.53177 | -1.23223 |



Biji nangka di rendam dalam air selama \pm 10-12 jam



Biji nangka yang telah terkelupas kulitnya



Proses pemblenderan biji nangka



Proses penyaringan susu biji nangka



Ampas biji nangka yang telah di saring