

Lampiran 3

LEMBAR PERMOHONAN MENJADI RESPONDEN

Kepada

Yth. Bapak / Ibu / Saudara

Ditempat

Dengan Hormat

Sebagai persyaratan tugas akhir Mahasiswa program studi S-1 Keperawatan Fakultas Ilmu Kesehatan Universitas Muhammadiyah Surabaya akan mengadakan penelitian tentang “*Hubungan Anantara Perilaku Remaja Tentang Phone Sex Dengan Perilaku Seks Bebas Di Kelas XI SMA Negeri 1 Jenggawah Jember*”. Tujuan penelitian ini adalah untuk menganalisis masalah Perilaku Remaja Tentang Phone Sex Dengan Perilaku Seks Bebas Di Kelas XI SMA Negeri 1 Jenggawah Jember. Sehubungan dengan hal tersebut diatas, saya mohon kesediaan Bapak / Ibu untuk memberikan jawaban atas pertanyaan yang disampaikan sukarela, saya akan menjamin kerahasiaan jawaban yang diberikan dan hasilnya akan dipergunakan untuk meningkatkan Perilaku Remaja Tentang Phone Sex Dengan Perilaku Seks Bebas.

Demikian permohonan saya, atas kesediaan dan bantuan Bapak / Ibu saya ucapkan banyak terima kasih.

Surabaya, 06 Maret 2011

SINGGIH DWI SOFYAN
NIM: 09600104

Lampiran 4

LEMBAR PERSETUJUAN MENJADI RESPONDEN

Setelah di berikan penjelasan oleh peneliti, tentang tujuan penelitian untuk mengetahui “*Hubungan Anantara Perilaku Remaja Tentang Phone Sex Dengan Perilaku Seks Bebas Di Kelas XI SMA Negeri 1 Jenggawah Jember*”, maka dengan ini saya menyatakan bersedia menjadi responden untuk membantu dan berperan serta dalam kelancaran penelitian tersebut.

Surabaya, 06 Maret 2011

Responden

(Tanda Tangan)

Lampiran 5

KUESIONER PENELITIAN

Isilah sesuai dengan data sebenarnya :

A. Data Umum

Identifikasi responden

Petunjuk pengisian : Berilah tanda check (\surd) pada kolom jawaban yang telah tersedia.

B. Identitas Responden

1. No. Responden : (diisi peneliti)
2. Tanggal pengisian :
3. Nama : (inisial)
4. Umur :
5. Jenis kelamin :
6. Apakah Anda pernah mempunyai pacar ?
 Ya Tidak
7. Apakah saat ini Anda mempunyai pacar ?
 Ya Tidak

C. PHONE SEX

Pilihlah jawaban yang tepat, berilah tanda silang pada jawaban yang Anda pilih !

| No | Pernyataan | Jawaban | |
|----|---|---------|-------|
| | | Ya | Tidak |
| 1. | Apakah anda menciptakan imajinasi apabila anda melakukan phone sex? | | |

| | | | |
|----|---|--|--|
| 2. | Jika iya,imajinasi apa yang anda dapatkan dalam melakukan phone sex misalnya (suasana kamar, suhu kamar, pakaian yang dipakai)? | | |
| 3. | Apakah anda pernah melakukan gerakan dalam phone sex? | | |
| 4. | Jika pernah, apakah anda melakukan gerakan ,seperti (Mengusap daerah vital,membuka baju)? | | |
| 5. | Apakah anda pernah mencapai orgasme dengan phone sex? | | |
| 6. | Jika pernah, apakah anda melanjutkan pembicraan dengan Phone sex? | | |
| 7. | Apakah anda setelah mencapai orgasme anda menurunkan kevulgarannya dalam pembicaraanya? | | |
| 8. | Kata kata apa yang sering anda ucapkan dalam melakuakn phone sex? | | |

D. Perilaku Seksual Bebas

Pilihlah jawaban yang tepat, beri tanda (√) pada jawaban yang Anda pilih!

| No | Pernyataan | Jawaban | |
|----|--|---------|-------|
| | | Ya | Tidak |
| 1. | Ketika Anda berkencan apakah membicarakan hal-hal yang berbau seksual ? | | |
| 2. | Apakah Anda berpelukan dengan pacar Anda saat bertemu ? | | |
| 3. | Apakah Anda berciuman bibir saat bertemu ? | | |
| 4. | Apakah Anda pernah melakukan necking atau berciuman sampai kedaerah dada saat berpacaran ? | | |
| 5. | Apakah Anda pernah melakukan petting atau saling menempelkan alat kelamin dengan pacar Anda ? | | |
| 6. | Apakah Anda pernah melakukan oral seks atau berhubungan badan dengan mulut pada alat kelamin pacar Anda ? | | |
| 7. | Apakah Anda pernah melakukan anal seks atau berhubungan badan dimana alat kelamin pasangan laki-laki dimasukkan lewat anus dengan pacar Anda ? | | |
| 8. | Apakah Anda pernah melakukan hubungan seksual (intercourse atau senggama) dengan pacar Anda ? | | |

Lampiran 7

Frequencies

Statistics

| | | Phone seks | Perilaku Seks Bebas | Ciuman Atau Kising | Neking | Menyentuh | Berprlukan | Peting | Oral Seks | Coitus | Anal Seks |
|---|---------|------------|---------------------|--------------------|--------|-----------|------------|--------|-----------|--------|-----------|
| N | Valid | 69 | 69 | 69 | 69 | 69 | 69 | 69 | 69 | 69 | 69 |
| | Missing | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

Frequency Table

Phone seks

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|---------------|--------------------|
| Valid | Tidak | 28 | 40.6 | 40.6 | 40.6 |
| | Ya | 41 | 59.4 | 59.4 | 100.0 |
| | Total | 69 | 100.0 | 100.0 | |

Frequency Table

Perilaku Seks Bebas

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|--------------------|-----------|---------|---------------|--------------------|
| Valid | 0 | 6 | 8.7 | 8.7 | 8.7 |
| | Ciuman atau kising | 63 | 91.3 | 91.3 | 100.0 |
| | Total | 69 | 100.0 | 100.0 | |

Ciuman Atau Kising

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|---------------|--------------------|
| Valid | Tidak | 7 | 10.1 | 10.1 | 10.1 |
| | Ya | 62 | 89.9 | 89.9 | 100.0 |
| | Total | 69 | 100.0 | 100.0 | |

Neking

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|---------------|--------------------|
| Valid | Tidak | 67 | 97.1 | 97.1 | 97.1 |
| | Ya | 2 | 2.9 | 2.9 | 100.0 |
| | Total | 69 | 100.0 | 100.0 | |

Menyentuh

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|---------------|--------------------|
| Valid | Tidak | 3 | 4.3 | 4.3 | 4.3 |
| | Ya | 66 | 95.7 | 95.7 | 100.0 |
| | Total | 69 | 100.0 | 100.0 | |

Berprlukan

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|---------------|--------------------|
| Valid | Tidak | 5 | 7.2 | 7.2 | 7.2 |
| | Ya | 64 | 92.8 | 92.8 | 100.0 |
| | Total | 69 | 100.0 | 100.0 | |

Peting

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|---------------|--------------------|
| Valid | Tidak | 61 | 88.4 | 88.4 | 88.4 |
| | Ya | 8 | 11.6 | 11.6 | 100.0 |
| | Total | 69 | 100.0 | 100.0 | |

Oral Seks

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|---------------|--------------------|
| Valid | Tidak | 63 | 91.3 | 91.3 | 91.3 |
| | Ya | 6 | 8.7 | 8.7 | 100.0 |
| | Total | 69 | 100.0 | 100.0 | |

Coitus

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|---------------|--------------------|
| Valid | Tidak | 64 | 92.8 | 92.8 | 92.8 |
| | Ya | 5 | 7.2 | 7.2 | 100.0 |
| | Total | 69 | 100.0 | 100.0 | |

Anal Seks

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|---------------|--------------------|
| Valid | Tidak | 69 | 100.0 | 100.0 | 100.0 |

Descriptives

Descriptive Statistics

| | N | Minimum | Maximum | Mean | Std. Deviation |
|---------------------|----|---------|---------|------|----------------|
| Phone seks | 69 | 0 | 1 | .59 | .495 |
| Perilaku Seks Bebas | 69 | 0 | 1 | .91 | .284 |
| Ciuman Atau Kising | 69 | 0 | 1 | .90 | .304 |
| Neking | 69 | 0 | 1 | .03 | .169 |
| Menyentuh | 69 | 0 | 1 | .96 | .205 |
| Berprlukan | 69 | 0 | 1 | .93 | .261 |
| Peting | 69 | 0 | 1 | .12 | .323 |
| Oral Seks | 69 | 0 | 1 | .09 | .284 |
| Coitus | 69 | 0 | 1 | .07 | .261 |
| Anal Seks | 69 | 0 | 0 | .00 | .000 |
| Valid N (listwise) | 69 | | | | |

Crosstabs

Case Processing Summary

| | Cases | | | | | |
|----------------------------------|-------|---------|---------|---------|-------|---------|
| | Valid | | Missing | | Total | |
| | N | Percent | N | Percent | N | Percent |
| Phone seks * Perilaku Seks Bebas | 69 | 100.0% | 0 | .0% | 69 | 100.0% |

Phone seks * Perilaku Seks Bebas Crosstabulation

| Count | | Perilaku Seks Bebas | | Total |
|-------|----|---------------------|--------------------|-------|
| | | 0 | Ciuman atau kising | |
| | | Phone seks | Tidak | |
| | Ya | 1 | 40 | 41 |
| Total | | 6 | 63 | 69 |

Symmetric Measures

| | | Value | Asymp. Std. Error ^a | Approx. T ^b | Approx. Sig. |
|----------------------|----------------------|-------|--------------------------------|------------------------|-------------------|
| Interval by Interval | Pearson's R | .269 | .105 | 2.283 | .026 ^c |
| Ordinal by Ordinal | Spearman Correlation | .269 | .105 | 2.283 | .026 ^c |
| N of Valid Cases | | 69 | | | |

a. Not assuming the null hypothesis.

b. Using the asymptotic standard error assuming the null hypothesis.

c. Based on normal approximation.

Crosstabs

Case Processing Summary

| | Cases | | | | | |
|---------------------------------|-------|---------|---------|---------|-------|---------|
| | Valid | | Missing | | Total | |
| | N | Percent | N | Percent | N | Percent |
| Phone seks * Ciuman Atau Kising | 69 | 100.0% | 0 | .0% | 69 | 100.0% |

Phone seks * Ciuman Atau Kising Crosstabulation

| Count | | Ciuman Atau Kising | | Total |
|------------|-------|--------------------|----|-------|
| | | Tidak | Ya | |
| Phone seks | Tidak | 4 | 24 | 28 |
| | Ya | 3 | 38 | 41 |
| Total | | 7 | 62 | 69 |

Symmetric Measures

| | | Value | Asymp. Std. Error ^a | Approx. T ^b | Approx. Sig. |
|----------------------|----------------------|-------|--------------------------------|------------------------|-------------------|
| Interval by Interval | Pearson's R | .113 | .122 | .934 | .354 ^c |
| Ordinal by Ordinal | Spearman Correlation | .113 | .122 | .934 | .354 ^c |
| N of Valid Cases | | 69 | | | |

a. Not assuming the null hypothesis.

b. Using the asymptotic standard error assuming the null hypothesis.

c. Based on normal approximation.

Crosstabs

Case Processing Summary

| | Cases | | | | | |
|---------------------|-------|---------|---------|---------|-------|---------|
| | Valid | | Missing | | Total | |
| | N | Percent | N | Percent | N | Percent |
| Phone seks * Neking | 69 | 100.0% | 0 | .0% | 69 | 100.0% |

Phone seks * Neking Crosstabulation

| Count | | Neking | | Total |
|------------|-------|--------|----|-------|
| | | Tidak | Ya | |
| Phone seks | Tidak | 28 | 0 | 28 |
| | Ya | 39 | 2 | 41 |
| Total | | 67 | 2 | 69 |

Symmetric Measures

| | | Value | Asymp. Std. Error ^a | Approx. T ^b | Approx. Sig. |
|----------------------|----------------------|-------|--------------------------------|------------------------|-------------------|
| Interval by Interval | Pearson's R | .143 | .052 | 1.181 | .242 ^c |
| Ordinal by Ordinal | Spearman Correlation | .143 | .052 | 1.181 | .242 ^c |
| N of Valid Cases | | 69 | | | |

a. Not assuming the null hypothesis.

b. Using the asymptotic standard error assuming the null hypothesis.

c. Based on normal approximation.

Crosstabs

Case Processing Summary

| | Cases | | | | | |
|------------------------|-------|---------|---------|---------|-------|---------|
| | Valid | | Missing | | Total | |
| | N | Percent | N | Percent | N | Percent |
| Phone seks * Menyentuh | 69 | 100.0% | 0 | .0% | 69 | 100.0% |

Phone seks * Menyentuh Crosstabulation

| Count | | Menyentuh | | Total |
|-------|----|------------|-------|-------|
| | | Tidak | Ya | |
| | | Phone seks | Tidak | |
| | Ya | 3 | 38 | 41 |
| Total | | 3 | 66 | 69 |

Symmetric Measures

| | | Value | Asymp. Std. Error ^a | Approx. T ^b | Approx. Sig. |
|----------------------|----------------------|-------|--------------------------------|------------------------|-------------------|
| Interval by Interval | Pearson's R | -.176 | .053 | -1.465 | .148 ^c |
| Ordinal by Ordinal | Spearman Correlation | -.176 | .053 | -1.465 | .148 ^c |
| N of Valid Cases | | 69 | | | |

a. Not assuming the null hypothesis.

b. Using the asymptotic standard error assuming the null hypothesis.

c. Based on normal approximation.

Crosstabs

Case Processing Summary

| | Cases | | | | | |
|-------------------------|-------|---------|---------|---------|-------|---------|
| | Valid | | Missing | | Total | |
| | N | Percent | N | Percent | N | Percent |
| Phone seks * Berprlukan | 69 | 100.0% | 0 | .0% | 69 | 100.0% |

Phone seks * Berprlukan Crosstabulation

| Count | | Berprlukan | | Total |
|------------|-------|------------|----|-------|
| | | Tidak | Ya | |
| Phone seks | Tidak | 2 | 26 | 28 |
| | Ya | 3 | 38 | 41 |
| Total | | 5 | 64 | 69 |

Symmetric Measures

| | | Value | Asymp. Std. Error ^a | Approx. T ^b | Approx. Sig. |
|----------------------|----------------------|-------|--------------------------------|------------------------|-------------------|
| Interval by Interval | Pearson's R | -.003 | .120 | -.027 | .979 ^c |
| Ordinal by Ordinal | Spearman Correlation | -.003 | .120 | -.027 | .979 ^c |
| N of Valid Cases | | 69 | | | |

a. Not assuming the null hypothesis.

b. Using the asymptotic standard error assuming the null hypothesis.

c. Based on normal approximation.

Crosstabs

Case Processing Summary

| | Cases | | | | | |
|---------------------|-------|---------|---------|---------|-------|---------|
| | Valid | | Missing | | Total | |
| | N | Percent | N | Percent | N | Percent |
| Phone seks * Peting | 69 | 100.0% | 0 | .0% | 69 | 100.0% |

Phone seks * Peting Crosstabulation

| Count | | Peting | | Total |
|-------|----|------------|-------|-------|
| | | Tidak | Ya | |
| | | Phone seks | Tidak | |
| | Ya | 39 | 2 | 41 |
| Total | | 61 | 8 | 69 |

Symmetric Measures

| | | Value | Asymp. Std. Error ^a | Approx. T ^b | Approx. Sig. |
|----------------------|----------------------|-------|--------------------------------|------------------------|-------------------|
| Interval by Interval | Pearson's R | -.254 | .114 | -2.148 | .035 ^c |
| Ordinal by Ordinal | Spearman Correlation | -.254 | .114 | -2.148 | .035 ^c |
| N of Valid Cases | | 69 | | | |

a. Not assuming the null hypothesis.

b. Using the asymptotic standard error assuming the null hypothesis.

c. Based on normal approximation.

Crosstabs

Case Processing Summary

| | Cases | | | | | |
|------------------------|-------|---------|---------|---------|-------|---------|
| | Valid | | Missing | | Total | |
| | N | Percent | N | Percent | N | Percent |
| Phone seks * Oral Seks | 69 | 100.0% | 0 | .0% | 69 | 100.0% |

Phone seks * Oral Seks Crosstabulation

| Count | | Oral Seks | | Total |
|------------|-------|-----------|----|-------|
| | | Tidak | Ya | |
| Phone seks | Tidak | 27 | 1 | 28 |
| | Ya | 36 | 5 | 41 |
| Total | | 63 | 6 | 69 |

Symmetric Measures

| | | Value | Asymp. Std. Error ^a | Approx. T ^b | Approx. Sig. |
|----------------------|----------------------|-------|--------------------------------|------------------------|-------------------|
| Interval by Interval | Pearson's R | .150 | .098 | 1.244 | .218 ^c |
| Ordinal by Ordinal | Spearman Correlation | .150 | .098 | 1.244 | .218 ^c |
| N of Valid Cases | | 69 | | | |

a. Not assuming the null hypothesis.

b. Using the asymptotic standard error assuming the null hypothesis.

c. Based on normal approximation.

Crosstabs

Case Processing Summary

| | Cases | | | | | |
|---------------------|-------|---------|---------|---------|-------|---------|
| | Valid | | Missing | | Total | |
| | N | Percent | N | Percent | N | Percent |
| Phone seks * Coitus | 69 | 100.0% | 0 | .0% | 69 | 100.0% |

Phone seks * Coitus Crosstabulation

| Count | | | | |
|------------|-------|--------|----|-------|
| | | Coitus | | Total |
| | | Tidak | Ya | |
| Phone seks | Tidak | 26 | 2 | 28 |
| | Ya | 38 | 3 | 41 |
| Total | | 64 | 5 | 69 |

Symmetric Measures

| | | Value | Asymp. Std. Error ^a | Approx. T ^b | Approx. Sig. |
|----------------------|----------------------|-------|--------------------------------|------------------------|-------------------|
| Interval by Interval | Pearson's R | .003 | .120 | .027 | .979 ^c |
| Ordinal by Ordinal | Spearman Correlation | .003 | .120 | .027 | .979 ^c |
| N of Valid Cases | | 69 | | | |

a. Not assuming the null hypothesis.

b. Using the asymptotic standard error assuming the null hypothesis.

c. Based on normal approximation.

Crosstabs

Case Processing Summary

| | Cases | | | | | |
|------------------------|-------|---------|---------|---------|-------|---------|
| | Valid | | Missing | | Total | |
| | N | Percent | N | Percent | N | Percent |
| Phone seks * Anal Seks | 69 | 100.0% | 0 | .0% | 69 | 100.0% |

Phone seks * Anal Seks Crosstabulation

| Count | | | |
|------------|-------|-----------|-------|
| | | Anal Seks | Total |
| | | Tidak | |
| Phone seks | Tidak | 28 | 28 |
| | Ya | 41 | 41 |
| Total | | 69 | 69 |

Symmetric Measures

| | | Value |
|----------------------|-------------|----------------|
| Interval by Interval | Pearson's R | . ^a |
| N of Valid Cases | | 69 |

a. No statistics are computed because Anal Seks is a constant.

Nonparametric Correlations

Correlations

| | | | Phone seks | Perilaku Seks Bebas |
|----------------|---------------------|-------------------------|-------------------|---------------------|
| Spearman's rho | Phone seks | Correlation Coefficient | 1.000 | .269 [*] |
| | | Sig. (2-tailed) | . | .026 |
| | | N | 69 | 69 |
| | Perilaku Seks Bebas | Correlation Coefficient | .269 [*] | 1.000 |
| | | Sig. (2-tailed) | .026 | . |
| | | N | 69 | 69 |

*. Correlation is significant at the 0.05 level (2-tailed).

Nonparametric Correlations

Correlations

| | | | Phone seks | Ciuman Atau Kising | Neking | Menyentuh | Berprlukan | Peting | Oral Seks | Coitus | Anal Seks |
|--------------------|--------------------|-------------------------|------------|--------------------|--------|-----------|------------|--------------------|-----------|--------|-----------|
| Spearman's rho | Phone seks | Correlation Coefficient | 1.000 | .113 | .143 | -.176 | -.003 | -.254 [*] | .150 | .003 | . |
| | | Sig. (2-tailed) | . | .354 | .242 | .148 | .979 | .035 | .218 | .979 | . |
| | | N | 69 | 69 | 69 | 69 | 69 | 69 | 69 | 69 | 69 |
| Ciuman Atau Kising | Ciuman Atau Kising | Correlation Coefficient | .113 | 1.000 | .058 | -.072 | .091 | -.178 | -.067 | .094 | . |
| | | Sig. (2-tailed) | .354 | . | .636 | .559 | .456 | .143 | .586 | .443 | . |
| | | N | 69 | 69 | 69 | 69 | 69 | 69 | 69 | 69 | 69 |
| Neking | Neking | Correlation Coefficient | .143 | .058 | 1.000 | .037 | .048 | -.063 | -.053 | -.048 | . |
| | | Sig. (2-tailed) | .242 | .636 | . | .764 | .694 | .610 | .663 | .694 | . |
| | | N | 69 | 69 | 69 | 69 | 69 | 69 | 69 | 69 | 69 |
| Menyentuh | Menyentuh | Correlation Coefficient | -.176 | -.072 | .037 | 1.000 | -.060 | .077 | .066 | .060 | . |
| | | Sig. (2-tailed) | .148 | .559 | .764 | . | .627 | .528 | .591 | .627 | . |
| | | N | 69 | 69 | 69 | 69 | 69 | 69 | 69 | 69 | 69 |
| Berprlukan | Berprlukan | Correlation Coefficient | -.003 | .091 | .048 | -.060 | 1.000 | .101 | .086 | .078 | . |
| | | Sig. (2-tailed) | .979 | .456 | .694 | .627 | . | .408 | .481 | .523 | . |

| | | | | | | | | | | |
|-----------|-------------------------|--------|-------|-------|------|------|-------|--------|--------|----|
| | N | 69 | 69 | 69 | 69 | 69 | 69 | 69 | 69 | 69 |
| Peting | Correlation Coefficient | -.254* | -.178 | -.063 | .077 | .101 | 1.000 | .049 | -.101 | . |
| | Sig. (2-tailed) | .035 | .143 | .610 | .528 | .408 | . | .690 | .408 | . |
| | N | 69 | 69 | 69 | 69 | 69 | 69 | 69 | 69 | 69 |
| Oral Seks | Correlation Coefficient | .150 | -.067 | -.053 | .066 | .086 | .049 | 1.000 | .311** | . |
| | Sig. (2-tailed) | .218 | .586 | .663 | .591 | .481 | .690 | . | .009 | . |
| | N | 69 | 69 | 69 | 69 | 69 | 69 | 69 | 69 | 69 |
| Coitus | Correlation Coefficient | .003 | .094 | -.048 | .060 | .078 | -.101 | .311** | 1.000 | . |
| | Sig. (2-tailed) | .979 | .443 | .694 | .627 | .523 | .408 | .009 | . | . |
| | N | 69 | 69 | 69 | 69 | 69 | 69 | 69 | 69 | 69 |
| Anal Seks | Correlation Coefficient | . | . | . | . | . | . | . | . | . |
| | Sig. (2-tailed) | . | . | . | . | . | . | . | . | . |
| | N | 69 | 69 | 69 | 69 | 69 | 69 | 69 | 69 | 69 |

*. Correlation is significant at the 0.05 level (2-tailed).

** . Correlation is significant at the 0.01 level (2-tailed).

| | | | | | | | | | | |
|-----------|-------------------------|-------|-------|-------|------|------|-------|--------|--------|----|
| | Sig. (2-tailed) | .481 | .456 | .694 | .627 | . | .408 | .481 | .523 | . |
| | N | 69 | 69 | 69 | 69 | 69 | 69 | 69 | 69 | 69 |
| Peting | Correlation Coefficient | -.049 | -.178 | -.063 | .077 | .101 | 1.000 | .049 | -.101 | . |
| | Sig. (2-tailed) | .690 | .143 | .610 | .528 | .408 | . | .690 | .408 | . |
| | N | 69 | 69 | 69 | 69 | 69 | 69 | 69 | 69 | 69 |
| Oral Seks | Correlation Coefficient | .095 | -.067 | -.053 | .066 | .086 | .049 | 1.000 | .311** | . |
| | Sig. (2-tailed) | .436 | .586 | .663 | .591 | .481 | .690 | . | .009 | . |
| | N | 69 | 69 | 69 | 69 | 69 | 69 | 69 | 69 | 69 |
| Coitus | Correlation Coefficient | .086 | .094 | -.048 | .060 | .078 | -.101 | .311** | 1.000 | . |
| | Sig. (2-tailed) | .481 | .443 | .694 | .627 | .523 | .408 | .009 | . | . |
| | N | 69 | 69 | 69 | 69 | 69 | 69 | 69 | 69 | 69 |
| Anal Seks | Correlation Coefficient | . | . | . | . | . | . | . | . | . |
| | Sig. (2-tailed) | . | . | . | . | . | . | . | . | . |
| | N | 69 | 69 | 69 | 69 | 69 | 69 | 69 | 69 | 69 |

** . Correlation is significant at the 0.01 level (2-tailed).