

LAMPIRAN

USER/PELANGGAN

Index.php

```
<?php
```

```
include "conn.php";
```

```
$urlMod = explode('/',$_GET['urlMod']);
```

```
$web = "http://localhost/lol2";
```

```
session_start();
```

```
$today = date("d-m-Y");
```

```
date_default_timezone_set("Asia/Jakarta");
```

```
function anti_inject($data){
```

```
    $filter =  
    mysql_real_escape_string(stripslashes(strip_tags(htmlspecialchars($data,ENT_  
    QUOTES))));
```

```
    return $filter;
```

```
}
```

```
if ($urlMod[0]=="shownews")
```

```
{
```

```
    include "shownews.php";
```

```
}  
else if ($urlMod[0]=="newsloop")  
{  
    include "newsloop.php";  
}  
else  
{  
?>
```

```
<?php include ("header.php");?>
```

```
<!-- Carousel
```

```
===== -->
```

```
<?php
```

```
if ($urlMod[0]=="")
```

```
{
```

```
echo '
```

```
<div id="carousel" class="carousel slide" data-ride="carousel">
```

```
<!-- Menu -->
```

```
<ol class="carousel-indicators">
```

```
<li data-target="#carousel" data-slide-to="0" class="active"></li>
```

```
<li data-target="#carousel" data-slide-to="1"></li>
<li data-target="#carousel" data-slide-to="2"></li>
</ol>

<!-- Items -->
<div class="carousel-inner">

  <div class="item active">
    
  </div>
  <div class="item">
    
  </div>
  <div class="item">
    
  </div>
</div>
<a href="#carousel" class="left carousel-control" data-slide="prev">
  <span class="glyphicon glyphicon-chevron-left"></span>
</a>
<a href="#carousel" class="right carousel-control" data-slide="next">
  <span class="glyphicon glyphicon-chevron-right"></span>
</a>
</div>;
```

```
}
```

```
?>
```

```
<?php
```

```
// switching
```

```
switch($urlMod[0]){
```

```
case 'news':
```

```
    include "news.php";
```

```
    break;
```

```
case 'profil':
```

```
    include "profil.php";
```

```
    break;
```

```
case 'services':
```

```
    include "services.php";
```

```
    break;
```

```
case 'produk':
```

```
    include "produk.php";
```

```
    break;
```

```
case 'karir':
```

```
    include "karir.php";
```

```
    break;
```

```
case 'kontak':
```

```
        include "kontak.php";
        break;
    case 'daftar':
        include "register.php";
        break;

    //admin
    case 'adminpage':
        include "admin/menu.php";
        break;

    default:
        include "home.php";
        break;
}
?>
```

```
<div class="container"></div>
</div>
```

```
<?php include ("footer.php");?>
```

```
<?php }?>
```

Profil.php

```
<div class="container isi">
    <div class="row">
        <div class="col-md-3">
            <ul class="karir">
                <li class="mengapa-show">Orange</li><hr/>
                <li class="suasana-show">Orange</li><hr/>
                <li class="pilihan-show">Orange</li><hr/>
            </ul>
        </div>
        <div class="col-md-9">
            <div class="row">
                <div class="col-md-12 mengapa">
                    <?php
                    $sql = mysql_query("select * from
                    pages where pages_id='3'");
                    $hasil = mysql_fetch_array($sql);
```

```

$hasil['pages_title']."</h3><hr/>";

$hasil['pages_content'] . "</p>";

?>

</div>

<div class="col-md-12 suasana">

<?php

$sql = mysql_query("select * from
pages where pages_id='4'");

$hasil = mysql_fetch_array($sql);

echo "<h3 class='karir-title'>".

if ($hasil['image'] != ""){

    echo "<p>" . $hasil['pages_content'] .
"</p>";

}

else {

echo "<p>".

$hasil['pages_content'] . "</p>";

}

?>

</div>

```

```

<div class="col-md-12 pilihan">
    <?php
        $sql = mysql_query("select * from
pages where pages_id='2'");

        $hasil = mysql_fetch_array($sql);

        echo "<h3 class='karir-title'>".
$hasil['pages_title']."</h3><hr/>";

        if ($hasil['image'] != ""){
            echo "<p>" . $hasil['pages_content'] .
"</p>";
        }
        else {
            echo "<p>".
$hasil['pages_content'] . "</p>";
        }
    ?>
</div>

</div>

</div>

</div>

```



```
<script src="http://js.nicedit.com/nicEdit-latest.js"
type="text/javascript"></script>
```

```
<script
type="text/javascript">bkLib.onDomLoaded(nicEditors.allTextAreas);</script
>
```

News.php

```
<div class="container isi">
```

```
    <div class="row">
```

```
        <div class="col-md-3">
```

```
            <ul class="karir">
```

```
                <li>Berita</li><hr/>
```

```
                <li>Siaran Pers</li><hr/>
```

```
                <li>Galeri</li><hr/>
```

```
            </ul>
```

```
        </div>
```

```
        <div class="col-md-9">
```

```
            <h3 class="karir-title">Berita</h3><hr/>
```

```
            <?php
```

```
                $statusakhir=0;
```

```
                $no=0;
```

```
                $sqlsts="SELECT * from pages
where parent_id='1' ORDER BY pages_id desc";
```

```
                $sql = mysql_query($sqlsts);
```

```

                                while($hasil =
mysql_fetch_array($sql)){
                                //do
                                //{

                                echo "<h4>" . $hasil['pages_title']."</h4>";

                                echo
substr(html_entity_decode($hasil['pages_content']),0,600) ;

                                echo "<div><button type='button' class='btn btn-
danger' id='".$hasil['pages_id']."'>Read More...</button></div>";

                                } //while(($hasil = mysql_fetch_array($sql)) >
$statusakhir);

                                ?>

                                </div>

                                </div>

                                </div>

</div></div></div></div>

```

Produk.php

```
<div class="container isi">
```

```
<div class="col-md-3">
  <ul class="karir">
    <li class="mengapa-show">Paket
Berlangganan</li><hr/>
    <li class="suasana-show">Aktivasi
Decoder</li><hr/>
    <li class="pilihan-show">Aktivasi
Paket</li><hr/>
    <li class="gabung-show">Pembelian
Voucher</li>
  </ul>
```

```
</div>
<div class="col-md-9">
  <div class="row">
    <div class="col-md-12 mengapa">
      <h3 class="karir-title ">Paket
Berlangganan</h3><hr/>
      <br>
    </div>
```

```
<div class="col-md-12 suasana">
  <h3 class="karir-title">Aktivasi Decoder</h3><hr/>
  <br>
```

```
</div>
```

```
<div class="col-md-12 pilihan">
```

```
<h3 class="karir-title">Aktivasi Paket</h3><hr/>
```

```
<br>
```

```
</div>
```

```
<div class="col-md-12 gabung">
```

```
<h3 class="karir-title">Pembelian Voucher</h3><hr/>
```

```
<!-- Nav tabs -->
```

```
<ul class="nav nav-tabs" role="tablist">
```

```
<li class="active"><a href="#home"  
role="tab" data-toggle="tab">Alfamart</a></li>
```

```
<li><a href="#pos" role="tab" data-  
toggle="tab">Kantor Pos</a></li>
```

```
<li><a href="#indomaret" role="tab"  
data-toggle="tab">Indomaret</a></li>
```

```
<li><a href="#antarbanc" role="tab" data-  
toggle="tab">Antar Bank</a></li>
```

```
<li><a href="#bca" role="tab" data-  
toggle="tab">BCA</a></li>
```

```
toggle="tab">Mandiri</a></li>
```

```
<li><a href="#mandiri" role="tab" data-
```

```
toggle="tab">Sinar Mas</a></li>
```

```
<li><a href="#simas" role="tab" data-
```

```
</ul>
```

```
<!-- Tab panes -->
```

```
<div class="tab-content">
```

```
id="home"><br></div>
```

```
<div class="tab-pane active"
```

```
src="img/indo.jpg" alt="" class="img-responsive"></div>
```

```
<div class="tab-pane" id="pos"><img
```

```
id="indomaret"></div>
```

```
<div class="tab-pane"
```

```
id="antarbanc"></div>
```

```
<div class="tab-pane"
```

```
src="img/bca.jpg" alt="" class="img-responsive"></div>
```

```
<div class="tab-pane" id="bca"></div>
```

```
<div class="tab-pane" id="mandiri"></div>
```

```
<div class="tab-pane" id="simas"><img
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

Kontak.php

```
<?php
```

```
if(isset($_POST["contactform"]))
```

```
{
```

```
    $nama= $_POST['inputNama'];
```

```
    $perusahaan = $_POST['inputPerusahaan'];
```

```
    $email = $_POST['inputEmail'];
```

```
    $subyek = $_POST['inputSubyek'];
```

```
    $pesan = $_POST['inputPesan'];
```

```
    //!!!!!!!!!!!!!!!!!!!!!!!!!!!!!! Email to sales  
    !!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!
```

```
    $to = "sales@ode.co.id";
```

```
    $from = "$email";
```

```
    $subject = "$subyek";
```

```

//Begin HTML Email Message

$message = "$pesan";

//end of message

$headers = "From: $nama\r\n";

$headers .= "Content-type: text\r\n";

mail($to, $subject, $message, $headers);

//!!!!!!!!!!!!!!!!!!!!!!!!!!!! End Email !!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!

$sql = mysql_query("insert into email_kontak set
nama='$nama',perusahaan = '$perusahaan',email = '$email',subyek = '$subyek',
pesan= '$pesan'");

echo "<script language='javascript'>alert('Pesan telah
terkirim');</script>";

echo "<script language='javascript'>window.location.href =
'kontak';</script>";

}

else {

?>

<body style="" onLoad="">

```

```
<div class="container">
```

```
<div class="row">
```

```
<h3>Kontak</h3><hr/>
```

```
<div class="col-md-2"></div>
```

```
<div class="col-md-8">
```

```
<!--Kontak Area-->
```

```
<form class="form-horizontal" role="form" name="contactform"
id="contactform" action="kontak" onSubmit="return validate(this);"
method="post" >
```

```
<div class="form-group">
```

```
<label for="inputNama" class="col-sm-2 control-
label">Nama: </label>
```

```
<div class="col-sm-10">
```

```
<input type="text" class="form-control"
id="inputNama" name="inputNama" placeholder="Nama" value=""
required="required" >
```

```
</div>
```

```
</div>
```



```
<div class="form-group">
    <label for="inputPerusahaan" class="col-sm-2
control-label">Alamat: </label>
    <div class="col-sm-10">
        <input type="text" class="form-control"
id="inputPerusahaan" name="inputPerusahaan" placeholder="Alamat"
value="" required="required" >
    </div>
</div>
<div class="form-group">
    <label for="inputEmail" class="col-sm-2 control-
label">Email: </label>
    <div class="col-sm-10">
        <input type="email" class="form-control"
id="inputEmail" name="inputEmail" placeholder="Email" value=""
required="required" >
    </div>
</div>
<div class="form-group">
    <label for="inputSubyek" class="col-sm-2 control-
label">Subyek: </label>
    <div class="col-sm-10">
        <input type="text" class="form-control"
id="inputSubyek" name="inputSubyek" placeholder="Subyek" value=""
required="required" >
    </div>
</div>
<div class="form-group">
```

```
label">Pesan: </label>
```

```
<div class="col-sm-10">
```

```
<textarea class="form-control" id="inputPesan"
name="inputPesan" placeholder="Pesan" rows="6"></textarea>
```

```
</div>
```

```
</div>
```

```
<div class="form-group">
```

```
<label for="inputSubyek" class="col-sm-2 control-
label"></label>
```

```
<div class="col-sm-10">
```

```
<br/>
```

```
<!-- CHANGE TEXT LINK -->
```

```
<a href="#" onclick="
```

```
document.getElementById('captcha').src='function/captcha/captcha.php?'+Mat
h.random();
```

```
document.getElementById('captcha-form').focus();" 
```

```
id="change-image">Not readable? Change text.</a><br/><br/>
```

```
<input type="text" name="captcha" id="captcha-form" autocomplete="off"
/><br/>
```

```
</div>
```

```
</div>
```

```
<div class="form-group">
```

```
<div class="col-sm-offset-2 col-sm-10">
```

```
<button type="submit" class="btn btn-danger" id="contactform"  
name="contactform" value="Upload">Kirim Pesan</button>
```

```
</div>
```

```
</div>
```

```
</form>
```

```
<!--End Kontak-->
```

```
</div>
```

```
<div class="col-md-2"></div>
```

```
</div></div>
```

```
<?php
```

```
}
```

```
?>
```

```
<!-- Bootstrap core JavaScript
```

```
===== -->
```

<!-- Placed at the end of the document so the pages load faster -->

```
<script>
```

```
/* Validasi Kontak Form
```

```
* THIS IS JUST A BASIC JAVASCRIPT CONFIRMATION ON THE  
FRONT END.
```

```
* YOU CAN ACTUALLY DO A BETTER CHECKING ON THE SERVER  
SIDE USING PHP ON THIS SAME PAGE.
```

```
*/
```

```
function validate(form){
```

```
    var error="";
```

```
    if(form.inputNama.value == ""){
```

```
        error=error+"Name could not be blank.\n";
```

```
    }
```

```
    // checks
```

```
    var email = document.getElementById('email').value;
```

```
    if(form.email.value == "")
```

```
        error=error+"Email could not be blank.\n";
```

```

else{

    atpos = email.indexOf("@");
    dotpos = email.lastIndexOf(".");
    if (atpos < 1 || ( dotpos - atpos < 2 )){
        error=error+"Invalid Email.\n";
    }
}

if(form.subject.value == ""){
    error=error+"Subject could not be blank.\n";
}

if(form.inputPesan.value == ""){
    error=error+"Name could not be blank.\n";
}

if(error!=""){
    alert('Errors found. Form could not be sent:\n'+error); return
false;
}
else{
    alert('Sending Message Now.');
```

```
</script>
```

```
</body></html>
```

Karir.php

```
<?php
```

```
    $sql = mysql_query("select * from pages where  
parent_id='5'");
```

```
    $hasil = mysql_fetch_array($sql);
```

```
?>
```

```
    <div class="container isi">
```

```
        <div class="row">
```

```
            <div class="col-md-3">
```

```
                <ul class="karir">
```

```
                    <li class="mengapa-  
show">Berita</li><hr/>
```

```
                    <li class="suasana-show">Suasana  
Kerja</li><hr/>
```

```
                    <li class="pilihan-show">Pilihan  
Karirmu</li><hr/>
```

```
                    <li class="gabung-show">Bergabung  
bersama kami</li>
```

```
                </ul>
```

```
            </div>
```

```
        <div class="col-md-9">
```

```
<div class="row">
    <div class="col-md-12 mengapa">
        <h3 class="karir-title ">Berita</h3><hr/>
        <?php $sql1 = mysql_query("select * from pages
where parent_id='1' ORDER BY pages_id desc");
        $hasilquery = mysql_fetch_array($sql1);

        echo $hasilquery['pages_content'];

    ?>
</div>
```

```
<div class="col-md-12 suasana">
    <h3 class="karir-title">Suasana Kerja</h3><hr/>
    <?php $sql2 = mysql_query("select * from pages
where parent_id='5' and pages_id='9'");
    $hasilquery = mysql_fetch_array($sql2);

    echo $hasilquery['pages_content'];

    ?>

</div>
```

```
<div class="col-md-12 pilihan">
```

```
<h3 class="karir-title">Pilihan Karirmu</h3><hr/>
```

```
<?php $sql3 = mysql_query("select * from pages  
where parent_id='5' and pages_id='10'");
```

```
$hasilquery = mysql_fetch_array($sql3);
```

```
echo $hasilquery['pages_content'];
```

```
?>
```

```
</div>
```

```
<div class="col-md-12 gabung">
```

```
<h3 class="karir-title">Bergabung bersama kami</h3><hr/>
```

```
<form class="form-horizontal" role="form"  
id="contactform" action="<?php echo $_SERVER['PHP_SELF']; ?>"  
onSubmit="return validate(this);" method="post">
```

```
<div class="form-group">
```

```
<label for="inputNama"  
class="col-sm-2 control-label">Nama: </label>
```

```
<div class="col-sm-10">
```

```
<input type="text" class="form-  
control" id="inputNama" placeholder="Nama" value="" required="required" >
```

```
</div>
```



```
</div>
```

```
<div class="form-group">
```

```
    <label for="inputEmail"
class="col-sm-2 control-label">Email: </label>
```

```
    <div class="col-sm-10">
```

```
        <input type="email" class="form-
control" id="inputEmail" placeholder="Email" value="" required="required" >
```

```
    </div>
```

```
</div>
```

```
<div class="form-group">
```

```
    <label for="inputHP" class="col-
sm-2 control-label">Handphone: </label>
```

```
    <div class="col-sm-10">
```

```
        <input type="text" class="form-
control" id="inputHP" placeholder="Handphone" value="" required="required"
>
```

```
    </div>
```

```
</div>
```

```
<div class="form-group">
```

```
    <label for="inputPesan"
class="col-sm-2 control-label">Pesan: </label>
```

```
    <div class="col-sm-10">
```

```
        <input class="btn" name="file"
type="file" />
```

```
    </div>
```

```
</div>
```

```
<div class="form-group">
```

```
sm-10">
<div class="col-sm-offset-2 col-
class="btn btn-danger">Kirim Pesan</button>
</div>
</div>
</form>
</div>
</div>
</div>
</div>
</div>
</div>
```

Admin

Index.php

```
<?php
include "../conn.php";
$urlMod = explode('/',$_GET['urlMod']);
$web = "http://www.ode.co.id/";

session_start();

$today = date("d-m-Y");
date_default_timezone_set("Asia/Jakarta");

function anti_inject($data){
```

```
        $filter =
mysql_real_escape_string(stripslashes(strip_tags(htmlspecialchars($data,ENT_
QUOTES))));

        return $filter;

    }

```

```
if ($urlMod[0]=="shownews")
{
    include "shownews.php";
}
else if ($urlMod[0]=="newsloop")
{
    include "newsloop.php";
}
else
{
?>

```

```
<?php include ("header.php");?>
```

```
<?php
```

```
// switching
```

```
switch($urlMod[0]){
case 'news':
    include "../news.php";
    break;
case 'profil':
    include "../profil.php";
    break;
case 'services':
    include "../services.php";
    break;
case 'testimonial':
    include "../testimonial.php";
    break;
case 'kontak':
    include "../kontak.php";
    break;

//admin
case 'adminpage':
    include "admin/login.php";
    break;

default:
include "../home.php";
```

```
        break;
    }
?>

<div class="navbar navbar-default navbar-space">
<div class="container"></div>
</div>

<div class="footer">
<div class="container">
    <div class="col-md-4">

        <div class="footer-content footer-content-subscribe
"><p>Term Of Use | Privacy | Sitemap</p><p>Copyright 2014 Allright
Reserved</p></div>

    </div>

<div class="col-md-4"></div>
<div class="col-md-4">

</div>
</div>
</div>
```

<!-- Bootstrap core JavaScript

===== -->

<!-- Placed at the end of the document so the pages load faster -->

```
<script charset="UTF8" src="<?php echo  
"http://".$_SERVER['HTTP_HOST'];?>/js/jquery-1.10.2.min.js"  
type="text/javascript"></script>
```

```
<script src="http://code.jquery.com/jquery-migrate-1.2.1.js"  
type="text/javascript"></script>
```

```
<script src="<?php echo  
"http://".$_SERVER['HTTP_HOST'];?>/js/docs.min.js"  
type="text/javascript"></script>
```

```
<script src="<?php echo  
"http://".$_SERVER['HTTP_HOST'];?>/js/bootstrap.min.js"  
type="text/javascript"></script>
```

```
<script type="text/javascript" charset="utf-8">
```

```
</script>
```

```
<script type="text/javascript">
```

```
</script>
```

```
</body></html>
```

```
<?php }?>
```

Login.php

```
<div class="container"></div>
```

```
<div class="container">
```

```
  <div class="row">
```

```
    <div class="col-md-2"></div>
```

```
    <div class="col-md-4">
```

```
  <form class="form-horizontal" name="login" id="login" action="adminpage"
  method="post" enctype="multipart/form-data">
```

```
    <div class="col-sm-12 well" >
```

```
      <div class="form-group bg-danger">
```

```
        <label for="title"><h3>Website Management</h3></label>
```

```
      </div>
```

```
    <div class="form-group">
```

```
      <label
  for="exampleInputEmail1">Username</label>
```

```
    <div class="input-group">
```

```
      <span class="input-group-btn">
```

```
        <button class="btn btn-default"
  type="button"><span class="glyphicon glyphicon-user"></span></button>
```

```
      </span>
```

```
        <input type="text" class="form-control"
  id="exampleInputEmail1" placeholder="Username" name="usernameklinik"
  id="usernameklinik"></div>
```

```
    </div>
```

```
<div class="form-group">
    <label
for="exampleInputPassword1">Password</label>
    <div class="input-group">
        <span class="input-group-btn">
            <button class="btn btn-default"
type="button"><span class="glyphicon glyphicon-pencil"></span></button>
            </span>
            <input type="password" class="form-
control" id="exampleInputPassword1" placeholder="Password"
name="passklik" id="passklik"></div>
        </div>
    <div class="checkbox">
        <label>
            <input type="checkbox"> Selalu masuk
        </label>
    </div>
    <button type="submit" class="pull-right btn btn-
danger btn-lg" id="login" name="login">Submit</button>
</div>
</div>
</form>
</div>
<div class="col-md-4"></div>
</div>
```



```
</div>
```

Menu.php

```
<?php
```

```
session_start();
```

```
if(isset($_POST["login"]))
```

```
{
```

```
    $username = $_POST['usernameklinik'];
```

```
    $password = anti_inject(md5(trim($_POST['passklinik'])));
```

```
    $loginSQL = mysql_query("SELECT *  
FROM userlogin WHERE username='$username' AND  
password='$password'");
```

```
    $loginFOUND = mysql_num_rows($loginSQL);
```

```
    $loginRESULT = mysql_fetch_array($loginSQL);
```

```
    if($loginFOUND > 0){
```

```
        $_SESSION['memberLogin'] = "IN";
```

```
        echo "<script language='javascript'>alert('Login  
Success !');</script>";
```

```
    }
```

```
    else
```

```
    {
```

```
        echo "<script language='javascript'>alert('Wrong  
username or password !');</script>";
```

```
    }
```

```
}
```

```
?>
```

```
<div class="container">
```

```
<div class="row-fluid">
```

```
<div class="col-md-2 well">
```

```
<b>Admin Menu</b>
```

```
<ul class="brk">
```

```
    <li><a href="adminpage" style="text-decoration:none;">Home</a></li>
```

```
    <li><a href="adminpage?p=changepassword" style="text-decoration:none;">Change Password</a></li>
```

```
    <li><a href="adminpage?p=logout" style="text-decoration:none;">Logout</a></li>
```

```
</ul>
```

```
<b>News</b>
```

```
<ul class="brk">
```

```
    <li><a href="adminpage?p=news" style="text-decoration:none;">Berita</a></li>
```

```
    <!--<li><a href="adminpage?p=addnews" style="text-decoration:none;">Add News</a></li>
```

```
    <li><a href="adminpage?p=editnewsmenu" style="text-decoration:none;">Edit News</a></li>-->
```

```
</ul>
```

```
<b>Gallery Photo</b>
```

```
<ul class="brk">
```

```
    <li><a href="adminpage?p=addtestimonial" style="text-decoration:none;">Add Photo</a></li>
```

Edit Photo

Profil

<ul class="brk">

Edit Home Slider

Edit About Page

Edit Pemasaran

Edit Produk

Misc

<ul class="brk">

Pilihan Karir

Kandidat

Pelanggan

<ul class="brk">

Pelanggan

<!-- Add Produk -->


```
</div>
```

```
<div class="col-md-10">
```

```
<?php
```

```
if(isset($_SESSION['memberLogin']) &&  
$_SESSION['memberLogin']=="IN")
```

```
{
```

```
if (isset($_GET['p'])){
```

```
$page = $_GET['p'];
```

```
    switch($page){
```

```
        case 'changepassword';
```

```
            include "admin/changepassword.php";
```

```
            break;
```

```
        case 'logout';
```

```
            include "admin/logout.php";
```

```
            break;
```

```
            //news
```

```
        case 'news':
```

```
            include "admin/news.php";
```

```
            break;
```

```
        case 'create':
```

```
            include "admin/addnews.php";
```

```
            break;
```

```
        case 'addnews':
```

```
        include "admin/addnews.php";
        break;
case 'readnews':
        include "admin/readnews.php";
        break;
case 'updatenews':
        include "admin/updatenews.php";
        break;
case 'deletenews':
        include "admin/deletenews.php";
        break;
case 'editnewsmenu':
        include "admin/editnewsmenu.php";
        break;
case 'editnews':
        include "admin/editnews.php";
        break;
case 'editnewsaksi':
        include "admin/editnewsaksi.php";
        break;
        //testimonial
case 'addtestimonial':
        include "admin/addtestimonial.php";
        break;
```

```
case 'edittestimonialmenu':  
    include "admin/edittestimonialmenu.php";  
    break;  
  
case 'edittestimonial':  
    include "admin/edittestimonial.php";  
    break;  
  
case 'edittestimonialaksi':  
    include "admin/edittestimonialaksi.php";  
    break;  
  
    //page  
  
case 'editmainslider':  
    include "admin/editslider.php";  
    break;  
  
case 'editaboutpage':  
    include "admin/editaboutpage.php";  
    break;  
  
case 'editvisipage':  
    include "admin/editvisipage.php";  
    break;  
  
case 'editcontactpage':  
    include "admin/editcontactpage.php";  
    break;
```

```
        //karir
case 'editkarirtop':
            include "admin/editkarirtop.php";
            break;
case 'editkarirmiddle':
            include "admin/editkarirmiddle.php";
            break;
case 'pilihankarir':
            include "admin/pilihankarir.php";
            break;

//produk
case 'pelanggan':
            include "admin/pelanggan.php";
            break;
case 'readpelanggan':
            include "admin/readpelanggan.php";
            break;
case 'updatepelanggan':
            include "admin/updatepelanggan.php";
            break;
case 'deletepelanggan':
            include "admin/deletepelanggan.php";
```

```
        break;

    }

}else
{
    echo '<div class="col-md-12 well" style="background-color:white;">

        <strong>OrangeTV jagonya TV
berlangganan</strong></div>';

}

}

else
{
    include "admin/login.php";

}

?>

</div>

</div></div>
```

```
<script src="http://js.nicedit.com/nicEdit-latest.js"
type="text/javascript"></script>

<script
type="text/javascript">bkLib.onDomLoaded(nicEditors.allTextAreas);</script
>
```


Pelanggan.php

```
<div class="col-md-12 well" style="background-color:white;">
```

```
<div>
```

```
<?php
```

```
include "admin/map/another.php";
```

```
?>
```

```
<h3>Pelanggan</h3>
```

```
<table class="table table-striped table-  
bordered">
```

```
<thead>
```

```
<tr>
```

```
<th>No</th>
```

```
<th>Nama </th>
```

```
<th>Alamat</th>
```

```
<th>Action</th>
```

```
</tr>
```

```
</thead>
```

```

<tbody>
<?php
                                $statusakhir=0;
                                $no=0;
                                $sqlsts="SELECT * from
pelanggan ORDER BY pelanggan_id desc";
                                $sql = mysql_query($sqlsts);
                                while($hasil =
mysql_fetch_array($sql)){

                                $no = $no+1;

                                echo '<tr>';

                                echo '<td>'. $no . '</td>';

                                echo '<td>'. $hasil['nama'] . '</td>';

                                echo '<td>'. $hasil['alamat'] . '</td>';

                                echo '<td width=300>';

                                echo '<a class="btn btn-default"
href="adminpage?p=readpelanggan&id='.$hasil['pelanggan_id'].'"><i
class="glyphicon glyphicon-list"></i> Read</a>';

```

```
echo '&nbsp;';
```

```
echo '<a class="btn btn-success"
href="adminpage?p=updatepelanggan&id='.$hasil['pelanggan_id'].'"><i
class="glyphicon glyphicon-pencil"></i> Update</a>';
```

```
echo '&nbsp;';
```

```
echo '<a class="btn btn-danger"
href="adminpage?p=deletepelanggan&id='.$hasil['pelanggan_id'].'"
onclick="return confirm(\'Really delete?\');">
```

```
<i class="glyphicon glyphicon-trash"></i> Delete</a>';
```

```
echo '</td>';
```

```
echo '</tr>';
```

```
}
```

```
?>
```

```
</tbody>
```

```
</table>
```

```
</div></div> </div>
```

Updatenews.php

```
<?php
$id=$_GET['id'];
if(isset($_POST["updatenews"]))
    {
        $id = $_POST['inputNews'];
        $tanggal = $_POST['inputTanggal'];
        $title = anti_inject(ucwords($_POST['inputTitle']));
        $content = anti_inject($_POST['inputContent']);
        $tempatFile = "img_news/";

        echo "<script
language='javascript'>alert($content);</script>";

        function getExtension($str) // pecah Extension File
        {
            $i = strrpos($str, ".");
            if (!$i) { return ""; }
            $l = strlen($str) - $i;
            $ext = substr($str,$i+1,$l);
            return $ext;
        }

        $extFilePic1 = "";
```

```
if($_FILES['file1']['name'] != "")
{
    $pic1 = $_FILES['file1']['name'];
    $filePic1 = stripslashes($pic1);
    $extFilePic1 = strtolower(getExtension($filePic1));
}

if ( ($extFilePic1 != "jpg") and $_FILES['file1']['name'] != "")
{
    echo "<script language='javascript'>alert('Failed !
Upload File Picture 1 Only *.jpg');</script>";
}

else
{
    if($_FILES['file1']['name'] != "")
    {
        $kodePic1 = $idnews."_1";
        $namaFile1BR =
$kodePic1.'.'.$extFilePic1;
```

```

        $file1BR = $tempatFile.$namaFile1BR;

        $copyFile1 =
move_uploaded_file($_FILES['file1']['tmp_name'], $file1BR);

    }

        $sql = mysql_query("update pages set
pages_title='$title',pages_content='$content', parent_id='1' where
pages_id='$id'");

        echo "<script language='javascript'>alert('Edit News
Sukses !');</script>";

        echo "<script
language='javascript'>window.location.href =
'".$web."adminpage?p=news';</script>";

    }

}

else

{

        $sql = mysql_query("select * from pages where
pages_id='$id' and parent_id='1'");

        $hasil = mysql_fetch_array($sql);

?>

<form class="" name="updatenews" id="updatenews"
action="adminpage?p=updatenews" method="post" enctype="multipart/form-
data">

```

```
color:white;">
```

```
<div class="col-md-10 well" style="background-
```

```
<strong>Update Berita</strong>
```

```
<div class="form-group">
```

```
id="inputNews" name="inputNews" value="<?php echo $id;?>" >
```

```
<input class="form-control" type="hidden"
```

```
</div>
```

```
<div class="form-group">
```

```
<label class="control-label">Tanggal (d-m-Y)
```

```
:</label>
```

```
<div class="controls">
```

```
id="inputTanggal" name="inputTanggal" value="<?php echo $hasil['pages_write_date'];?>" readonly="readonly">
```

```
<input class="form-control" type="text"
```

```
</div>
```

```
</div>
```

```
<div class="form-group">
```

```
<label class="control-label">Title :</label>
```

```
    <input class="form-control" type="text"  
id="inputTitle" name="inputTitle" class="col-md-8" value="<?php echo  
$hasil['pages_title'];?>">
```

```
</div>
```

```
<div class="form-group">
```

```
<label class="control-label">Content News  
:</label>
```

```
    <textarea class="form-control" class="col-  
md-8" id="inputContent" name="inputContent" ><?php echo  
$hasil['pages_content'];?></textarea>
```

```
</div>
```

Image

```
<b style="color:red;">please upload image with 600px x 600px  
resolution, and (File : *.jpg)</b>
```

```
<div class="form-group">
```

```
<label class="control-label">Image Top  
News</label>
```

```
<div class="controls">
```

```
<input type="file" name="file1"  
id="file1">
```


</div>

</div>

<div class="form-group">

<div class="controls">

<hr/>

<a class='btn btn-default'
href='adminpage?p=news'>Back

<button type="submit" class="btn"
id="updatenews" name="updatenews" value="Upload"
style="float:right;">Save</button>

</div>

</div>

</div>

</div>

</form>

<?php

}

?>

Updatepages.php

```
<?php
```

```
$id=$_GET['id'];
```

```
if(isset($_POST["updatenews"]))
```

```
{
```

```
    $id = $_POST['inputNews'];
```

```
    $tanggal = $_POST['inputTanggal'];
```

```
    $title = anti_inject(ucwords($_POST['inputTitle']));
```

```
    $content = anti_inject($_POST['inputContent']);
```

```
    $tempatFile = "img_news/";
```

```
        echo "<script  
language='javascript'>alert($content);</script>";
```

```
function getExtension($str) // pecah Extension File
```

```
{
```

```
    $i = strrpos($str, ".");
```

```
    if (!$i) { return ""; }
```

```
    $l = strlen($str) - $i;
```

```
    $ext = substr($str,$i+1,$l);
```

```
    return $ext;
```

```
}
```

```
$extFilePic1 = "";
```

```
if($_FILES['file1']['name'] != "")
{
    $pic1 = $_FILES['file1']['name'];
    $filePic1 = stripslashes($pic1);
    $extFilePic1 = strtolower(getExtension($filePic1));
}

if ( ($extFilePic1 != "jpg") and $_FILES['file1']['name'] != "")
{
    echo "<script language='javascript'>alert('Failed !
Upload File Picture 1 Only *.jpg');</script>";
}

else
{
    if($_FILES['file1']['name'] != "")
    {
        $kodePic1 = $idnews."_1";
        $namaFile1BR =
$kodePic1.'.'.$extFilePic1;
```

```

        $file1BR = $tempatFile.$namaFile1BR;

        $copyFile1 =
move_uploaded_file($_FILES['file1']['tmp_name'], $file1BR);

    }

        $sql = mysql_query("update pages set
pages_title='$title',pages_content='$content', parent_id='1' where
pages_id='$id'");

        echo "<script language='javascript'>alert('Edit News
Sukses !');</script>";

        echo "<script
language='javascript'>>window.location.href =
'".$web."adminpage?p=news';</script>";

    }

}

else

{

        $sql = mysql_query("select * from pages where
pages_id='$id' and parent_id='1'");

        $hasil = mysql_fetch_array($sql);

?>

<form class="" name="updatenews" id="updatenews"
action="adminpage?p=updatenews" method="post" enctype="multipart/form-
data">

```

```
color:white;">
```

```
<div class="col-md-10 well" style="background-
```

```
<strong>Update Berita</strong>
```

```
<div class="form-group">
```

```
id="inputNews" name="inputNews" value="<?php echo $id;?>" >
```

```
<input class="form-control" type="hidden"
```

```
</div>
```

```
<div class="form-group">
```

```
<label class="control-label">Tanggal (d-m-Y)
```

```
:</label>
```

```
<div class="controls">
```

```
id="inputTanggal" name="inputTanggal" value="<?php echo  
$hasil['pages_write_date'];?>" readonly="readonly">
```

```
</div>
```

```
</div>
```

```
<div class="form-group">
```

```
<label class="control-label">Title :</label>
```

```
    <input class="form-control" type="text"  
id="inputTitle" name="inputTitle" class="col-md-8" value="<?php echo  
$hasil['pages_title'];?>">
```

```
</div>
```

```
<div class="form-group">
```

```
    <label class="control-label">Content News  
:</label>
```

```
    <textarea class="form-control" class="col-  
md-8" id="inputContent" name="inputContent" ><?php echo  
$hasil['pages_content'];?></textarea>
```

```
</div>
```

Image

```
    <b style="color:red;">please upload image with 600px x 600px  
resolution, and (File : *.jpg)</b>
```

```
    <div class="form-group">
```

```
        <label class="control-label">Image Top  
News</label>
```

```
        <div class="controls">
```

```
            <input type="file" name="file1"  
id="file1">
```

```
</div>
```

```
</div>
```

```
<div class="form-group">
```

```
<div class="controls">
```

```
<hr/>
```

```
<a class='btn btn-default'  
href='adminpage?p=news'>Back</a>
```

```
<button type="submit" class="btn"  
id="updatenews" name="updatenews" value="Upload"  
style="float:right;">Save</button>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</form>
```

```
<?php
```

```
}
```

```
?>
```

updatePelanggan.php

```
<?php
    $id=$_GET['id'];
    $sql = mysql_query("select * from pelanggan where
    pelanggan_id='$id'");
    $hasil = mysql_fetch_array($sql);
?>
<body >
```

```
<div class="container">
```

```
<div class="row">
```

```
<h3>Daftar</h3><hr/>
```

```
<div class="col-md-2"></div>
```

```
<div class="col-md-8">
```



```
<input class="form-control" type="hidden" id="inputNews"
name="inputNews" value="<?php echo $id;?>" >
```

```
<!--Kontak Area-->
```

```
<form class="form-horizontal" role="form" name="contactform"
id="contactform" action="kontak" method="post" >
```

```
<div class="form-group">
```

```
<label for="inputNama" class="col-sm-2 control-
label">Nama: </label>
```

```
<div class="col-sm-10">
```

```
<input type="text" class="form-control"
id="inputNama" name="inputNama" value="<?php echo $hasil['nama'];?>" >
```

```
</div>
```

```
</div>
```

```
<div class="form-group">
```

```
<label for="inputPerusahaan" class="col-sm-2
control-label">Alamat: </label>
```

```
<div class="col-sm-10">
```

```
<input type="text" class="form-control"
id="inputPerusahaan" name="inputPerusahaan" value="<?php echo
$hasil['alamat'];?>" >
```

```
</div>
```

```
</div>
```

```
<div class="form-group">
```

```
<label for="inputPerusahaan" class="col-sm-2
control-label">RT/RW: </label>
```

```
<div class="col-sm-4">
    <input type="text" class="form-control"
id="inputPerusahaan" name="inputPerusahaan" value="<?php echo
$hasil['rt/rw'];?>" >
    </div>
    <label for="inputPerusahaan" class="col-sm-2
control-label">Kelurahan: </label>
    <div class="col-sm-4">
        <input type="text" class="form-control"
id="inputPerusahaan" name="inputPerusahaan" value="<?php echo
$hasil['kelurahan'];?>" >
        </div>
    </div>
    <div class="form-group">
        <label for="inputPerusahaan" class="col-sm-2
control-label">Kecamatan: </label>
        <div class="col-sm-4">
            <input type="text" class="form-control"
id="inputPerusahaan" name="inputPerusahaan" value="<?php echo
$hasil['kecamatan'];?>" >
            </div>
            <label for="inputPerusahaan" class="col-sm-2
control-label">Kode Pos: </label>
            <div class="col-sm-4">
                <input type="text" class="form-control"
id="inputPerusahaan" name="inputPerusahaan" value="<?php echo
$hasil['kodepos'];?>" >
```

```
        </div>
    </div>
    <div class="form-group">
        <label for="inputTelpon" class="col-sm-2 control-
label">Telpon 1: </label>
        <div class="col-sm-10">
            <input type="text" class="form-control"
id="inputTelpon1" name="inputTelpon1" value="<?php echo
$hasil['telpon1'];?>" >
        </div>
    </div>
    <div class="form-group">
        <label for="inputTelpon" class="col-sm-2 control-
label">Telpon 2: </label>
        <div class="col-sm-10">
            <input type="text" class="form-control"
id="inputTelpon2" name="inputTelpon2" value="<?php echo
$hasil['telpon2'];?>" >
        </div>
    </div>
    <div class="form-group">
        <label for="inputEmail" class="col-sm-2 control-
label">Email: </label>
        <div class="col-sm-10">
            <input type="email" class="form-control"
id="inputEmail" name="inputEmail" value="<?php echo $hasil['email'];?>" >
        </div>
    </div>
```

```
</div>
```

```
<div class="form-group">
```

```
<div class="col-sm-offset-2 col-sm-10">
```

```
<button type="submit" class="btn btn-danger" id="contactform"  
name="contactform" value="Upload">Ubah Data</button>
```

```
</div>
```

```
</div>
```

```
</form>
```

```
<!--End Kontak-->
```

```
</div>
```

```
<div class="col-md-2"></div>
```

```
</div></div>
```

```
<?php//}?>
```

```
</body></html>
```

updateProduk.php

```
<?php
```

```
$id=$_GET['id'];
```

```
if(isset($_POST["addproduk"]))
```

```
{
```

```
    $idnews = $_POST['inputNews'];
```

```
    //$tanggal = $_POST['inputTanggal'];
```

```
    $title = anti_inject(ucwords($_POST['inputNamaProduk']));
```

```
    $content = anti_inject($_POST['inputKodeProduk']);
```

```
    $contentq = anti_inject($_POST['inputBerat']);
```

```
        $sql = mysql_query("update produk set  
nama_produk='$title',kode_produk='$content', harga='$contentq' where  
produk_id='$idnews'");
```

```
        echo "<script language='javascript'>alert('Edit  
Produk Sukses !');</script>";
```

```
        echo "<script  
language='javascript'>window.location.href =  
'adminpage?p=produk';</script>";
```

```
    }
```

```
else
```

```
{
```

```
$sql = mysql_query("select * from produk where
produk_id='$id');
```

```
$hasil = mysql_fetch_array($sql);
```

```
?>
```

```
<form class="" name="addproduk" id="addproduk"
action="adminpage?p=updateproduk" method="post"
enctype="multipart/form-data">
```

```
<div class="col-md-10 well" style="background-
color:white;">
```

```
<strong>Edit Produk</strong>
```

```
<hr>
```

```
<div class="form-group">
```

```
<label for="IDNews">ID Produk :</label>
```

```
<input class="form-control" type="text"
id="inputNews" name="inputNews" value="<?php echo $id;?>"
readonly="readonly">
```

```
</div>
```

```
<div class="form-group">
```

```
<label for="IDNews">Nama Produk :</label>
```

```
        <input class="form-control" type="text"
id="inputNamaProduk" name="inputNamaProduk" value="<?php echo
$hasil['nama_produk'];?>">
```

```
</div>
```

```
<div class="form-group">
```

```
<label for="IDNews">Kode Produk :</label>
```

```
        <input class="form-control" type="text"
id="inputKodeProduk" name="inputKodeProduk" value="<?php echo
$hasil['kode_produk'];?>">
```

```
</div>
```

```
<div class="form-group">
```

```
<label for="IDNews">Harga Produk :</label>
```

```
        <input class="form-control" type="text"
id="inputBerat" name="inputBerat" value="<?php echo $hasil['harga'];?>" >
```

```
</div>
```

```
<div class="form-group">
```

```
<div class="controls">
```

```
        <button type="submit" class="btn"
id="addproduk" name="addproduk" value="Upload"
style="float:right;">Save</button>
```

```
        <a class='btn btn-default'
href='adminpage?p=produk'>Back</a>
```

```
    </div>
```

```
    </div>
```

```
</div>
```

```
</div>
```

```
</form>
```

```
<?php
```

```
    }
```

```
?>
```


SURAT PERNYATAAN

Saya yang bertanda tangan di bawah ini :

Nama : REZA PATRIA SUGIRI

Nim : 20110335029

Jurusan : D3 Teknik Komputer

Judul TA : Rancang Bangun Sistem Informasi Penjualan Dan Pemetaan Parabola Orange TV Di CV.Metroparabola Berbasis Web

Adalah mahasiswa fakultas teknik **UMSurabaya** menyatakan dengan sebenarnya bahwa tugas akhir saya dengan judul di atas adalah hasil karya sendiri.dan apabila di kemudian hari ternyata tugas akhir ini merupakan hasil karya orang lain, saya bersedia untuk menerima sanksi.

Surabaya, 19 September 2014
Yang menyatakan

REZA PATRIA SUGIRI

PUSAT BAHASA

Universitas Muhammadiyah Surabaya

Jl. Sutorejo 59 Surabaya 60113 Telp. 031-3811966, 3811967 Gd. A Lt 2
Email: pusba.umsby@gmail.com



ENDORSEMENT LETTER

366/PB-UMS/T/IX/2014

This letter is to certify that the abstract of this thesis

Student's name : Reza Patria
Reg. Number : 20110335029
Department : D3 Teknik Komputer

has been endorsed by Pusat Bahasa (PB) UMSurabaya for further approval by the examining committee of the faculty.

Surabaya, 11 September 2014

Chair



Suton Dedi Wijaya, S.Pd

RIWAYAT HIDUP PENULIS



Penulis Tugas Akhir yang berjudul “Rancang Bangun Sistem Informasi Penjualan dan Pemetaan Parabola Orange TV di CV.Metroparabola Berbasis Web” ini bernama Reza Patria Sugiri, dilahirkan di Surabaya, 15 Agustus 1989. Putra ke dua dari dua bersaudara dari pasangan Bapak Edy Sugiri dan Ibu Indarti. Penulis sejak kecil dibesarkan di Surabaya, beragama Islam dan mempunyai kepribadian yang baik, sosok pendiam, pandai bergaul dan suka bercanda.

Riwayat pendidikan sebagai berikut :

1. Tahun 1995-2001, SDN kedinding V - 579 Surabaya
2. Tahun 2001-2004, SMP Wachid Hasyim 1 Surabaya
3. Tahun 2004-2007, SMK Teknik Pal Surabaya
4. Tahun 2007-2008, D1 PIKTI - ITS Surabaya
5. Tahun 2011-2014, Jurusan D3 Teknik Komputer Fakultas Teknik Universitas Muhammadiyah Surabaya

Penulisan Tugas Akhir ini adalah sebagai syarat untuk memperoleh gelar Ahli Madya D3 Teknik Komputer di Universitas Muhammadiyah Surabaya