

# Gaceta Médica

## de Caracas

Official Journal of the National Academy of Medicine and The Venezuelan Congress of Medical Sciences

Founded March 13, 1893

By

## Dr. Luis Razetti

First number published on April 15, 1893

Editor in Chief Enrique Santiago López-Loyo

Volume 130

### Supplement 1

May 2022

Gest Editor

**Ferry Efendi** 

### INDEX

EDITORIAL Innovative Research in Medicine and Health Sciences to Responses the Health Challenges. Ferry Efendi	<b>S</b> 1
CLINICAL CASES Solitary Fibrous Tumor / Hemangiopericytoma of the Ovary: A Rare Case Report and Literature Review. Nurwiyeni Nurwiyeni, Tofrizal Tofrizal, Meta Zulyati Oktora	<b>S</b> 3
Immature Teratoma Ovarium in Young Women: Two Case Reports and Literature Reviews. Ni Putu Ekawati, I Wayan Juli Sumadi, Ni Made Mahastuti, I Made Wirya Santosa	<b>S</b> 7
Poorly Differentiated Thyroid Carcinoma: A Case Report. I Gusti Ayu Sri Mahendra Dewi, I Made Wirya Sastra, Herman Saputra , Ni Putu Ekawati	S15
Ameboma of the Ascending Colon. Loho Lily Lucia, Meilany Feronika Durry, Jim Edwin Leopold	S23
Adenosquamous Carcinoma of the Cervix in a 48-Year-Old Woman: A Case Report. Fadhilaturrahmi Fadhilaturrahmi, Lidya Imelda Laksmi	S26
Secretory Carcinoma of the Breast in a 24-Year-Old Woman: A Case Report. Fadhilaturrahmi Fadhilaturrahmi, Delyuzar Delyuzar	S31
Type-A Thymoma in a 56-Year-Old Male: A Case Report. I Gusti Ayu Sri Mahendra Dewi, Ivana Juliarty Sitanggang, Anak Agung Ayu Ngurah Susraini, Ni Wayan Winarti	S36
Endometrial Clear Cell Carcinoma: A Case Report. I Gusti Ayu Sri Mahendra Dewi, Ni Kadek Ayu Maya Damayanti, Ni Putu Ekawati, Luh Putu Iin Indrayani Maker	S42
Mucinous Adenocarcinoma (Signet Ring Cell Carcinoma) of the Urinary Bladder in Young Male: A Case Report. Ni Wayan Winarti, Tjandra Kristiana, Ni Putu Sriwidyani, I Wayan Juli Sumadi	S49
ORIGINAL ARTICLES Association Between Cytologic Features of Tuberculous Lymphadenitis and CD4 Levels. Delyuzar Delyuzar, Restuti Hidayani Saragih	S56

Cut-off Point of Ki-67 Proliferation Marker in Differentiating Premalignant and Malignant Prostatic Lesions. Lidya Imelda Laksmi, Syafrudin Ilyas, Nurjati Chairany Siregar, Arlinda Sari Wahyuni <sup>o</sup>	S60
Well-Differentiated Neuroendocrine Tumor of the Appendix. Meilany Feronika Durry, Poppy Magdalena Lintong	S64
Correlation of Her-2 Expression with Clinicopathological Characteristics in Invasive Ductal Breast Cancer Patients. Fitriani Lumongga, Esther Reny Deswani Sitorus, Juliandi Harahap	S68
Clinicopathological Profile of Patients with Bladder Lesions in Sanglah Hospital during the Period 2013-2017. Ni Wayan Winarti, Luh Ayu Widayanti	<b>S</b> 73
The Correlation Between KRAS/NRAS Mutation Status and some Clinicopathologic Prognostic Factors of Colorectal Carcinoma. Loli Devianti, Salmiah Agus, Anbiar Manjas	S79
Stem cell-like Subtypes in Triple-Negative Breast Cancer Betty Betty, Delyuzar Delyuzar	S87
The Effect Of Cigarette Smoke Exposure Time Difference on the Histopathological Images of Mice Lungs	
(Mus musculus) I Nyoman Sasputra, Herman Pieter Louis Wungouw, Wylie Medwin Lulan	S95
An Overview of Anxiety Levels in Pregnant Women During the COVID-19 Pandemic. Nova Elok Mardliyana, Irma Maya Puspita, Awwalul Wiladatil Qodliyah, Yuanita Wulandari	S101
Somatosensory Stimulation of the Foot Versus Tai Chi to Improve Dynamic Balance in the Elderly. Khabib Abdullah, Atik Swandari, Anastasia Putu Martha Anggarani, Siti Aisyah	S107
Psychoeducation with the Small Group Discussion Approach Increases Knowledge of Parents in Caring for Children with Autism and Aggressive Behavior. Reliani Reliani, Nugroho Ari Wibowo, Zaimatun Zuhroh, Ade Susanty, Chlara Yunita Prabawati	S113
The Effect of Yophytta Exercise for Shortening the Second Stage of Labour in Primigravidas. Supatmi Supatmi, Intan Permatasari, Fathiya Luthfil Yumni, Aryunani Aryunani	S119
Phytochemical Analysis and Antioxidant Activities Using DPPH (1,1-Diphenyl-2-Picrylhydrazine) Assay of <i>Averrhoa bilimbi L</i> . Growing in Indonesia. Ria Hanistya, Fuad Muzakky, Subhan Rullyansyah, Karima Samlan, Rahma Widiastuti	S125
Anxiety and Behavior of Breastfeeding Mothers During the COVID-19 Pandemic in Surabaya Indonesia. Fulatul Anifah, Syuhrotut Taufiqoh, Umi Ma'rifah, Supatmi Supatmi	S131
Education, Income and Parenting Patterns in Relation to Toddler Temper Tantrum Incidents and Parents Using Smartphones. Pipit Festi Wiliyanarti, Priska Indah Riswanti, Reliani Reliani, Erfan Rofiqi, Annisa' Wigati Rozifa	S137
Phytochemical Screening and Evaluation of Red Ginger Extracts on Aphrodisiac Activity. Subhan Rullyansyah, Fuad Muzakky, Karima Samlan, Ria Hanistya, Ellies Tunjung Sari Maulidiyanti	S143
Analysis of Albumin Levels in Cork and Eel Fish Using the Spectrophotometry Method. Siti Mardiyah, Olifia Mei Wulandari, Puspitasari Puspitasari, Nur Vita Purwaningsih , Etik Wahyuningsih	S149
The Effect of Giving a Hot Pack to Grade Shivering in Post-Operative Patients Following a Cesarian Section in the Recovery Room. Nur Mukarromah, Yuanita Wulandari, Rheyma Sinar, Eni Sumarliyah	<b>S</b> 156
Parental Support for The Independence of Mental Retardation Children. Aries Chandra Ananditha, Reliani Reliani, Imroatus Sholichah, Uswatun Hasanah	S164
The Food Intake Pattern in Relation to the Nutritional Status of School Age 6-12-Year-Old in Muhammadiyah Orphanage. Gita Marini, Eri Herawati Susanti, Suyatno Hadi Saputro, Reliani Reliani, Anis Rosyiatul Husna	S169
Cultural Care Analysis of Scabies Disease Based on The Sunrise Theory of the Leininger Model. Nur Mukarromah, Achmad Zakaria, Daroini Daroini, Retno Sumara	S176

Maternal Health Literacy Affects COVID-19 Preventive Behavior in Surabaya, Indonesia. Supatmi Supatmi, Fathiya Lutfil Yumni, Jefri Ali Saiful, Erfan Rofiqi, Septian Galuh Winata	S184
The Relationship Between Gender, Education Level, and Age on Work Stress Public High School Teachers in Indonesia. Andi Bungawati, Taqwin Taqwin	S191
Determinants of Developmental Delay in the First 5 Years of Children. Ayling Sanjaya, Suhartati Suhartati, Haryson Tondy Winoto, Anna Lewi Santoso, Inawati Inawati, Atik Sri Wulandari, Sukma Sahadewa, Meivy Isnoviana, Kartika Ishartadiati, Aina Intan, James Hadiputra Sunarpo	S198
Increasing Adolescents' Religiosity and Resilience through Islamic Spiritual Mindfulness. Meidiana Dwidiyanti, Diyan Yuli Wijayanti, Badrul Munif, Akhmad Yanuar Fahmi Pamungkas	S206
Knowledge, Attitudes, and Behaviors among Office Workers about COVID-19 Prevention. Nur Lailatul Masruroh, Vega Tyas Pradani, Tri Pemiluwati, Nur Melizza, Yoyok Bekti Prasetyo, Anggraini Dwi Kurnia	S216
Perceptions of Sanitation Hygiene Refill Drinking Water Depot in The Region of Indonesia. Endang Purnawati Rahayu, Herniwanti Herniwanti	S225
The Correlation Between Health Care Access and Pregnancy Checkup with Choice of Birth Attendants. Hamimatus Zainiyah, Dwi Wahyuning Tiyas, M. Hasinuddin	S231
The Effect of Physical Activity on Symptoms of Depression in the Elderly in Indonesia: The Indonesian Family Life Survey Data Analysis. Jasrida Yunita, Nurlisis Nurlisis	S237
A Comparative Study of Loneliness in Older Adults Based on Place of Residence in Indonesia. Lita Lita, Abdurrahman Hamid, Riski Syntia Ayu	S245
Shifting in Community Response Regarding Emergency Condition in The Era of COVID-19 Pandemic. Maria Imaculata Ose, Fitriya Handayani, Ahmat Pujianto, Nurman Hidaya, Donny Tri Wahyudi	S251
Combination of Egg Tray Silencer and Progressive Relaxation to Overcome Community Auditory Disorders in Indonesian Noise Train Environments. Moch Maftuchul Huda, Soeharyo Hadisaputro, Suprihati Suprihati, Ari Suwondo	S257
Knowledge and Perception and Its Relationship with Preventive Behaviors of COVID-19 among Indonesian Nursing Students. Nur Melizza, Anggraini Dwi Kurnia, Nur Lailatul Masruroh, Aby Yazid Al Busthomy Rofi'I, Yoyok Bekti Prasetyo	S265
The Effectiveness of Laughter Therapy by Using Wayang Kulit (Shadow Puppets) Video Media to Reduce Elderly Anxiety During The COVID-19 Pandemic. Raja Fitrina Lestari, Eka Wisanti, Lilik Tri Rahayu	S271
Experience of Physical and Mental Symptoms when Confirmed Positive COVID-19 among Community in Tarakan City, Indonesia. Ramdya Akbar Tukan, Eko Satriya Hermawan, Darni Darni, Hendy Lesmana, Dewi Wijayanti	S276
Clinical Nursing Worksheet: Indonesian Nursing Diagnosis Standard-Based Assessment Form as An Online Learning Media of Nursing Clinical Practice. Trijati Puspita Lestari, Nurul Hikmatul Qowi, Sylvi Harmiardillah	S285
Health Promotion of Families and Early Childhood Education Teachers in Improving Cognition, Commitment nd Behavior to Prevent COVID-19 Transmission in Children. Ulva Noviana, M. Hasinuddin, Heni Ekawati	S292
The Effectiveness of Hypnobreastfeeding Massage on Anxiety and Breast Milk Production in Postpartum Mothers. Yurike Septianingrum, Nety Mawarda Hatmanti, Andikawati Fitriasari, Lono Wijayanti, Nunik Purwanti	S299
Mother's Independence in Stimulation of Growth and Development of Children During The COVID-19 andemic. Ririn Probowati, Mamik Ratnawati, Monika Sawitri Prihatini, Heri Wibowo, Septi Fitrah Ningtyas	S308
Knowledge of COVID-19 and Compliance in Preventing the Diseases on Nursing Students in Indonesia. Alfianur Alfianur	S316

ARTÍCULO ORIGINAL

## Psychoeducation with the Small Group Discussion Approach Increases Knowledge of Parents in Caring for Children with Autism and Aggressive Behavior

La psicoeducación con el enfoque de discusión en grupos pequeños aumenta

el conocimiento de los padres en el cuidado de niños con autismo

y comportamiento agresivo

Reliani Reliani<sup>1a\*</sup>, Nugroho Ari Wibowo<sup>2a</sup>, Zaimatun Zuhroh<sup>3a</sup>, Ade Susanty<sup>4a</sup>, Chlara Yunita Prabawati<sup>5a</sup>

#### SUMMARY

**Introduction:** Aggressive behavior in autistic children impacts the difficulties in taking care of the children related to parents' literacy limitations. Previous evidence showed that psychoeducation improved the ability of parents to care for autistic children. However, there is a limiting use in the small group discussion (SDG) approach. This paper investigates the impact of psychoeducation with a small group discussion (SGD) approach on parents' knowledge in caring for children with Autism and Aggressive Behavior. **Methods:** This study was a pre-experimental design

DOI: https://doi.org/10.47307/GMC.2022.130.s1.21

ORCID ID: 0000-0003-4904-5720<sup>1</sup> ORCID ID: 0000-0003-4442-5708<sup>2</sup> ORCID ID: 0000-0003-2501-2545<sup>3</sup> ORCID ID: 0000-0002-4790-466X<sup>4</sup> ORCID ID: 0000-0003-3661-7769<sup>5</sup>

<sup>a</sup>Universitas Muhammadiyah Surabaya, Indonesia

\*Corresponding Author: Reliani Reliani E-mail: wikreliayu@gmail.com

Recibido: 1 de mayo 2022 Aceptado: 5 de mayo 2022 one-group pretest-posttest design. Data derived from the total sampling technique resulted in 65 people using the questionnaire results. Then, it was analyzed using the Wilcoxon Sign Rank Test with a significance level ( $\alpha$ ) = 0.05.

**Results:** The Wilcoxon Sign Rank Test result showed p = 0.0001.

**Conclusion:** There was a significant difference between pre and post-test. In conclusion, psychoeducation with the small group discussion increases the knowledge of parents in caring for children with autism and aggressive behavior. Further study should evaluate those interventions' effects on attitude and behavior in caring for children with autism and aggressive behavior.

**Keywords:** Aggressive behavior, autism, psychoeducation, small group discussion.

#### RESUMEN

Introducción: El comportamiento agresivo en niños autistas impacta las dificultades en el cuidado de los niños relacionadas con la limitación de alfabetización de los padres. La evidencia anterior mostró que la psicoeducación mejoró la capacidad de los padres para cuidar a los niños autistas. Sin embargo, hay un uso limitado en el enfoque de discusión en grupos pequeños (ODS). Este artículo investiga el impacto de la psicoeducación con un enfoque de discusión en grupos pequeños (SGD) sobre el conocimiento de los padres en el cuidado de niños con autismo y comportamiento agresivo.

**Métodos:** Este estudio fue un diseño pre-experimental de un solo grupo, diseño pretest-postest. Los datos derivados de la técnica de muestreo total dieron como resultado que 65 personas usaran los resultados del cuestionario. Luego, se analizó mediante la prueba de rango de signos de Wilcoxon con un nivel de significación ( $\alpha$ ) = 0,05.

**Resultados:** El resultado de la Prueba de Rango de Signos de Wilcoxon mostró p=0.0001.

**Conclusión:** Hubo una diferencia significativa entre el pre y post test. En conclusión, la psicoeducación con la discusión en pequeños grupos aumenta el conocimiento de los padres en el cuidado de niños con autismo y comportamiento agresivo. Estudios adicionales deberían evaluar los efectos de esas intervenciones sobre la actitud y el comportamiento en el cuidado de niños con autismo y comportamiento agresivo.

**Palabras clave:** *Comportamiento agresivo, autismo, psicoeducación, discusión en grupos pequeños.* 

#### INTRODUCTION

Autism has a wide variation in the type and severity of symptoms (1-4). However, those symptoms can be grouped into two categories: persistent deficits in social communication and social interaction across multiple contexts; and restricted, repetitive patterns of behavior, interests, or activities (5,6). An amount of 80 % -90 % of aggressive behavior in autistic children is characterized by uncontrollable emotions and tantrums – such as kicking, screaming, yelling, kicking, screaming, and biting (7,8). This condition leads to difficulty in their social communication (9-11).

Autism incidence happens in six of 1 000 children. In Indonesia, approximately 134 000 people with autism spectrum in 2015 (12,13). In addition, in East Java, it was estimated that 152 children with autism in 2015. There is no report on the incidence of autism with aggressive behavior, but symptoms of aggressive behavior often appear in autistic children, so the number continues to increase every year (14,15). The preliminary survey was conducted at the children's development outpatient clinic of the Menur Mental Hospital, Surabaya (16,17). The total incidence of autism in 2015 was 452 cases. The preliminary study results from 8 visits to the outpatient clinic showed that one parent had good knowledge (13 %), two parents had moderate knowledge (25 %), and five parents had poor knowledge (62 %) (18,19).

The autism spectrum disorder (ASD) consists of a disability of social interaction and reciprocal communication, limited interests, inappropriate behavior, and repetitive movements without purpose (20-23). In the future, autistic children may not function socially and have dependent characteristics. Aggressive behavior problems (ABP) are frequent yet poorly understood in children with Autism Spectrum Disorders (ASD) (24,25). Parents frequently report their difficulties in caring for children with ABP and ASD. They do not understand the threat of aggressive behavior in autistic children (26-28).

Family support, especially parents, plays a role in caring for autistic children. Intervention to increase literacy in the parents can form effective parenting. Psychoeducation with the small group discussion (SDG) approach improves communication skills, develops knowledge, shares experiences, and practices daily live problem-solving in parents with autistic children (29-32). In addition, parents with adequate literacy of autism were more accepting of their child's condition than parents with poor literacy (33,34). The Menur Mental Hospital has a children's development outpatient clinic with daycare services and family education (35,36). Psychoeducation in the parents aims to increase knowledge of the developmental dynamics and psychological needs of autistic children. This paper investigates the impact of psychoeducation with a small group discussion (SGD) approach on parents' knowledge in caring for children with Autism and Aggressive Behavior.

#### METHODS

This research was an experimental study with one group pre-posttest design. The population was parents of children with Autism and Aggressive Behavior at the children's development outpatient clinic of Menur Mental Hospital. Then, the authors recruited 65 samples from the population using total sampling. The independent variable was psychoeducation with the SGD approach, while the dependent variable was knowledge of caring for children with ASD and ABP. Parents and aggressive autistic children are involved in all study phases. The authors gave guidance, advance, and agreement of intervention and ethical clearance before the intervention. Psychoeducation with the SDG approach consists of a small group including 5 to 6 people involved. The session on each visit to the children's developmental clinic was (Table 1):

An instrument to evaluate knowledge was a questionnaire. The data analysis utilized the Wilcoxon sign rank test to compare knowledge in caring for children with autism and aggressive behavior before and after psychoeducation with the SGD approach.

Table 1

SDG's Session of Psychoeducation

SDG's session on Psychoeducation	Content
1	Explore ideas
2	Increase understanding
3	Encourage the development of thinking
4	Communicate effectively
5	Develop knowledge
6	Practice problem solving
7	Reflection

(Polit and Beck, 2004; Djamarah, 2005; Polit, Beck and Hungler, 2006)

#### RESULTS

The characteristics of respondents included age, education, and occupation of parents with autism aggressive behavior in the Child Development Polyclinic, Menur Mental Hospital, Surabaya.

Table 2 describes that most respondents are 40-47 years old (38%) and 48-55 years old (38%). They are housewives (61%) and graduated from senior high school (55%).

The effect of psychoeducation with SDG approach on Family Caring for Autism with Aggressive Behavior at the Child Development Outpatient Clinic, Menur Mental Hospital Surabaya, January 2017 was (Table 3):

Table 2
The characteristics of respondents by age, education,
and occupation $(n = 65)$

Characteristics of respondents		n (%)	
Age (Years)	32-39	18 (28)	
	40-47	25 (38)	
	48-55	22 (38)	
Education Level	Elementary	1 (1)	
	Junior High	13 (18)	
	Senior High	36 (55)	
	Bachelor	15 (23)	
Occupation	Worker	32 (49)	
_	Housewife	33 (61)	

Table 3

The Effect of Psychoeducation with SDG Approach on Family Caring for Autism with Aggressive Behavior (n = 65)

Categories	Percenta	
	n	%
Negative Ranks	0	0
Positive Ranks	65	100
Ties	0	0
Total	65	100

p=0.0001 (p<0.05)

The Wilcoxon sign rank test obtains p=0.0001(p< 0.05), indicating significant differences in pre-test and post-test (Table 3). Thus, psychoeducation with the small group discussion (SGD) approach increased knowledge in caring for children with Autism Spectrum Disorders (ASD) and Aggressive behavior problems (ABP).

#### DISCUSSION

In this study, most parents with autistic children were middle adulthood. Middle adulthood refers to the lifespan between young adulthood and old age – the increasing age results in physical and psychological (mental) changes. The changes occur due to the maturation of organ functions, especially in the psychological aspect and thinking skills (1,2). In addition, age is a factor affecting knowledge in individuals. According to, a person's maturity levels and strength increase with age (5,6). The public will trust someone of a more mature age. In middle adulthood, mental development processes are improved, but the process is not as fast as in adolescents (7,8).

Based on the study result, most respondents graduated from senior high school. Senior high school is categorized as secondary education (9,10). Parents' education might lead to a lack of family knowledge about caring for autistic children with aggressive behavior. In addition, the majority of parents' occupations in this study were housewives (12,13). Javanese Indonesian culture considers that their mother should accompany children with particular needs, so the mothers entirely focus on their children. On the other hand, occupation might lead parents to be experienced and more knowledgeable because of the work environment (34,35). The environment can increase their insights and knowledge by colleagues and media - such as print or electronic media. Occupation gives an impression and knowledge to individuals. Occupation is naturally associated with social and cultural interaction factors (14-16).

Furthermore, social, and cultural interaction is closely related to the information exchange process. According to previous research, information exchange includes providing health education to increase knowledge (30,33). Knowledge is the result of knowing someone after sensing an object. Sensing occurs in humans through the five senses, namely sight, hearing, smell, taste, and touch (17-19).

This study revealed that psychoeducation with a Small Group Discussion (SGD) approach increased the knowledge of parents in caring for children with ASD and ABP. Several factors affect a person's knowledge: education, occupation, and age. The health education process impacts attitude changes, information acceptance, and new values introduction (20,21,24).

In this study, the parent's occupation was the predisposing factor in increased knowledge, especially among housewives (25,26). The parents increased their knowledge through psychoeducation. They might entirely focus on their children (27,29). However, knowledge changes are also influenced by geographic and

cultural factors. Therefore, psychoeducation with the SDG approach seems to enhance the family caring for children with ASP and ABP.

#### CONCLUSION

In conclusion, psychoeducation with the small group discussion increases knowledge in caring for children with autism and aggressive behavior. Further study should evaluate those interventions' effects on attitude and behavior in caring for children with autism and aggressive behavior.

#### REFERENCES

- Fahditia A, Satyadi H, Suyasa PTYS. Applied Behavior Analysis Interventions on Children with Autism Spectrum Disorder in Indonesia: A Proposal for Systematic Review and Meta-Analysis. In: 1st Tarumanagara International Conference on Medicine and Health (TICMIH 2021). Atlantis Press; 2021.p.185-189.
- Mikkelsen AP, Greiber IK, Scheller NM, Lidegaard Ø. Association of labor epidural analgesia with an autism spectrum disorder in children. JAMA. 2021;326(12):1170-1177.
- Salleh NS, Abdullah KL, Yoong TL, Jayanath S, Husain M. Parents' experiences of affiliate stigma when caring for a child with autism spectrum disorder (ASD): A meta-synthesis of qualitative studies. J Pediatr Nurs. 2020;55:174-183.
- 4. Maemonah S, Hamidah, Damayanti NA, Hidayat EM, Novitasari A, Aina Q, et al. The support of the family toward children with autism spectrum disorder. Indian J Public Heal Res Dev. 2018;9(11):1767-1771.
- 5. Mitchell P, Sheppard E, Cassidy S. Autism and the double empathy problem: Implications for development and mental health. Br J Dev Psychol. 2021;39(1):1-18.
- 6. Reddy SK, Deutsch N. Behavioral and Emotional Disorders in Children and Their Anesthetic Implications. Children. 2020;7(12):253.
- 7. Tudor ME, Bertschinger E, Piasecka J, Sukhodolsky DG. Cognitive-behavioral therapy for anger and aggression in a child with Tourette's syndrome. Clin Case Stud. 2018;17(4):220-232.
- 8. DeJesus BM, Oliveira RC, de Carvalho FO, de Jesus Mari J, Arida RM, Teixeira-Machado L. Dance promotes positive benefits for negative symptoms in autism spectrum disorder (ASD): A systematic review. Complement Ther Med. 2020;49:102299.

- 9. Setyowati D, Prasetyo B, Husada D. Differences in growth of children with autism and normal in Surabaya, Indonesia. Scopus IJPHRDCit Score. 2019;10(7):899.
- Gulisano M, Barone R, Alaimo S, Ferro A, Pulvirenti A, Cirnigliaro L, et al. Disentangling restrictive and repetitive behaviors and social impairments in children and adolescents with Gilles de la Tourette syndrome and autism spectrum disorder. Brain Sci. 2020;10(5):308.
- Maemonah S, Hamidah HBN, Sulystiono D, Widarti L. Factors affecting the ability to speak in children with autism spectrum disorders. J Public Health Res. 2021;10:2236.
- Kawano J, Fujino H. Dohsa-hou intervention for reciprocal interpersonal interaction for a girl with Kabuki syndrome and autism spectrum disorder. Clin Case Reports. 2021;9(6):e04296.
- Quiñones-Camacho LE, Fishburn FA, Belardi K, Williams DL, Huppert TJ, Perlman SB. Dysfunction in interpersonal neural synchronization as a mechanism for social impairment in autism spectrum disorder. Autism Res. 2021;14(8):1585-1596.
- Purnama Y, Herman FA, Hartono J, Suryani D, Sanjaya G. Educational software as assistive technologies for children with Autism Spectrum Disorder. Procedia Comput Sci. 2021;179:6-16.
- 15. Vacher C, Romo L, Dereure M, Soler M, Picot MC, Purper-Ouakil D. Efficacy of cognitive-behavioral therapy on aggressive behavior in children with attention deficit hyperactivity disorder and emotion dysregulation: Study protocol of a randomized controlled trial. Trials. 2022;23(1):1-17.
- Vacher C, Romo L, Purper-Ouakil D, Soler M, Picot MC, Purper-Ouakil D. Efficacy of Cognitive-Behavioral Therapy (CBT) on aggressive behavior in children with ADHD and emotion dysregulation: study protocol of a randomized controlled trial. Trials. 2022;23(1):124.
- Önol S, Kırzıoğlu Z. Evaluation of oral health status and influential factors in children with autism. Niger J Clin Pract. 2018;21(4):429-435.
- Andersen CH, Thomsen PH, Nohr EA, Lemcke S. Maternal body mass index before pregnancy as a risk factor for ADHD and autism in children. Eur Child Adolesc Psychiatry. 2018;27(2):139-148.
- Chun H, Leung C, Wen SW, McDonald J, Shin HH. Maternal exposure to air pollution and risk of autism in children: A systematic review and meta-analysis. Environ Pollut. 2020;256:113307.
- Craig F, Lorenzo A, Lucarelli E, Russo L, Fanizza I, Trabacca A. Motor competency and social communication skills in preschool children with autism spectrum disorder. Autism Res. 2018;11(6):893-902.

- Bhat AN. Motor impairment increases in children with autism spectrum disorder as a function of social communication, cognitive and functional impairment, repetitive behavior severity, and comorbid diagnoses: a SPARK study report. Autism Res. 2021;14(1):202-219.
- 22. Tiara O, Yusuf A, Tristiana R. Fine Motor Skill and Cognition Development in Children with Autism Using Finger Painting Method. Indian J Public Heal Res Dev. 2019;10(9):1494.
- Ardiyani ID, Febriyana N, Setiawati Y, Kalalo RT. Parent training program for autism Spectrum disorder during the COVID-19 pandemic period in Indonesia. J Psikiatri Surabaya. 2020;9(2):60-67.
- 24. Daulay N. Parenting stress of mothers in children with Autism Spectrum Disorder: A review of the culture in Indonesia. KnE Soc Sci. 2018;453-473.
- 25. Lai PT, Ng R, Bellugi U. Parents' perspective on the social traits observed in school-age children with autism and children with Williams syndrome. Res Pract Intellect Dev Disabil. 2021;8(2):174-184.
- Nani D, Sadewa AH, Hartini S, Herini ES. Perinatal and Background Risk Factors for Children with Autism Spectrum Disorder in Indonesia. Indian J Public Heal Res Dev. 2019;10(12).
- 27. Patrick ME, Shaw KA, Dietz PM, Baio J, Yeargin-Allsopp M, Bilder DA, et al. Prevalence of intellectual disability among eight-year-old children from selected communities in the United States, 2014. Disabil Health J. 2021;14(2):101023.
- Abdul N, Yusuf A, Rizki F. Using the health belief model by shadow teachers in identifying the behavior of children with special needs. Indian J Public Heal Res Dev. 2019;10(8):2637-2641.
- McFayden T, Jarrett MA, White SW, Scarpa A, Dahiya A, Ollendick TH. Sluggish cognitive tempo in autism spectrum disorder, ADHD, and their comorbidity: Implications for impairment. J Clin Child Adolesc Psychol. 2020:1-8.
- Khalil R, Tindle R, Boraud T, Moustafa AA, Karim AA. Social decision making in autism: On the impact of mirror neurons, motor control, and imitative behaviors. CNS Neurosci Ther. 2018;24(8):669–76.
- Mutia F, Atmi RT. Information sharing behavior among parents of children with autism spectrum disorder (ASD). Libr Philos Pract. 2018;2018:1-9.
- 32. Romantika IW, Lusmilasari L, Prabandari YS, Syahrul S. Application of video-based health education in improving mother's knowledge and attitudes about behavioral problems among preschool children. Enfermería Clínica. 2020;30:172-176.
- 33. Alawiyah I, Salsabila S. The Effectiveness of Physical Touch for Tantrum Treatment on Autistics Child. 2021.

- Schneid I, Raz AE. The mask of autism: Social camouflaging and impression management as coping/ normalization from the perspectives of autistic adults. Soc Sci Med. 2020;248:112826.
- 35. Kogan MD, Vladutiu CJ, Schieve LA, Ghandour RM, Blumberg SJ, Zablotsky B, et al. The prevalence of

parent-reported autism spectrum disorder among US children. Pediatrics. 2018;142(6):e20174161.

36. Mazzone L, Postorino V, Siracusano M, Riccioni A, Curatolo P. The relationship between sleep problems, neurobiological alterations, core symptoms of autism spectrum disorder, and psychiatric comorbidities. J Clin Med. 2018;7(5):102.