

**LEMBAR PENILAIAN**  
**KEMAMPUAN MENGENAL HURUF ANAK**

No	Variabel	Lingkup	Aspek yang diamati	Indikator	Penilaian			
					1	2	3	4
1.	Kemampuan mengenai huruf	Kemampuan mengenal huruf anak pada	Aktifitas anak	1. Anak mampu melakukan Menulis huruf awal dari nama - nama bunga				
			kemampuan mengenal huruf	2. Anak mampu melakukan menghubungkan gambar bunga dengan huruf awalnya				
Jumlah								
Rata-rata								

Mojokerto, .....

Penilai

.....

## Hasil output perhitungan SPSS 26

```

DATASET ACTIVATE DataSet0.
EXAMINE VARIABLES=Hasil_tes BY Kelompok
  /PLOT BOXPLOT STEMLEAF HISTOGRAM NPLOT SPREADLEVEL
  /COMPARE GROUPS
  /STATISTICS DESCRIPTIVES
  /CINTERVAL 95
  /MISSING LISTWISE
  /NOTOTAL.

```

## Explore

Notes		
Output Created		24-OCT-2020 10:13:21
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	24
Missing Value Handling	Definition of Missing	User-defined missing values for dependent variables are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any dependent variable or factor used.

Syntax		EXAMINE VARIABLES=Hasil_tes BY Kelompok /PLOT BOXPLOT STEMLEAF HISTOGRAM NPLOT SPREADLEVEL /COMPARE GROUPS /STATISTICS DESCRIPTIVES /INTERVAL 95 /MISSING LISTWISE /NOTOTAL.
Resources	Processor Time	00:00:02,45
	Elapsed Time	00:00:03,05

[DataSet0]

## Kelompok

### Case Processing Summary

		Valid		Cases Missing		Total	
		N	Percent	N	Percent	N	Percent
Hasil tes	pre-test	12	100,0%	0	0,0%	12	100,0%
	post-test	12	100,0%	0	0,0%	12	100,0%

### Descriptives

		Kelompok	Statistic	Std. Error
Hasil tes	pre-test	Mean	2,58	,313
		95% Confidence Interval for Lower Bound	1,89	
		Mean Upper Bound	3,27	
		5% Trimmed Mean	2,59	
		Median	2,50	
		Variance	1,174	

		Std. Deviation	1,084	
		Minimum	1	
		Maximum	4	
		Range	3	
		Interquartile Range	2	
		Skewness	,001	,637
		Kurtosis	-1,153	1,232
	post-test	Mean	2,83	,207
		95% Confidence Interval for Mean	Lower Bound	2,38
			Upper Bound	3,29
		5% Trimmed Mean	2,81	
		Median	3,00	
		Variance	,515	
		Std. Deviation	,718	
		Minimum	2	
		Maximum	4	
		Range	2	
		Interquartile Range	1	
		Skewness	,262	,637
		Kurtosis	-,685	1,232

### Tests of Normality

	Kelompok	Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
		Statistic	df	Sig.	Statistic	df	Sig.
Hasil tes	pre-test	,205	12	,176	,890	12	,118
	post-test	,258	12	,026	,818	12	,015


a. Lilliefors Significance Correction


### Test of Homogeneity of Variance

		Levene Statistic	df1	df2	Sig.
Hasil tes	Based on Mean	3,589	1	22	,071
	Based on Median	3,873	1	22	,062
	Based on Median and with adjusted df	3,873	1	21,996	,062
	Based on trimmed mean	3,524	1	22	,074

## Hasil tes

## Histograms





## Stem-and-Leaf Plots

Hasil tes Stem-and-Leaf Plot for  
Kelompok= pre-test

Frequency	Stem & Leaf
2,00	1 . 00
4,00	2 . 0000
3,00	3 . 000
3,00	4 . 000

Stem width: 1  
Each leaf: 1 case(s)


Hasil tes Stem-and-Leaf Plot for  
Kelompok= post-test


Frequency	Stem & Leaf
-----------	-------------

4,00	2 . 0000
,00	2 .
6,00	3 . 000000
,00	3 .
2,00	4 . 00


Stem width: 1  
Each leaf: 1 case(s)

## Normal Q-Q Plots








## Detrended Normal Q-Q Plots









```

ONEWAY Hasil_tes BY Kelompok
  /STATISTICS HOMOGENEITY
  /MISSING ANALYSIS.

```

## Oneway

### Notes

Output Created		24-OCT-2020 10:18:53
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	24
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.

Cases Used		Statistics for each analysis are based on cases with no missing data for any variable in the analysis.
Syntax		ONEWAY Hasil_tes BY Kelompok /STATISTICS HOMOGENEITY /MISSING ANALYSIS.
Resources	Processor Time	00:00:00,00
	Elapsed Time	00:00:00,02

### Test of Homogeneity of Variances

		Levene Statistic	df1	df2	Sig.
Hasil tes	Based on Mean	3,589	1	22	,071
	Based on Median	3,873	1	22	,062
	Based on Median and with adjusted df	3,873	1	21,996	,062
	Based on trimmed mean	3,524	1	22	,074

### ANOVA

Hasil tes

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	,375	1	,375	,444	,512
Within Groups	18,583	22	,845		
Total	18,958	23			

```
T-TEST GROUPS=Kelompok(1 2)
/MISSING=ANALYSIS
/VARIABLES=Hasil_tes
/CRITERIA=CI (.95).
```

### T-Test

## Notes

Output Created		24-OCT-2020 10:20:17
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	24
Missing Value Handling	Definition of Missing	User defined missing values are treated as missing.
	Cases Used	Statistics for each analysis are based on the cases with no missing or out-of-range data for any variable in the analysis.
Syntax	T-TEST GROUPS=Kelompok(1 2) /MISSING=ANALYSIS /VARIABLES=Hasil_tes /CRITERIA=CI(.95).	
Resources	Processor Time	00:00:00,00
	Elapsed Time	00:00:00,02

## Group Statistics

	Kelompok	N	Mean	Std. Deviation	Std. Error Mean
Hasil tes	pre-test	12	2,58	1,084	,313
	post-test	12	2,83	,718	,207

## Independent Samples Test

Levene's Test for Equality of Variances		t-test for Equality of Means						
						95% Confidence Interval of the Difference		
		Sig.	t	df	Sig. (2-tailed)	Mean Difference	Std. Error Difference	
F	Sig.							

Hasil tes	Equal variances assumed	3,589	,071	- ,666	22	,512	-,250	,375	- 1,028	,528
	Equal variances not assumed			- ,666	19,094	,513	-,250	,375	- 1,035	,535

```

DATASET ACTIVATE DataSet1.
CORRELATIONS
  /VARIABLES=pre_test post_test
  /PRINT=TWOTAIL NOSIG
  /MISSING=PAIRWISE.

```

## Correlations

Notes		
Output Created		24-OCT-2020 10:23:04
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	12
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax		CORRELATIONS /VARIABLES=pre_test post_test /PRINT=TWOTAIL NOSIG /MISSING=PAIRWISE.
Resources	Processor Time	00:00:00,03
	Elapsed Time	00:00:00,04

[DataSet1]

### Correlations

		pre_test	post_test
pre_test	Pearson Correlation	1	,721**
	Sig. (2-tailed)		,008
	N	12	12
post_test	Pearson Correlation	,721**	1
	Sig. (2-tailed)	,008	
	N	12	12

\*\*. Correlation is significant at the 0.01 level (2-tailed).

