

LEMBAR PENILAIAN
PRE-TEST DAN POST-TEST

No	Variabel	Lingkup	Aspek yang diamati	Indikator	Penilaian			
					1	2	3	4
1.	Kemampuan berbahasa	Kemampuan berbahasa anak pada	Aktifitas anak kemampuan berbahasa	1. Anak mampu melakukan mengenal abjad dengan bernyanyi 2. Anak mampu melakukan menirukan bunyi abjad sambil menunjuk abjad yang dimaksud				
Jumlah								
Rata-rata								

Mojokerto,

Penilai

.....

Hasil output perhitungan SPSS 26

```

DATASET ACTIVATE DataSet0.
EXAMINE VARIABLES=Hasil_tes BY Kelompok
  /PLOT BOXPLOT HISTOGRAM NPLOT
  /COMPARE GROUPS
  /STATISTICS DESCRIPTIVES
  /CINTERVAL 95
  /MISSING LISTWISE
  /NOTOTAL.

```

Explore

Notes		
Output Created		23-OCT-2020 23:24:57
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	20
Missing Value Handling	Definition of Missing	User-defined missing values for dependent variables are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any dependent variable or factor used.

Syntax		EXAMINE VARIABLES=Hasil_tes BY Kelompok /PLOT BOXPLOT HISTOGRAM NPLOT /COMPARE GROUPS /STATISTICS DESCRIPTIVES /CINTERVAL 95 /MISSING LISTWISE /NOTOTAL.
Resources	Processor Time	00:00:00,67
	Elapsed Time	00:00:00,86

[DataSet0]

Kelompok

Case Processing Summary

Kelompok	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
Hasil tes pre-test	10	100,0%	0	0,0%	10	100,0%
post-test	10	100,0%	0	0,0%	10	100,0%

Descriptives

Kelompok	Statistic	Std. Error
Hasil tes pre-test	Mean	2,70 ,260
	95% Confidence Interval for Lower Bound	2,11
	Upper Bound	3,29
	5% Trimmed Mean	2,72
	Median	3,00
	Variance	,678
	Std. Deviation	,823

	Minimum		1	
	Maximum		4	
	Range		3	
	Interquartile Range		1	
	Skewness		-,806	,687
	Kurtosis		1,237	1,334
post-test	Mean		2,90	,233
	95% Confidence Interval for	Lower Bound	2,37	
	Mean	Upper Bound	3,43	
	5% Trimmed Mean		2,89	
	Median		3,00	
	Variance		,544	
	Std. Deviation		,738	
	Minimum		2	
	Maximum		4	
	Range		2	
	Interquartile Range		1	
	Skewness		,166	,687
	Kurtosis		-,734	1,334



Tests of Normality

	Kelompok	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
		Statistic	df	Sig.	Statistic	df	Sig.
Hasil tes	pre-test	,342	10	,002	,841	10	,045
	post-test	,254	10	,067	,833	10	,036



a. Lilliefors Significance Correction

Hasil tes

Histograms




Normal Q-Q Plots





Detrended Normal Q-Q Plots

Detrended Normal Q-Q Plot of Hasil tes
for Kelompok= pre-test



Detrended Normal Q-Q Plot of Hasil tes
for Kelompok= post-test





```

ONEWAY Hasil_tes BY Kelompok
  /STATISTICS HOMOGENEITY
  /MISSING ANALYSIS.

```

Oneway

Notes

Output Created	23-OCT-2020 23:29:59	
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	20
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.

Cases Used		Statistics for each analysis are based on cases with no missing data for any variable in the analysis.
Syntax		ONEWAY Hasil_tes BY Kelompok /STATISTICS HOMOGENEITY /MISSING ANALYSIS.
Resources	Processor Time	00:00:00,00
	Elapsed Time	00:00:00,01

Test of Homogeneity of Variances

		Levene Statistic	df1	df2	Sig.
Hasil tes	Based on Mean	,136	1	18	,717
	Based on Median	,000	1	18	1,000
	Based on Median and with adjusted df	,000	1	16,642	1,000
	Based on trimmed mean	,093	1	18	,764

ANOVA

Hasil tes

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	,200	1	,200	,327	,574
Within Groups	11,000	18	,611		
Total	11,200	19			

```
T-TEST GROUPS=Kelompok(1 2)
/MISSING=ANALYSIS
/VARIABLES=Hasil_tes
/CRITERIA=CI (.95).
```

T-Test

Hasil tes	Equal variances assumed	,136	,717	- ,572	18	,574	-,200	,350	-,934	,534
	Equal variances not assumed			- ,572	17,788	,574	-,200	,350	-,935	,535

```

DATASET ACTIVATE DataSet1.
CORRELATIONS
  /VARIABLES=pre_test post_test
  /PRINT=TWOTAIL NOSIG
  /MISSING=PAIRWISE.

```

Correlations

Notes

Output Created		23-OCT-2020 23:34:19
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	10
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax	CORRELATIONS /VARIABLES=pre_test post_test /PRINT=TWOTAIL NOSIG /MISSING=PAIRWISE.	
Resources	Processor Time	00:00:00,02
	Elapsed Time	00:00:00,02

[DataSet1]

Correlations

		pre_test	post_test
pre_test	Pearson Correlation	1	,494
	Sig. (2-tailed)		,147
	N	10	10
post_test	Pearson Correlation	,494	1
	Sig. (2-tailed)	,147	
	N	10	10