EFFECT OF Lactobacillus acidophillus ON NUTRIGENOMICS IN NEW NORMAL ERA

by Yeti Eka Sispita Sari Dosen Fai

Submission date: 09-Nov-2023 09:06AM (UTC+0700)

Submission ID: 2222313625

File name: 13_effect_of_New_normal.pdf (843.61K)

Word count: 1856
Character count: 10906



EFFECT OF Lactobacillus acidophillus ON NUTRIGENOMICS IN NEW NORMAL ERA

Yeti Eka Sispita Sari^{1*}, Dita Artanti², Fitrotin Azizah³

1,2, D3 Health Analyst Study Program, Muhammadiyah Surabayako Unibertsitatea

*Corresponding author: yetyikas.s@gmail.com

ABSTRACT

New normal era COVID-19 crucial problem of immunity. Nutrigenomic concept by utilizing one of the beneficial bacteria for the body, Lactobacillus acidophillus. Research purposes This is to obtain information about the effect of Lactobacillus acidophillus on nutrigenomics on increasing body immunity in terms of body weight and height . Method was a laboratory experimental using experimental animals (Mus Musculus). Treatment of mice (Mus Musculus) consisted of 6 treatment groups, namely, giving 100% Lactobacillus acidophillus bacteria in capsule form plus vitamin C (P1), giving 100% Lactobacillus acidophillus bacteria in supplement form plus vitamin C (P2), giving yogurt + vitamins C (P3), giving vitamin C (K1+), giving 100% Lactobacillus acidophillus bacteria in capsule form (K 2 +) and negative control without any administration (K-). Analysis using ANNOVA Windows SPSS type- 24 followed by Dunnet test T3 d e n gan α level of 0.05 or 5%. **Result** shows that not there is a real difference to the weight gain in P1 with the results from 11 to 24.86 ± 0.6 to 13.8, the error factor is the granting suspension P1 using the sonde, the P2, P2, K (-), K1 (+), K2 (+) there is an increase in weight yield of about 18.4 to 28.86 ± 0.6 -3.3. While the results of the research on the increase in height showed that P1 still did not increase in height with the results of $5.67-17.67 \pm$ 0.57-1.11, and on P2, P2, K (-), K1 (+), K2 (+) there is an increase in the height of the results around 16.33-19 ± 0-2.08. Conclusion is that giving Lactobacillus acidophillus bacteria to Nutrigenomics can increase body immunity, especially in increasing height.

Keywords: New normal era, COVID-19, Nutrigenomic, Lactobacillus acidophillus

INTRODUCTION

The COVID-19 pandemic restlessness has succeeded in making the government and all Indonesian citizens uneasy, but with the issuance of various policies and actions by the government, the number of Covid 19 transmission has not decreased, many reasons are found in the field starting from a decrease in buying and selling power, the number of factories being closed which results in increased unemployment. Coupled with the government policy to provide leniency by releasing many assisted citizens, crime is rampant, so that people do not heed policies that are made and do whatever they want until "INDONESIA WHATEVER" the slogan appears^{4,5,6}.

With the food we consume, we can turn off our bad genes and express the genes so that

we can optimize our health. The development of nutrigenomic science is a crucial moment to revolutionize human understanding of what is eaten^{9,11}It has been found that food can interact with single nucleotide polymorphisms (snips) in DNA and activate certain genes. For example, eating shrimp can cause skin allergies, while assuming broccoli rich in anti-cancer properties can activate detoxification^{10,15}.

We strive to provide solutions in the New Normal era based on nutrigenomics using Lactobacillus acidophilus bacteria which are added or processed in the form of milk, supplements in capsules and tablets to help the absorption of nutrients, vitamins in the body so that it can increase personal immunity, so that it can pass the era this new normal with a healthy body and free of covid19.



MATERIAL AND METHODS

This type of research is experimental with the aim of knowing whether there is an increase in the body's absorption of nutrients and vitamins consumed by mice after consuming Lactobacillus acidophilus.source. A total of 30 mice were prepared with details of 5 treatments with 5 repetitions, a total of 25 and we added 5 to the reserves, assuming each treatment had 1 mouse reserve. Any modifications to existing methods should also be described. Treatment of mice (Mus Musculus) consisted of 6 treatment groups, 100% namely, giving Lactobacillus acidophillus bacteria in capsule form plus vitamin C (P1), giving 100% Lactobacillus acidophillus bacteria in supplement form plus vitamin C (P2), giving yogurt + vitamins C

(P3) , giving vitamin C (K 1 +) , giving 100% *Lactobacillus acidophillus* bacteria in capsule form (K 2 +) and negative control without any administration (K-)

DATA ANALYSIS TECHNIQUE

Data analysis was carried out by qualitative analysis based on data, facts and information collected while promoting representative tracing to avoid biased data¹⁴. Then it is studied qualitatively in accordance with the theory used and developed. Because this research is a case study, the analysis is still based on case study principles. Researchers can build new domains as long as they relate to the aspects being analyzed ³. Using Annova Windows SPSS type- 24 followed by Dunnet test T3 dengan α level of 0.05 or 5%.

RESULTS

Tabel. 1.1 Hasil penelitian.

PERLAKUAN	ULANGAN		PERHITUNG AN BERAT BADAN (g)					RATA-RATA	Standar Deviasi	
		1	2	3	4	5	6	7		
Achidophilus 100% + Vit.C	1	24	27	0	0	0	0	0	7.286	12.473
	2	22	23	22	21	19	20	21	21.143	1.345
	3	24	25	25	27	25	25	26	25.286	0.951
	4	22	27	28	0	0	0	0	11	13.844
	5	25	26		25		24	25	24.857	0.69
Achidopilus Suplemen + Vit.C	1	22	25	23	23	23	22	21	22.714	1.254
	2	24	30	29	29	19	28	28	26.714	3.904
	3	22	23	22	23	24	23	23	22.857	0.69
	4	22	24	24	25	25	25	25	24.286	1.113
	5	20	19	18	20	18	17	17	18.429	1.272
Yogurt + Vit.C	1	24	30	30	30	30	27	30	28.714	2.36
	2	21	23	23	25	25	25	25	23.857	1.574
	3	24	26	27	30	28	27	28	27.143	1.864
	4	20	23		21	22	19	20	21.143	1.574
	5	26	31	28	31	30	28	28	28.857	1.864
Kontrol Negatif (-) Makanan	1	23	26		27		25	26	25.429	1.272
	2	25	28	25	29	29	29	29	27.714	1.89
	3	24	24	26	27	26	26	27	25.714	1.254
	4	22	23		26		25	26	24.714	1.799
	5	19	19	26	24	23	24	26	23	2.944
Kontrol Positif (+) Vit.C	1	22	26	24	26	27	23	24	24.571	1.813
	2	23	26	26	28	28	27	29	26.714	1.976
	3	24	26	25	27	26	26	25	25.571	0.976
	4	22	29	22	29	29	28	29	26.857	3.338
	5	23	25		27	26	25	27	24.571	2.82
Kontrol Positif (+) Achidopilus 100%	1	24	24		23		20	20	22.286	1.704
	2	25	27		29			30	27.714	1.604
	3	23	27	27	28	28	27	27	26.714	1.704
	4	20	23	24	25	26	23	24	23.571	1.902
	5	24	25	23	26	25	24	25	24.571	0.976



Tabel 1.2. Perhitungan Dunnett

		Multiple Con	nparisons				
Dependent \							
(I) Perlakuan			Mean Difference	Std. Error	Sig.	95% Confidence	e Interval
						Lower Bound	Upper Bound
Dunnett T3	Achidopilus 100% + Vit.c	Achidopilus suplemen+Vit.c	-5.0857	3.9382	0.91	-23.167	12.995
		Yogurt + Vit.c	-8.0286	3.9921	0.57	-25.996	9.939
		K(-) Makanan	-7.4	3.7775	0.604	-26.063	11.263
		K(+) Vit.C	-7.7429	3.7327	0.554	-26.649	11.163
		K(+) Achidopilus 100%	-7.0571	3.8317	0.659	-25.478	11.363
	Achidopilus suplemen+Vit.c	Achidopilus 100% + Vit.c	5.0857	3.9382	0.91	-12.995	23.16
		Yogurt + Vit.c	-2.9429	2.0181	0.858	-10.819	4.93
		K(-) Makanan	-2.3143	1.5508	0.836	-8.819	4.19
		K(+) Vit.C	-2.6571	1.4383	0.654	-9.252	3.938
		K(+) Achidopilus 100%	-1.9714	1.6784	0.955	-8.663	4.72
	Yogurt + Vit.c	Achidopilus 100% + Vit.c	8.0286	3.9921	0.57	-9.939	25.99
		Achidopilus suplemen+Vit.c	2.9429	2.0181	0.858	-4.933	10.81
		K(-) Makanan	0.6286	1.683	1	-6.594	7.85
		K(+) Vit.C	0.2857	1.58	1	-7.091	7.66
		K(+) Achidopilus 100%	0.9714	1.8014	1	-6.34	8.28
	K(-) Makanan	Achidopilus 100% + Vit.c	7.4	3.7775	0.604	-11.263	26.06
		Achidopilus suplemen+Vit.c	2.3143	1.5508	0.836	-4.19	8.819
		Yogurt + Vit.c	-0.6286	1.683	1	-7.851	6.59
		K(+) Vit.C	-0.3429	0.9103	1	-4.053	3.36
		K(+) Achidopilus 100%	0.3429	1.2558	1	-4.639	5.32
	K(+) Vit.C	Achidopilus 100% + Vit.c	7.7429	3.7327	0.554	-11.163	26.64
		Achidopilus suplemen+Vit.c	2.6571	1.4383	0.654	-3.938	9.25
		Yogurt + Vit.c	-0.2857	1.58	1	-7.663	7.09
		K(-) Makanan	0.3429	0.9103	1	-3.368	4.05
		K(+) Achidopilus 100%	0.6857	1.1139	1	-4.118	5.489
	K(+) Achidopilus 100%	Achidopilus 100% + Vit.c	7.0571	3.8317	0.659	-11.363	25.478
		Achidopilus suplemen+Vit.c	1.9714	1.6784	0.955	-4.72	8.663
		Yogurt + Vit.c	-0.9714	1.8014	1	-8.283	6.34
		K(-) Makanan	-0.3429	1.2558	1	-5.324	4.63
		K(+) Vit.C	-0.6857	1.1139	1	-5.489	4.113
Dunnett t (2-	Achidopilus 100% + Vit.c	K(+) Achidopilus 100%	-7.0571*	2.5549	0.043	-13.943	-0.17
,	Achidopilus suplemen+Vit.c	K(+) Achidopilus 100%	-1.9714		0.901	-8.858	
	Yogurt + Vit.c	K(+) Achidopilus 100%	0.9714	2.5549	0.995	-5.915	7.858
	K(-) Makanan	K(+) Achidopilus 100%	0.3429			-6.543	
	K(+) Vit.C	K(+) Achidopilus 100%	0.6857	2.5549			7.57
*. The mean	difference is significant at the		2.0007	2.23 10	5.500	5,202	
	·	trol, and compare all other gro	ups against it.				



Tabel 1.3 Standard Deviasi

DEDI AVIIAN	HEWAN COBA						
PERLAKUAN	1	2	3	4	5		
Achidophilus 100% + Vit.C	7.29	21.14	25.29	11.00	24.86		
STANDAR DEVIASI	12.4728	1.345185	0.95119	13.84437	0.690066		
PERLAKUAN		HE	WAN CO	BA			
TERLARUAN	1	2	3	4	5		
Achidopilus Suplemen + Vit.C	22.71	26.71	22.86	24.29	18.43		
STANDAR DEVIASI	1.25357	3.9036	0.690066	1.112697	1.272418		
PERLAKUAN	HEWAN COBA						
TEREARONI	1	2	3	4	5		
Yogurt + Vit.C	28.71	23.86	27.14	21.14	28.86		
STANDAR DEVIASI	2.36039	1.573592	1.864454	1.573592	1.726149		
PERLAKUAN	HEWAN COBA						
TEREARCAN	1	2	3	4	5		
Kontrol Negatif (-) Makanan	25.43	27.71	25.71	24.71	23.00		
STANDAR DEVIASI	1.27242	1.889822	1.253566	1.799471	2.94392		
PERLAKUAN	HEWAN COBA						
TEREARONIN	1	2	3	4	5		
Kontrol Positif (+) Vit.C	24.57	26.71	25.57	26.86	24.57		
STANDAR DEVIASI	1.81265	1.976047	0.9759	3.338092	2.819997		
PERLAKUAN	HEWAN COBA						
TEREMRUAN	1	2	3	BA 4 5 24.29 18. 6 1.112697 1.27 DBA 4 5 21.14 28. 1.573592 1.72 DBA 4 5 24.71 23. 6 1.799471 2.9 DBA 4 5 26.86 24. 23.338092 2.81	5		
Kontrol Positif (+) Achidopilus 100%	22.29	27.71	26.71	23.57	24.57		
STANDAR DEVIASI	1.70434	1.603567	1.704336	1.902379	0.9759		

Grafik 1.1. Hasil Pengamatan Berat Badan





DISCUSSION

acidophilus Lactobacillus occurs naturally in the human body as well as many fermented foods, such as sauerkraut and miso2. Manufacturers also add L. acdophilus to yogurt and other dairy products. Probiotics are eneficial strains of live yeast and bacteria 17. Studies indicate that consuming probiotics, such as L. acidophilus, can help support digestion and may offer a range of other health benefits⁷. Genomics-based nutrition increase knowledge for diet and lifestyle choices that may change susceptibility to disease and increase health potential¹. Though research results have shown there is an interaction between nutrition and disease. These interactions involve micronutrients that can affect protein, transcription factors and genomics in body metabolism. Nutrients intake can directly contribute to disease¹⁶. The highest average results of weight change were found in the treatment of yogurt and vitamin C. The yogurt given here contains 100% Lactobacillus acidophilus. Shows that not there is a real difference to the weight gain in P1 with the results from 11 to 24.86 ± 0.6 to 13.8, the error factor is the granting suspension P1 using the sonde, the P2, P2, K (-), K1 (+), K2 (+) there is an increase in weight yield of about 18.4 to 28.86 ± 0.6 -3.3. While the results of the research on the increase in height showed that P1 still did not increase in height with the results of $5.67-17.67 \pm 0.57-1.11$, and on P2, P2, K (-), K1 (+), K2 (+) there is an increase in the height of the results around 16.33-19 \pm 0-2.08.

CONCLUSION

Different components have distinct roles in microbial growth and may modulate functions of the intestinal microbiome¹³, Lactobacillus acidophilus occurs naturally in the human and animal gastrointestinal tract and mouth² Some strains of Lactobacillus acidophilus may be considered to have probiotic characteristics These strains are commercially used in many dairy products, sometimes together with Streptococcus

Proceeding Internasional Conference Syedza Saintika

thermophilus and Lactobacillus delbrueckii subsp. bulgaricus in the production of acidophilus-type yogurt, or acidophilus-7.8. Lactobacillus acidophilus, like many probiotic supplements, have many claims made of health benefits when consumed, generally by improving or restoring the gut flora¹⁷. Its genome has been sequencedis that giving Lactobacillus acidophillus bacteria to Nutrigenomics can increase body immunity, especially in increasing height.

REFERENCES

Ahmad Hamim Sadewa, 2015. Prosiding "Peran Antioksidan dalam Penanganan Penyakit Degeneratif dengan Pendekatan Nutrigenomik". Bagian Biokimia Fakultas Kedokteran Universitas Gadjah Mada Yogyakarta.

ISBN: 978-602-70556-2-9. 44-51

"Bacteria Genomes – Lactobacillus acidophilus". European Bioinformatics Institute. Diakses 30 Mei 2020

- Bungin,Burhan.2007.Penelitian Kualitatif: Komunikasi, Ekonomi, Kebijakan Publik dan Ilmu Sosial lainnya.Jakarta:Putra Grafika.231
- Dipna Videlia Putsanra. "Syarat New Normal dari WHO: Negara Sudah Mampu Kendalikan COVID-19", https://tirto.id/syarat-new-normal-dari-who-negara-sudah-mampu-kendalikan-covid-19-fDnC. Diakses 29 Mei 2020
- Dipna Videlia Putsanra. "Apa Itu New Normal dan Bagaimana Penerapannya Saat Pandemi Corona?", https://tirto.id/apa-itu-new-normaldan-bagaimana-penerapannya-saatpandemi-corona-fCSg. Diakses 29 Mei 2020
- Detik Health Jumat, 29 Mei 2020 07:10 WIB, https://health.detik.com/beritadetikhealth/d-5032127/mulaiterapkan-new-normal-pekerja-perluasupan-vitamin-c. Diakses 29 Mei



2020

- Fatih Ozogul, Imen Hamed, 2016. Reference
 Module in Food Science,
 Lactobacillus acidophilus in
 Fermented Dairy Products, Science
 direct.
 https://www.sciencedirect.com/topics/
 food-science/lactobacillus-acidophilus.
 Diakses 29 Mei 2020
- Fatih Yildiz. 2010, Development and manufacture of yogurt and other functional dairy products, CRC Press.New York. 172-180
- Fenech M, El-Sohemy A, Cahill L,
 Ferguson LR, French TAC, Tai ES,
 et al. Nutrigenetics and
 nutrigenomics. Viewpoints on the
 current status and application in
 nutrition research and practice. J
 Nutrigenet Nutrigenomics. 2011;4:6989
- Hamim Ahmad, Sutomo R, Sunarti, Julia M, Hermayani E, Nat. Rer. Nutrigenomik: Riset dan Aplikasi Terkini. Annual Scientific Meeting & Tmu Alumni 2008; 2008 Mar 6; Yogyakarta; 2008.
- Jujuk Proboningsih. NUTRIGENOMIK
 ALTERNATIF PENANGANAN
 KESEHATAN DI MASA DEPAN.
 Journal.poltekkes-sby.ac.id. Vol. VIII
 No 1 April 2015. ISSN 1979 8091.
 Diakses 29 Mei 2020
- Lawrence GD. Dietary fats and health:

 Dietary recommendations in the
 context of scientific evidence. Adv
 nutr. 2013;4(3):294-302.
- Lynnette RF, Raffaele DC, Ul₃G, Hooman A, Martin K, Chandan P, et al. Guide and position of the international society of nutrigenetics/nutrigenomics on personalised nutrition: Part 1 Fields of precision nutrition. J Nutrigenet Nutrigenomics. 2016;9:12–27. DOI: 10.1159/000445350.
- Miles dan Huberman. 1992. Analisis data Kualitatif. (diterjemahkan Ole: Tjetjep Rohedi Rosidi). Jakarta: Universitas Indonesia.426

- Nita Azka Nadhira, 2015. Nutrigenomik dan Nutrigenetik peran dalam pencegahan penyakit, BIMGI Vol 3 no2 fakultas Kesehatan Masyarakat.Universitas Indonesia. Jakarta.
- Riscuta G. Nutrigenomics a the interface of aging, lifespan, and cancer prevention.

 J Nutr. 2016;146(10):1931-9.

 Doi:10.3945/jn.116.235119
- Todd R. Klaenhammer, December 14, 2004. Eric Altermann, W. Michael Russell, M. Andrea Azcarate-Peril, Rodolphe Barrangou, B. Logan Buck, Olivia McAuliffe, Nicole Souther, Alleson Dobson, Tri Duong, Michael Callanan, Sonja Lick, Alice Hamrick, Raul Cano, and Todd R. Klaenhammer. Complete genome sequence of the probiotic lactic acid bacterium Lactobacillus acidophilus NCFM. PNAS March 15, 2005 102 (11)3906-3912; https://doi.org/10.1073/pnas.04091881 02.
 - https://www.pnas.org/content/102/11/3906.full. 30 Mei 2020
- Titta Novianti, S.Si. M.Biomed. 2016. https://digilib.esaunggul.ac.id/nutrigen omik-6608.html. Nutrigenomik, Diakses 29 Mei 2020
- Tjin Willy. 2018. https://www.alodokter.com/lactobacill us-acidophilus. Diakses 29 Mei 2020

EFFECT OF Lactobacillus acidophillus ON NUTRIGENOMICS IN NEW NORMAL ERA

ORIGIN	ALITY REPORT				
9% SIMILARITY INDEX		% INTERNET SOURCES	5% PUBLICATIONS	9% STUDENT PAPERS	
PRIMAR	Y SOURCES				
1	Submitte Student Paper	ed to Pacific Un	iversity	4	2%
2	Submitto Vietnam Student Paper		ernational Sch	ool,	2%
3	Submitte Student Paper	ed to University	of Leeds	4	2%
4	Submitton Student Paper	ed to University	of Bridgeport		1 %
5	Mahmud SEKOLA SMA NE	raja Aby Choiri dah. "PENGEMB H BERBASIS KEV GERI 1 TEMON' anajemen Pend	BANGAN KURIH WIRAUSAHAAI ', Nidhomul Ha	KULUM N DI aq:	1 %
6	Submitte Student Paper	ed to Darwin Hi	gh School	<	1 %

Exclude quotes Off Exclude matches Off

Exclude bibliography Off