

DAFTAR PUSTAKA

- Agustin, M. *et al.* (2017). 'Impact of Delayed Admission to the Intensive Care Unit from the Emergency Department upon Sepsis Outcomes and Sepsis Protocol Compliance. *Critical Care Research and Practice*', 2017, pp.1–7. <https://doi.org/10.1155/2017/9616545>.
- Ameer, M.A. *et al.* (2024) 'Spontaneous Bacterial Peritonitis', Available at: <https://www.ncbi.nlm.nih.gov/books/NBK448208/>
- Australasian College for Emergency Medicine (2023). *Policy on Standard Terminology*.
- Bagshaw, S.M. *et al.* (2018). 'Association between strained capacity and mortality among patients admitted to intensive care: A path-analysis modeling strategy. *Journal of Critical Care*'. <https://doi.org/10.1016/j.jcrc.2017.08.032>.
- Belayneh, A.G. *et al.* (2023) 'Prolonged length of stay and its associated factors at adult emergency department in Amhara region comprehensive specialized hospitals, northwest Ethiopia', *BMC Emergency Medicine*, 23(1). Available at: <https://doi.org/10.1186/s12873-023-00804-y>
- Bilben, B., Grandal, L. and Søvik, S., (2016). 'National Early Warning Score (NEWS) as an emergency department predictor of disease severity and 90-day survival in the acutely dyspneic patient - a prospective observational study'. *Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine*, 24(1), p.80. <https://doi.org/10.1186/s13049-016-0273-9>.
- Bolanaki, M. *et al.* (2024). 'Biomarkers Improve Diagnostics of Sepsis in Adult Patients With Suspected Organ Dysfunction Based on the Quick Sepsis-Related Organ Failure Assessment (qSOFA) Score in the Emergency Department'. *Critical Care Medicine*, 52(6), pp.887–899. <https://doi.org/10.1097/CCM.00000000000006216>.
- Bone, R.C. *et al.* (1992). 'Definitions for Sepsis and Organ Failure and Guidelines for the Use of Innovative Therapies in Sepsis'. *Chest*, 101(6), pp.1644–1655. <https://doi.org/10.1378/chest.101.6.1644>.
- Brouns, S.H.A. *et al.* (2015) 'Organisational factors induce prolonged emergency department length of stay in elderly patients - a retrospective cohort study', *PLOS One*, 10(8). Available at: <https://doi.org/10.1371/journal.pone.0135066>
- Cecconi, M. *et al.* (2018) 'Sepsis and septic shock', *The Lancet*, pp. 75–87. Available at: [https://doi.org/10.1016/S0140-6736\(18\)30696-2](https://doi.org/10.1016/S0140-6736(18)30696-2)
- Chakraborty, R.K. and Burns, B., (2023). 'Systemic Inflammatory Response Syndrome'. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK547669/>.
- Chalfin, D.B. *et al.* (2007). 'Impact of delayed transfer of critically ill patients from the emergency department to the intensive care unit. *Critical Care Medicine*', 35(6), pp.1477–1483. <https://doi.org/10.1097/01.CCM.0000266585.74905.5A>.
- Clements, T.W. *et al.* (2021) 'Secondary Peritonitis and Intra-Abdominal Sepsis: An Increasingly Global Disease in Search of Better Systemic Therapies', *Scandinavian Journal of Surgery*, pp. 139–149. Available at: <https://doi.org/10.1177/1457496920984078>
- Darmawati, S., Batara, M. and Prastiyanto, M.E. (2018) 'Keanekaragaman dan Pola Resistensi Bakteri pada Pasien yang Terdiagnosa Sepsis', *Jurnal Labora Medika*, 2(2), pp. 1–5.
- De Burlet, K. *et al.* (2017). 'Acute abdominal pain-changes in the way we assess it over a decade', *N Z Med J*. Available at: <https://pubmed.ncbi.nlm.nih.gov/28981493/>
- Donald Brown., Rishik Vashisht., and Jose A. Caballero Alvarado. (2022). 'Septic Peritonitis',

- StatPearls*. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK526129/>
- Enrico, P. *et al.* (2022). 'Diagnosis dan Pendekatan Terapi Pasien Peritonitis', *Ganesha Medicina Journal*, 2(2). Available at: <https://doi.org/10.23887/gm.v2i2.52053>
- Evans, L. *et al.* (2021). 'Surviving sepsis campaign: international guidelines for management of sepsis and septic shock 2021', *Intensive Care Medicine*, 47(11), pp. 1181–1247. Available at: <https://doi.org/10.1007/s00134-021-06506-y>
- Fadhilah, F.R. and Dhamanti, I. (2024). 'Literature review: Analisis faktor yang mempengaruhi length of stay pada pasien IGD di Rumah Sakit', *Journal of Public Health Innovation*, 4(02), pp. 263–271. Available at: <https://doi.org/10.34305/jphi.v4i02.1138>
- Fitrio, D., Ahsan and Setyoadi (2017). 'Analisis faktor yang berhubungan dengan waktu tunggu pasien setelah keputusan rawat inap diputuskan di zona kuning instalasi gawat darurat RSUD dr. Iskak Tulungagung'. *NurseLine Journal*, 2(2). Available at: <https://doi.org/10.19184/nlj.v2i2.5928>
- Fleischmann-Struzek, C. *et al.* (2020). 'Incidence and mortality of hospital- and ICU-treated sepsis: results from an updated and expanded systematic review and meta-analysis', *Intensive Care Medicine*. Springer, pp. 1552–1562. Available at: <https://doi.org/10.1007/s00134-020-06151-x>
- Fulton II, M.R., Zubair, M. and Taghavi, S. (2024) 'Laboratory evaluation of sepsis', *StatPearls*. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK594258/>
- Groenland, C.N.L. *et al.* (2019). 'Emergency Department to ICU Time Is Associated With Hospital Mortality: A Registry Analysis of 14,788 Patients From Six University Hospitals in The Netherlands'. *Critical Care Medicine*, 47(11), pp.1564–1571. <https://doi.org/10.1097/CCM.0000000000003957>.
- Guarino, M. *et al.* (2023) '2023 Update on sepsis and septic shock in adult patients: Management in the emergency department', *Journal of Clinical Medicine*. Multidisciplinary Digital Publishing Institute (MDPI). Available at: <https://doi.org/10.3390/jcm12093188>
- Harris, S. *et al.* (2018). 'Impact on mortality of prompt admission to critical care for deteriorating ward patients: an instrumental variable analysis using critical care bed strain'. *Intensive Care Medicine*, 44(5), pp.606–615. <https://doi.org/10.1007/s00134-018-5148-2>.
- Hidayah, M.N., W, Y.T. and Nuraeni, A., (2020). 'Overcrowding Factors in an Emergency Department: A Literature Review'. *Jurnal Teknologi Kesehatan Borneo* 2020, 1(2), pp.62–69. <https://doi.org/10.30602/jtkb.v1i2.18>.
- Karakike, E. *et al.* (2019) 'The early change of SOFA score as a prognostic marker of 28-day sepsis mortality: Analysis through a derivation and a validation cohort', *Critical Care*, 23(1). Available at: <https://doi.org/10.1186/s13054-019-2665-5>
- Kemenkes (2017) *Keputusan Menteri Kesehatan Republik Indonesia*.
- Khilji, M. (2014) 'Primary peritonitis - a forgotten entity', *European Journal of Pediatric Surgery Reports*, 03(01), pp. 027–029. Available at: <https://doi.org/10.1055/s-0034-1374544>
- Kim, T.H. *et al.* (2023) 'Prognostic accuracy of initial and 24-h maximum SOFA scores of septic shock patients in the emergency department', *Heliyon*, 9(9). Available at: <https://doi.org/10.1016/j.heliyon.2023.e19480>
- Lamprea, S. *et al.* (2022) 'Capillary refill time in sepsis: A useful and easily accessible tool for evaluating perfusion in children', *Frontiers in Pediatrics*. Available at:

<https://doi.org/10.3389/fped.2022.1035567>

- Levy, M.M., Evans, L.E. and Rhodes, A., (2018). 'The Surviving Sepsis Campaign Bundle: 2018 Update'. *Critical Care Medicine*. <https://doi.org/10.1097/CCM.00000000000003119>.
- Lu, J. et al. (2022). 'The effect of age on the clinical characteristics and innate immune cell function in the patients with abdominal sepsis'. *Frontiers in Physiology*, 13, p.952434. <https://doi.org/10.3389/fphys.2022.952434>.
- Maatilu, V., Mulyadi and Malara, R. (2014) 'Faktor - faktor yang berhubungan dengan response time perawat pada penanganan pasien gawat darurat di IGD RSUP Prof. Dr. D. R. Kandour Manado'. *Jurnal Keperawatan UNSRAT*, 2(2). Available at: <https://doi.org/10.35790/jkp.v2i2.5229>
- Mahapatra, S. and Heffner, A.C. (2024) 'Septic Shock', *StatPearls*. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK430939/>
- Marik, P.E. and Taeb, A.M., (2017). 'SIRS, qSOFA and new sepsis definition'. *Journal of Thoracic Disease*, <https://doi.org/10.21037/jtd.2017.03.125>.
- Marques, H.S. et al. (2021) 'Tertiary peritonitis: a disease that should not be ignored', *World Journal of Clinical Cases*, 9(10), pp. 2160–2169. Available at: <https://doi.org/10.12998/WJCC.V9.I10.2160>
- Mačiulienė, A. et al. (2019). 'Predictors of 30-Day In-Hospital Mortality in Patients Undergoing Urgent Abdominal Surgery Due to Acute Peritonitis Complicated with Sepsis'. *Medical Science Monitor*, 25, pp.6331–6340. <https://doi.org/10.12659/MSM.915435>.
- McGuire, D., Gotlib, A. and King, J. (2024) 'Capillary Refill Time', *StatPearls*. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK557753/>
- Min, S.Y., Yong, H.J. and Kim, D., (2024). 'Sex or gender differences in treatment outcomes of sepsis and septic shock'. *Acute and Critical Care*, 39(2), pp.207–213. <https://doi.org/10.4266/acc.2024.00591>.
- Moreno, R. et al. (2023) 'The Sequential Organ Failure Assessment (SOFA) Score: has the time come for an update', *Critical Care*, 27(1). Available at: <https://doi.org/10.1186/s13054-022-04290-9>
- Patterson, J.W., Kashyap, S. and Dominique, E. (2023) 'Acute Abdomen', *StatPearls*. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK459328/>
- Postelnicu, R. and Evans, L. (2017) 'Monitoring of the physical exam in sepsis', *Current Opinion in Critical Care*. Available at: <https://doi.org/10.1097/mcc.0000000000000403>
- Rehman, F. et al. (2023) 'Early lactate clearance as a determinant of survival in patients with sepsis: findings from a low-resource country', *Journal of Critical Care Medicine*, 9(1), pp. 30–38. Available at: <https://doi.org/10.2478/jccm-2023-0005>
- Ross, J.T., Matthay, M.A. and Harris, H.W. (2018) 'Secondary peritonitis: Principles of diagnosis and intervention', *BMJ (Online)*. BMJ Publishing Group. Available at: <https://doi.org/10.1136/bmj.k1407>
- Rubens, M. et al. (2020) 'Increasing sepsis rates in the United States: Results from national inpatient sample, 2005 to 2014', *Journal of Intensive Care Medicine*, 35(9), pp. 858–868. Available at: <https://doi.org/10.1177/0885066618794136>
- Rudd, K.E. et al. (2020) 'Global, regional, and national sepsis incidence and mortality, 1990–2017: analysis for the Global Burden of Disease Study', *The Lancet*, 395(10219), pp. 200–211. Available at: [https://doi.org/10.1016/S0140-6736\(19\)32989-7](https://doi.org/10.1016/S0140-6736(19)32989-7)

- Shankar-Hari, M. et al. (2016) 'Developing a new definition and assessing new clinical criteria for Septic shock: For the third international consensus definitions for sepsis and septic shock (sepsis-3)', *Journal of the American Medical Association*, 315(8), pp. 775–787. Available at: <https://doi.org/10.1001/jama.2016.0289>
- Shibata, J. et al. (2023) 'The Association between Time from emergency department visit to ICU admission and mortality in patients with sepsis', *Critical Care Explorations*, 5(5), p. E0915. Available at: <https://doi.org/10.1097/cce.0000000000000915>
- Singer, M. et al. (2016) 'The third international consensus definitions for sepsis and septic shock (sepsis-3)', *Journal of the American Medical Association*, pp. 801–810. Available at: <https://doi.org/10.1001/jama.2016.0287>
- The Calgary Guide to Understanding Disease (2019) 'Sepsis, and Septic Shock: Pathogenesis and Clinical Findings', Available at: <https://calgaryguide.ucalgary.ca/Sepsis,-and-Septic-Shock--Pathogenesis-and-Clinical-Findings/>
- The Pathophysiology of Peritonitis. (2022) *Veterinaria*, 71(2). Available at: <https://doi.org/10.51607/22331360.2022.71.2.133>.
- Trzeciak, S. and Rivers, E.P., (2003). 'Emergency department overcrowding in the United States: an emerging threat to patient safety and public health'. *Emerg Med J.* [online] <https://doi.org/10.1136/emj.20.5.402>.
- Wang, X. et al. (2023) 'Application Prospect of the SOFA Score and Related Modification Research Progress in Sepsis', *Journal of Clinical Medicine*. Available at: <https://doi.org/10.3390/jcm12103493>
- Yunus. (2022) 'Efektivitas Pelayanan Gawat Darurat Berdasarkan Emergency Response Time', Kementerian Kesehatan. Available at: <https://keslan.kemkes.go.id>