

DAFTAR PUSTAKA

- Agnesha, F., & Rahardjo, S. (2018). Tromboemboli pada Kehamilan. *Jurnal Komplikasi Anestesi*, 5(3), 75–85. <https://doi.org/10.22146/JKA.V5I3.7343>
- AHFS. (2006, Juni). *Dimenhydrinate: Uses, Dosing, Warnings, Adverse Events, Interactions*. AHFS Drug Information Database. <https://www.medcentral.com/drugs/monograph/8645-382140/dimenhydrinate-oral>
- Ahmed, H. A., Bu Shurbak, Z. S., Babarinsa, I. A., Hussain Saleh, H. A., Khenyab, N., Ahmed, Z., & Minisha, F. (2022). *Small Bowel Injury During Peritoneal Entry at Cesarean Section: A Five-Year Case Series*. <https://doi.org/10.7759/cureus.31072>
- Ainiyah, Q., & Ratnawati, R. (2024). Gambaran Tingkat Nyeri Pada Pasien Post Sectio Caesarea Metode Eracs di RS H.A Zaky Djunaid Pekalongan. *OBAT: Jurnal Riset Ilmu Farmasi dan Kesehatan*, 2(4), 163–172. <https://doi.org/10.61132/OBAT.V2I4.553>
- Almeida, E. C. S., Nogueira, A. A., Candido dos Reis, F. J., & Rosa e Silva, J. C. (2002). Cesarean Section as a Cause of Chronic Pelvic Pain. *International Journal of Gynecology & Obstetrics*, 79(2), 101–104. [https://doi.org/10.1016/S0020-7292\(02\)00227-8](https://doi.org/10.1016/S0020-7292(02)00227-8)
- Anabiah, T. W., Bayor, F., Kolbila, D. Z., Dakurah, T. K., Kampo, S., Ziem, J. B., Anabiah, T. W., Bayor, F., Kolbila, D. Z., Dakurah, T. K., Kampo, S., & Ziem, J. B. (2024). Propofol with Varied Functions: A Potential Therapeutic Opportunity for Postoperative Nausea, Vomiting and Pruritus—A Narrative Review. *Open Journal of Anesthesiology*, 14(2), 13–24. <https://doi.org/10.4236/OJANES.2024.142002>
- Anumillah, R. A., Dohong, A. A., Bilqis, N., & Endjun, J. J. (2022). Manajemen Plasenta Praevia Dengan Riwayat Perdarahan Antepartum: Sebuah Laporan Kasus Berbasis Bukti. *Jurnal Kedokteran Universitas Palangka Raya*, 10(1), 8–12. <https://doi.org/10.37304/JKUPR.V10I1.4219>
- Arlinda, A. N. (2016). *Upaya Pencegahan Perdarahan Ibu Post Sectio Caesarea dengan Anemia di RSU Assalam Gemolong*. Universitas Muhammadiyah Surakarta.
- Arung, W., Meurisse, M., & Detry, O. (2011). Pathophysiology and Prevention of Postoperative Peritoneal Adhesions. *World Journal of Gastroenterology*, 17(41), 4545–4553. <https://doi.org/10.3748/wjg.v17.i41.4545>
- Azman, R., & Isngadi. (2024). Manajemen Anestesi Gravid dengan Plasenta Akreta yang dilakukan Seksio Sesarea dengan Transarterial Ballooning. *Jurnal*

- Bansal, T., Singhal, S., Taxak, S., & Bajwa, S. J. S. (2024). Dexamethasone in Anesthesia Practice: a Narrative Review. *Journal of Anaesthesiology, Clinical Pharmacology*, 40(1), 3. https://doi.org/10.4103/JOACP.JOACP_164_22
- Becker, L. M., Teunissen, A. J. W., & Koopman, J. S. (2022). Prevention and Treatment of Neuraxial Morphine-Induced Pruritus: A Scoping Review. Dalam *Journal of Pain Research* (Vol. 15, hlm. 1633–1645). Dove Medical Press Ltd. <https://doi.org/10.2147/JPR.S361225>
- Bernolian, N., Zulkifli, Ramadanti, A., Mutia, T., Putri, S. P. A., Kesty, C., Agustria, R., & Latifah, M. E. (2021). *Enhanced Recovery After Cesarean Section (ERACS)* (N. Bernolian, A. K. Syamsuri, W. T. Pangemanan, M. H. Ansyori, P. Mirani, P. M. Lestari, & A. Martadiansyah, Ed.; I). Universitas Sriwijaya.
- Cleveland Clinic. (2022, Oktober 6). *Vasopressors: Types, Purpose and Side Effects*. Cleveland Clinic. <https://my.clevelandclinic.org/health/treatments/23208-vasopressors>
- Dhesi, M., Maldonado, K. A., Patel, P., & Maani, C. V. (2024). Tramadol. *Compendium on Continuing Education for the Practicing Veterinarian*, 26(10), 800–802. <https://doi.org/10.59779/jiomnepal.268>
- Ebrahimi, N., Maltepe, C., & Einarson, A. (2010). Optimal Management of Nausea and Vomiting of Pregnancy. *International Journal of Women's Health*, 2(1), 241. <https://doi.org/10.2147/IJWH.S6794>
- El Tahan, M. R., Pahade, A., & Gómez-Ríos, M. Á. (2023). Enhanced Recovery After Surgery: Comes Out to the Sun. *BMC Anesthesiology*, 23(1), 1–3. <https://doi.org/10.1186/S12871-023-02236-4/METRICS>
- El-Bakry Lashin, M., Gomaa, A. A., Salem, M., Ahmed, A., Basha, M., Mohamed, A., & Alkader, A. (2023). An Overview on Enhanced Recovery After Cesarean Section. *IJCBS*, 24(10), 1062–1073. www.iscientific.org/Journal.html
- Epstein, E. M., Patel, P., & Waseem, M. (2024). Crystalloid Fluids. *Clinical Fluid Therapy in the Perioperative Setting*, 1–10. <https://doi.org/10.1017/CBO9780511733253.002>
- Fakherpour, A., Ghaem, H., Fattahi, Z., & Zaree, S. (2018). Maternal and Anaesthesia-Related Risk Factors and Incidence of Spinal Anaesthesia-Induced Hypotension in Elective Caesarean Section: A Multinomial Logistic Regression. *Indian Journal of Anaesthesia*, 62(1), 36. https://doi.org/10.4103/ija.IJA_416_17

- Gan, T. J., Belani, K. G., Bergese, S., Chung, F., Diemunsch, P., Habib, A. S., Jin, Z., Kovac, A. L., Meyer, T. A., Urman, R. D., Apfel, C. C., Ayad, S., Beagley, L., Candiotti, K., Engkesakis, M., Hedrick, T. L., Kranke, P., Lee, S., Lipman, D., ... Philip, B. K. (2020). Fourth Consensus Guidelines for the Management of Postoperative Nausea and Vomiting. *International Anesthesia Research Society*. <https://doi.org/10.1213/ANE.0000000000004833>
- Ganap, E. P., Irwinda, R., Zulvayanti, Wardhana, M. P., Laksana, M. A. C., & Amelia, D. (2022). *Seksio Sesarea: Panduan Klinis*. PP POGI.
- Getahun, Z., Kebede, M., Tilla, M., Asnak, G., iuzzolino, M., Urmale, A., Getachew, H., Zemedkun, A., Demeke, T., Abdi, M., Sintayehu, A., & Dendir, G. (2025). Comparison of postoperative pain severity between primary and repeated cesarean section: a prospective cohort study. *BMC Anesthesiology*, 25(1). <https://doi.org/10.1186/S12871-025-02951-0>,
- Griddine, A., & Bush, J. S. (2023). Ondansetron. *xPharm: The Comprehensive Pharmacology Reference*, 1–6. <https://doi.org/10.1016/B978-008055232-3.62327-X>
- Hammoud, A., Gago, L. A., & Diamond, M. P. (2004). Adhesions in Patients with Chronic Pelvic Pain: a Role for Adhesiolysis? *Fertility and Sterility*, 82(6). <https://doi.org/10.1016/j.fertnstert.2004>
- Han, D. W., Hong, S. W., Kwon, J. Y., Lee, J. W., & Kim, K. J. (2007). Epidural ondansetron is more effective to prevent postoperative pruritus and nausea than intravenous ondansetron in elective cesarean delivery. *Acta Obstetrica et Gynecologica Scandinavica*, 86(6), 683–687. <https://doi.org/10.1080/00016340701302616>
- Hanada, M., Tawara, Y., Miyazaki, T., Sato, S., Morimoto, Y., Oikawa, M., Niwa, H., Eishi, K., Nagayasu, T., Eguchi, S., & Kozu, R. (2017). Incidence of Orthostatic Hypotension and Cardiovascular Response to Postoperative Early Mobilization in Patients Undergoing Cardiothoracic and Abdominal Surgery. *BMC Surgery*, 17(1), 111. <https://doi.org/10.1186/S12893-017-0314-Y>
- Hardiyanti, R. (2020). Penggunaan Antibiotik Profilaksis Pada Pasien Sectio Caesarea. *Jurnal of Health Science and Physiotherapy*, 2(1).
- Hawker, G. A., Mian, S., Kendzerska, T., & French, M. (2011). *Measures of Adult Pain*. <https://doi.org/10.1002/acr.20543>
- Hidayat, A. A. A. (2017). *Metodologi Penelitian Keperawatan dan Kesehatan* (2 ed.). Salemba Medika.
- Hope, W. W., & Tuma, F. (2023). Incisional Hernia. *Illustrative Handbook of General Surgery*, 239–241. https://doi.org/10.1007/978-1-84882-089-0_30

- Horn, C. C., Wallisch, W. J., Homanics, G. E., & Williams, J. P. (2013). Pathophysiological and Neurochemical Mechanisms of Postoperative Nausea and Vomiting. *European Journal of Pharmacology*, 722(1), 55. <https://doi.org/10.1016/J.EJP HAR.2013.10.037>
- Indah, R., Dewi, S., Morika, H. D., & Dafriani, P. (2021). *The Effect of Deep Breathing Relaxation Techniques on the Nausea and Vomiting Response of Intraoperative Patients with Spinal Anesthesia in the Central Surgical Installation of Padang Panjang City Hospital*.
- Islam, A., Sutedja, B., Rahardjo, W., & Faruk, M. (2022). *Clinical Practice Guideline: Pencegahan Perlengketan Pasca Operasi*. <https://www.researchgate.net/publication/361280691>
- Jacob, A. K. (2024, September 26). *Dizziness - Symptoms and Causes*. MayoClinic. <https://www.mayoclinic.org/diseases-conditions/dizziness/symptoms-causes/syc-20371787>
- Karnina, R., Rahmadani, S., & Faruk, M. (2022). Incidence of Hypotension, Bradycardia, and Post-operative Nausea and Vomiting with Spinal Anesthesia in Cesarean Section Patient. *Open Access Macedonian Journal of Medical Sciences*, 10(B), 1602–1606. <https://doi.org/10.3889/oamjms.2022.9024>
- Kasim, M., Malviya, D., Nath, S. S., Misra, S., Kumar, S., Parashar, S., & Singh, N. (2023). Effect of Age of Gravida on Post-Cesarean Section Pain: An Observational Study. *Journal of Obstetric Anaesthesia and Critical Care*, 13(1), 9–16. https://doi.org/10.4103/JOACC.JOACC_11_22
- Khairunnisa S., N., Saputra, H., & Suginarti. (2022). Efektivitas dan Efisiensi Tindakan ERACS Sebagai Metode Terbaru di RS X Bogor Tahun 2022. *Jurnal Kesehatan Madani Medika*, 13(02), 269–280. <https://www.jurnalmadanimedika.abdimasmadani.ac.id/JMM/article/view/296>
- Kommu, S., Carter, C., & Whitfield, P. (2024). Adverse Drug Reactions. *StatPearls*. <https://www.ncbi.nlm.nih.gov/sites/books/NBK599521/>
- Lanitis, S., Mimigianni, C., Raptis, D., Sourtse, G., Sgourakis, G., & Karaliotas, C. (2015). The Impact of Educational Status on the Postoperative Perception of Pain. *The Korean Journal of Pain*, 28(4), 265. <https://doi.org/10.3344/KJP.2015.28.4.265>
- LDLT. (2024, Mei 29). *Universal Visual Analogue Scale (VAS) Conversion*. LDLTRegistry. <https://ldltregistry.org/VAS>
- Lim, Vi., Pangaribuan, G. E. V. A., & Salvirah. (2024, Agustus 22). *Persalinan ERACS, Mengenal Kelebihan dan Kekurangannya*. SiloamHospitals. <https://www.siloamhospitals.com/informasi-siloam/artikel/mengenal-persalinan-eracs>

- Loomis, B. R., Yee, L. M., Hayes, L., & Badreldin, N. (2022). Nurses' Perspectives on Postpartum Pain Management. *Women's Health Reports*, 3(1), 318. <https://doi.org/10.1089/WHR.2021.0104>
- Macones, G. A., Caughey, A. B., Wood, S. L., Wrench, I. J., Huang, J., Norman, M., Pettersson, K., Fawcett, W. J., Shalabi, M. M., Metcalfe, A., Gramlich, L., Nelson, G., & Wilson, R. D. (2019). Guidelines for Postoperative Care in Cesarean Delivery: Enhanced Recovery After Surgery (ERAS) Society Recommendations (part 3). *American Journal of Obstetrics & Gynecology*, 221(3), 247.e1-247.e9. <https://doi.org/10.1016/J.AJOG.2019.04.012>
- Maryam, Y. (2013). Pengaruh Mode Persalinan Terhadap Kejadian Infeksi Saluran Kemih Postpartum. *Jurnal Media Medika Muda*.
- Meng, X., Chen, K., Yang, C., Li, H., & Wang, X. (2021). The Clinical Efficacy and Safety of Enhanced Recovery After Surgery for Cesarean Section: A Systematic Review and Meta-Analysis of Randomized Controlled Trials and Observational Studies. *Frontiers in Medicine*, 8, 694385. <https://doi.org/10.3389/FMED.2021.694385/BIBTEX>
- Nogueira, A. A., e Silva, J. C. R., & Poli Neto, O. B. (2016). The Potential of Cesarean Section as a Causative Factor of Chronic Pelvic Pain. Dalam *Revista Brasileira de Ginecologia e Obstetricia* (Vol. 38, Nomor 2, hlm. 53–55). Federacao Brasileira das Sociedades de Ginecologia e Obstetricia. <https://doi.org/10.1055/s-0036-1571850>
- Novena, O. D., & Ariani, N. G. P. R. (2021). Pruritus dan Modalitas Terapi Terkini: Sebuah Tinjauan Pustaka. *Intisari Sains Medis*, 12(3), 694–698. <https://doi.org/10.15562/ism.v12i3.1128>
- Nuraeni, I., & Widiasih, R. (2024). Studi Kasus pada Pasien Post Sectio Caesarea dengan Resiko Multiple Komplikasi. *Journal of Nursing Care*, 7(1).
- Nuraeni, N. Y., Yudono, D. T., Sumarni, T., Susanto, A., & Kesehatan, F. (2024). Gambaran Manajemen Nyeri Post Enhanced Recovery After Caesarean Surgery (ERACS). *Jurnal Ilmiah Wahana Pendidikan*, 10(6), 690–699. <https://doi.org/10.5281/zenodo.10652566>
- Nurani, I. A., Huda, M. H., & Argarini, D. (2024). Analisis Efektifitas Penerapan Enhanced Recovery After Cesarean Section (ERACS) Terhadap Nyeri dan Mobilisasi Dini pada Pasien Post-SC di RS Hermina Jatinegara. *Jurnal Keperawatan dan Kebidanan Nasional*, 1(2), 23–30. <https://doi.org/10.47313/jkkn.v1i2.3158>
- Okutani, H., Lo Vecchio, S., & Arendt-Nielsen, L. (2023). Peripheral and central pathways. *European Journal of Pain*, 28(2), 214–230. <https://doi.org/10.1002/ejp.2180>

- Patel, K., & Zakowski, M. (2021). Enhanced Recovery After Cesarean: Current and Emerging Trends. *Current Anesthesiology Reports*, 11(2), 136. <https://doi.org/10.1007/S40140-021-00442-9>
- Persatuan Perawat Nasional Indonesia (PPNI). (2018). *Standar Intervensi Keperawatan Indonesia: Definisi dan Tindakan Keperawatan* (1 ed., Vol. 2). DPP PPNI.
- Prayanangga, K., Nilasari, D., Anestesiologi, D., Intensif, T., Tangerang, K., Tangerang, I., Obstetri, D., Ginekologi, D., & Pelni, R. S. (2022). Enhanced Recovery After Cesarean Surgery (ERACS): Analisis Berbasis Bukti. *JAI (Jurnal Anestesiologi Indonesia)*, 14(3), 274–287. <https://doi.org/10.14710/JAI.V0I0.50022>
- Pusparini, N. M. O., Darmapatni, W. G., & Cintari, L. (2023). Perbedaan Intensitas Nyeri Post Sectio Caesarea Sebelum dan Sesudah Diberikan Relaksasi Genggam Jari di RSIA Pucuk Permata Hati Tahun 2023 [Poltekkes Kemenkes Denpasar]. Dalam *Repository Politeknik Kesehatan Denpasar*. <https://repository.poltekkes-denpasar.ac.id/11226/>
- Puspitasari, C. D. C., Paripurna, Y., & Trianasari, N. (2024). Comparison of Operating Costs and LOS of Cesarean Section Patients Using ERACS and Non-ERACS Method. *Jurnal Jaminan Kesehatan Nasional*, 4(1), 1–12. <https://doi.org/10.53756/jjkn.v4i1.142>
- Ramandanty, P. F. (2019). *Asuhan Keperawatan pada Ibu Post Operasi Sectio Caesarea di Ruang Mawar RSUD A.W Sjahranie Samarinda*. Poltekkes Kemenkes Kalimantan Timur.
- Ramdhania, D. N. (2022). *Asuhan Keperawatan pada Pasien Post Section Caesarea dalam Pemenuhan Mobilitas Fisik di Ruangan Wijaya Kusuma RSUD Dr. Drajat Prawiranegara Kota Serang*. Universitas Sultan Ageng Tirtayasa.
- Reich, A., Božek, A., Janiszewska, K., & Szepietowski, J. C. (2017). 12-Item Pruritus Severity Scale: Development and Validation of New Itch Severity Questionnaire. *BioMed Research International*, 2017, 1–7. <https://doi.org/10.1155/2017/3896423>
- Rhodes, V. A., & McDaniel, R. W. (1999). The Index of Nausea, Vomiting, and Retching: a new format of the Index of Nausea and Vomiting. *Oncology nursing forum*, 26(5), 889–894.
- Rollins, K. E., Lobo, D. N., & Joshi, G. P. (2021). Enhanced Recovery After Surgery: Current Status and Future Progress. *Best practice & research. Clinical anaesthesiology*, 35(4), 479–489. <https://doi.org/10.1016/J.BPA.2020.10.001>

- Ruswantriani. (2023). *ERACS: Delivery Method for Faster Postoperative Recovery*. EMC Healthcare. <https://www.emc.id/en/care-plus/eracs-delivery-method-for-faster-postoperative-recovery>
- Safitri, M. (2020). *Indikasi Persalinan Sectio Caesarea dan Komplikasi Pasca Persalinan Sectio Caesarea: Narrative Review*. Universitas Aisyiyah Yogyakarta.
- Salsabiila, T., Handayani, N., Nur Rohmah Keperawatan Anestesiologi, A., Ilmu Kesehatan, F., & Yogyakarta, A. (2024). *Pengaruh Edukasi Manajemen Nyeri Non Farmakologi terhadap Pengetahuan Pasien Pre Operasi Sectio Caesarea dengan Anestesi Spinal di RS PKU Muhammadiyah Bantul* (Vol. 2). Tiara Salsabiila.
- Sari, W. L. (2016). *Asuhan Keperawatan Pada Ny. S P3A0 Dengan Masalah Keperawatan Nyeri Akut Post Sectio Caesarea Hari Ke-0 Atas Indikasi Kala I Lama di Ruang Bougenvile RSUD Dr. R. Goeteng Taroenadibrata Purbalingga*. Universitas Muhammadiyah Purwokerto.
- Seputra, K. P., Tarmono, Noegroho, B. S., Mochtar, C. A., Wahyudi, I., Renaldo, J., Hamid, A. R. A. H., Yudiana, I. W., & Ghinorawa, T. (2015). *Guideline Penatalaksanaan Infeksi Saluran Kemih dan Genitalia Pria 2015* (2 ed.). Ikatan Ahli Urologi Indonesia.
- Setiawati, E., Rizani, A., & Mukhtar, M. (2023). Edukasi Perawatan Luka pada Ibu Post Operasi Seksio Seksaria di Wilayah Kerja Puskesmas Marabahan. *Jurnal Rakat Sehat*, 2(1), 54–58.
- Shaikh, S. I., Nagarekha, D., Hegade, G., & Marutheesh, M. (2016). Postoperative Nausea and Vomiting: A Simple Yet Complex Problem. *Anesthesia, Essays and Researches*, 10(3), 388. <https://doi.org/10.4103/0259-1162.179310>
- Shital, K. (2023, September 14). *Wound Dehiscence: Symptoms, Causes, Treatment Options*. WebMD. <https://www.webmd.com/a-to-z-guides/what-is-wound-dehiscence>
- Siahaan, Y. A. (2023). *Analisa Penerapan Metode ERACS Terhadap Toleransi Nyeri dan Aktivitas Post Operasi SC di Rumah Sakit. X Bekasi Timur*. Sekolah Tinggi Ilmu Kesehatan Mitra Keluarga.
- Sirait, R. H., & Yuda, B. (2017). Profil Hemodinamik Pasien yang Menjalani Seksio Sesarea dengan Anestesi Spinal pada Primipara dan Multipara di RSUD UKI Periode Tahun 2015-2017. Dalam F. E. Siagian, M. Alfarabi, T. Suryowati, R. H. Sirait, F. Sitompul, J. M. Cing, & Y. R. Sitompul (Ed.), *Bunga Rampai Saintifika* (7 ed., hlm. 7–12). Fakultas Kedokteran Universitas Kristen Indonesia.

- Siregar, A. B. M. O., & Ermiati. (2023). Asuhan Keperawatan dengan Terapi Napas Dalam dan Pijat Oksitosin Terhadap Penurunan Intensitas Nyeri pada Pasien Post Sectio Caesarea: Studi Kasus. *SENTRI: Jurnal Riset Ilmiah*, 2(7).
- Suparman, E., & Kandou, R. D. (2022). Prevention and Treatment of Venous Thromboembolism in Pregnancy: *Indonesian Journal of Obstetrics and Gynecology*, 10(2), 112–118. <https://doi.org/10.32771/INAJOG.V10I2.1625>
- Swegle, J. M., & Logemann, C. (2006). Management of Common Opioid-Induced Adverse Effects. *American Family Physician*, 74(8), 1347–1354. <https://www.aafp.org/pubs/afp/issues/2006/1015/p1347.html>
- Syahmardan, Tahir, M., & Asnuddin. (2024). Faktor yang Mempengaruhi Terjadinya Infeksi Saluran Kemih Terhadap Penggunaan Kateter Menetap pada Pasien Rawat Inap di RSUD Dr. H. Jusuf S.K. Tarakan. *Jurnal Ilmiah Kesehatan Pencerah (JIKP)*, 13(1), 43. <https://jurnal.itkesmusidrap.ac.id/JIKP>
- Tarney, C. M. (2013). Bladder Injury During Cesarean Delivery. *Current Women's Health Reviews*, 9(2), 70. <https://doi.org/10.2174/157340480902140102151729>
- Tian, X., Niu, K., Cao, H., Zhan, G., Zhang, Y., Xu, F., Shanguan, W., & Gao, Y. (2021). Pruritus After Continuous Administration of Epidural Morphine for Post-Cesarean Delivery Analgesia: a Case Control Study. *BMC Pregnancy and Childbirth*, 21(1), 1–10. <https://doi.org/10.1186/S12884-020-03522-6/FIGURES/2>
- Tika, T. T., Sidharti, L., Himayani, R., & Rahmayani, F. (2022). Metode ERACS Sebagai Program Perioperatif Pasien Operasi Caesar. *JMH Jurnal Medika Hutama*, 02. <http://jurnalmedikahutama.com>
- Trisnawati, R. E., Sedista Manggul, M., Hamat, V., Studi, P., & Kebidanan, D. (2023). Determinan yang Berhubungan dengan Kejadian Infeksi Luka Sectio Caesarea. *Quality: Jurnal Kesehatan*, 17(2), 149–156. <https://doi.org/10.36082/QJK.V17I2.1249>
- van Laarhoven, A. I. M., & Holle, H. (2019). Optimizing Audiovisual Itch Induction: the Role of Attention and Expectancy. *The British Journal of Dermatology*, 182(5), 1088. <https://doi.org/10.1111/BJD.18596>
- Van Ramshorst, G. H., Eker, H. H., Hop, W. C. J., Jeekel, J., & Lange, J. F. (2012). Impact of Incisional Hernia on Health-Related Quality of Life and Body Image: a Prospective Cohort Study. *American journal of surgery*, 204(2), 144–150. <https://doi.org/10.1016/J.AMJSURG.2012.01.012>
- Wilson, R. D., Caughey, A. B., Wood, S. L., Macones, G. A., Wrench, I. J., Huang, J., Norman, M., Pettersson, K., Fawcett, W. J., Shalabi, M. M., Metcalfe, A., Gramlich, L., & Nelson, G. (2018). Guidelines for Antenatal and Preoperative care in Cesarean Delivery: Enhanced Recovery After Surgery Society

- Recommendations (Part 1). *American Journal of Obstetrics and Gynecology*, 219(6), 523.e1-523.e15. <https://doi.org/10.1016/J.AJOG.2018.09.015>
- Wöhrl, S. (2018). NSAID Hypersensitivity: Recommendations for Diagnostic Work Up and Patient Management. *Allergo Journal International*, 27(4), 114. <https://doi.org/10.1007/S40629-018-0064-0>
- Yardley, L., Medina, S., Jurado, C. S., Morales, T. P., Martinez, R. A., & Villegas, H. E. (1999). Relationship Between Physical and Psychosocial Dysfunction in Mexican Patients with Vertigo: a Cross-Cultural Validation of the Vertigo Symptom Scale. *Journal of Psychosomatic Research*, 46(1), 63–74. [https://doi.org/10.1016/0022-3999\(92\)90131-k](https://doi.org/10.1016/0022-3999(92)90131-k)
- Yoon, D. (2024). *Why Do Opiates Make You Itch?* pH Wellness. <https://phwellness.com/why-do-opiates-make-you-itch/>
- Yusniawati, Y. N. P., Lewar, E. H., Shuarsedana, I. G. A., & Claradicha, V. (2023). PONV (Postoperative Nausea and Vomiting) Incidence among Patients with Caesarean Section, Enhanced Recovery After Surgery (ERAS), and Subarachnoid Block (SAB) Anesthesia. *Babali Nursing Research*, 4(3), 292–298. <https://doi.org/10.37363/BNR.2023.43112>
- Zandomenico, J. G., Perito, G. Z., Machado, J. A., & Silva, H. C. G. e. (2022). Postoperative Pain Management After Cesarean Delivery: Cross-Sectional Study. *Brazilian Journal of Anesthesiology*, 72(4), 533. <https://doi.org/10.1016/J.BJANE.2021.10.020>
- Zhong, W., Shahbaz, O., Teskey, G., Beever, A., Kachour, N., Venketaraman, V., & Darmani, N. A. (2021). Mechanisms of Nausea and Vomiting: Current Knowledge and Recent Advances in Intracellular Emetic Signaling Systems. *International Journal of Molecular Sciences* 2021, Vol. 22, Page 5797, 22(11), 5797. <https://doi.org/10.3390/IJMS22115797>
- Zuleikha, A. T., Sidharti, L., & Kurniawaty, E. (2022). Efek Samping Sectio Caesarea Metode ERACS (Literature Review). *Medula*, 11(1), 34.