





DAFTAR PUSTAKA

DAFTAR PUSTAKA

- Aditi Sharma. Et al. (2024). 'D-dimer Level and Inflammatory Markers in COVID-19 Patients with and Without Diabetes Mellitus'; *Biomedicine* 43(6):1759-1764 doi:10.51248/v43i6.3665
- Akácso-Szász. et al., (2023). 'Pathways of Coagulopathy and Inflammatory Response in SARS-CoV-2 Infection among Type 2 Diabetic Patients'; *Int J Mol Sci.* 2023 Feb 21;24(5):4319. doi: 10.3390/ijms24054319.
- Ambar, N. S. (2021) 'Diagnosis Laboratorium pada COVID-19', *Fkums*, pp. 13–25.
- Amelia R. et al (2022). 'Perbedaan Peningkatan Kadar D-Dimer Pada Dewasa Dan Lansia Yang Terkonfirmasi Covid-19 Di Rs Swasta Bintaro; VOL 4 NO 1 Bulan 04 Tahun 2022 doi: 10.25299/jrec.2022.vol4(1).9315
- Aminy. Et al. (2023). 'Correlation of Dynamic D-dimer Levels with Mortality in COVID-19 Patients with Type 2 Diabetes Mellitus'; https://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/26145
- Ayaka Yoroidaka. et al. (2022), 'HbA1c measurement may save COVID-19 inpatients from overlooked diabetes'; *J Diabetes Investig* 2022; 13: 1925–1933 doi: 10.1111/jdi.13869
- Azer, S. A. (2020) 'COVID-19: pathophysiology, diagnosis, complications and investigational therapeutics', *New Microbes and New Infections*, 37, p. 100738. doi: 10.1016/j.nmni.2020.100738.
- Bansal, A. et al (2020) 'The association of D-dimers with mortality, intensive care unit admission or acute respiratory distress syndrome in patients hospitalized with coronavirus disease 2019 (COVID-19): A systematic review and meta-analysis. *Jurnal Heart & Lung*.50(1): p9-12,, doi:10.1016/j.hrtlng.2020.08.024
- Bayraktar et al., (2024); 'ACE2-Decorated Virus-Like Particles Effectively Block SARS-CoV-2 Infection'; *Jurnal Internasional Nanomedisin*, Juli 2024, 19:6931-6943; doi: 10.2147/IJN.S446093
- Beidollahkhani, et al ., (2023); 'd-dimer as a biomarker for COVID-19-associated pulmonary thromboembolism: a narrative review from molecular pathways to the imaging findings' *The Egyptian Journal of Bronchology* (2023) 17:44 <https://doi.org/10.1186/s43168-023-00221-6>
- Bounds, E. J. and Kok, S. J. (2022) 'D Dimer'. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK431064/> (Accessed: 19 January 2023).

- Burhan, E. *et al.* (2022) '*Cedera miokardium pada infeksi COVID-19, Pedoman tatalaksana COVID-19 edisi 4.*
- Ceriello, *et al.*, (2020), '*Is Oxidative Stress the Pathogenic Mechanism Underlying Insulin Resistance, Diabetes, and Cardiovascular Disease? The Common Soil Hypothesis Revisited*'; doi: 10.1161/01.ATV.0000122852.22604.78
- Chen, N. *et al.* (2020) '*Epidemiological and clinical characteristics of 99 cases of 2019 novel coronavirus pneumonia in Wuhan, China: a descriptive study*', *The Lancet*, 395(10223), pp. 507–513. doi: 10.1016/S0140-6736(20)30211-7.
- Creswell, J. (2014) '*Qualitative, quantitative and mixed methods approaches*'. Available at: [http://155.0.32.9:8080/jspui/bitstream/123456789/1091/1/Qualitative, Quantitative, and Mixed Methods Approaches \(PDFDrive \)-1.pdf](http://155.0.32.9:8080/jspui/bitstream/123456789/1091/1/Qualitative,Quantitative,andMixedMethodsApproaches(PDFDrive)-1.pdf) (Accessed: 17 January 2023).
- Cucinotta, D. and Vanelli, M. (2020) '*WHO declares COVID-19 a pandemic*', *Acta Biomedica*, 91(1), pp. 157–160. doi: 10.23750/abm.v91i1.9397.
- D Lindarto & F Ginting, (2023). '*D-Dimer Levels of COVID-19 Patients with Diabetes Mellitus: a Retrospective Study*'; Copyright © 2023 Published by Talenta Publisher, ISSN: 2686-0872 e-ISSN: 2686-0856 doi: <https://doi.org/10.32734/jetromi.v5i2.10288>
- Dr. Palak Patel, *et al.* (2025). '*Evaluating HbA1c as a Prognostic Indicator in COVID-19 Patients*'. <https://jcdronline.org/index.php/JCDR/article/view/5430/4637>
- Eugene Merzon. (2020). '*Haemoglobin A1c is a predictor of COVID-19 severity in patients with diabetes*'; *Diabetes Metab Res Rev.* 2021;37:e3398. [wileyonlinelibrary.com/journal/dmrr](https://doi.org/10.1002/dmrr.3398) © 2020 John Wiley & Sons Ltd.-1 of 6 <https://doi.org/10.1002/dmrr.3398>
- Firhan, Fadlillah Ghany (2022). '*Perbedaan Rerata Kadar D-Dimer Dengan Usia Dan Jenis Kelamin Pada Pasien Covid-19 Yang Dirawat Di Rsup Dr. M. Djamil Padang.* URI: <http://scholar.unand.ac.id/id/eprint/101934>
- Francesco Prattichizzo, *et al.* (2021) '*Elevated HbA1c levels in pre-Covid-19 infection increases the risk of mortality*'; *A sistematic review and meta-analysis*, Jan;38(1):e3476. doi: 10.1002/dmrr.3476.
- Gorog, *et al.*, (2022). '*Current and novel biomarkers of thrombotic risk in COVID-19: a Consensus Statement from the International COVID-19 Thrombosis Biomarkers Colloquium*'; e-mail: d.gorog@imperial.ac.uk <https://doi.org/10.1038/s41569-021-00665-7>
- Guo, H. *et al.* (2020) '*Coagulopathy as a Prodrome of Cytokine Storm in COVID-19-Infected Patients*', *Frontiers in Medicine*, 7(October), pp. 1–7. doi:

10.3389/fmed.2020.572989.

Huang, C. *et al.* (2020) 'Clinical features of patients infected with 2019 novel coronavirus in Wuhan, China', *The Lancet*, 395(10223), pp. 497–506. doi: 10.1016/S0140-6736(20)30183-5.

Jahan, H. *et al.*, (2022). 'Elevated D-dimer is associated with severity of COVID-19'; *A systematic review and meta-analysis*, Vol 10 No 7 (2022): Vol.10 Issue 7 July 2022, Review Articles, doi: <https://doi.org/10.18103/mra.v10i7.2870>

Jamco, J. C. S. and A. M. Balami (2022) . 'Analisis Kruskal-Wallis untuk Mengetahui Konsentrasi Belajar Mahasiswa Berdasarkan Bidang Minat Program Studi Statistika FMIPA Unpatti, Jurnal Matematika, Statistika dan Terapannya'. Available at: <https://ojs3.unpatti.ac.id/index.php/parameter/article/view/2812> (Accessed: 23 January 2023).

Juniastuti *et al.* (2023) 'The evaluation results of proposed antigen rapid diagnostic tests for COVID-19: some possible factors might influence', *Infection*, 1, p. 1. doi: 10.1007/s15010-022-01975-9.

Kahar, H. and Salim, N. (no date) 'Kelainan Hemostasis pada Pasien Covid-19', *ProsidingsemonupdatesonCOVID-19*, 2(Dic), pp. 1–5. doi: 10.37923/phle.2022.20.1.6

Kim, D. *et al.* (2020). 'The Architecture of SARS-CoV-2 Transcriptome', *Cell*, 181(4), pp. 914–921.e10. doi: 10.1016/j.cell.2020.04.011.

Kim, T. K. *et al.* (2014) 'Fluorescence Immunoassay of Human D-dimer in Whole Blood', *Journal of Clinical Laboratory Analysis*, 28(4), pp. 294–300. doi: 10.1002/jcla.21683.

Kouhpayeh, H. (2022) 'Clinical features predicting COVID-19 mortality risk', *European Journal of Translational Myology*, 32(2). doi: 10.4081/ejtm.2022.10268.

KS Al Jubury, *et al.* (2024). 'D-dimer and HbA1c levels findings in COVID-19 Iraqi patients'; *Brazilian Journal of Biology*, 2024, vol. 84, e266823 | <https://doi.org/10.1590/1519-6984.266823>

Kurokawa, I. *et al.* (1995) 'D dimer', *Nippon rinsho. Japanese journal of clinical medicine*, 53 Su Pt 2(9), pp. 34–38. doi: 10.1097/01244666-200609000-00002.

Lai, C. K. C. and Lam, W. (2021) 'Laboratory testing for the diagnosis of COVID-19', *Biochemical and Biophysical Research Communications*, 538, pp. 226–230. doi: 10.1016/j.bbrc.2020.10.069.

- Lan, J. et al. (2020) 'Structure of the SARS-CoV-2 spike receptor-binding domain bound to the ACE2 receptor', *Nature*, 581(7807), pp. 215–220. doi: 10.1038/s41586-020-2180-5.
- Lavinia Craciun, et al. (2025); 'The Role of Glycemic Control in Inflammation Markers and Clinical Outcomes in Type 2 Diabetes Patients with Severe COVID-19'. *Biomedicines* 2025 Apr 6;13(4):886. doi: 10.3390/biomedicines13040886.
- Lee, C.W., (2022). 'Usefulness of D-Dimer for DVT Diagnosis in COVID-19 Patients'; *Ann Phlebology* 2022; 20(1): 6-8. Published online June 30, 2022
- Levi, M. et al. (2020) 'Coagulation abnormalities and thrombosis in patients with COVID-19', *The Lancet Haematology*, 7(6), pp. e438–e440. doi: 10.1016/S2352-3026(20)30145-9.
- Lippi, et al., (2022). 'D-dimer: old dogmas, new (COVID-19) tricks'; *Clin Chem Lab Med* 2023; 61(5): 841–850; <https://doi.org/10.1515/cclm-2022-0633>
- Liu, Y. C., Kuo, R. L. and Shih, S. R. (2020) 'COVID-19: The first documented coronavirus pandemic in history', *Biomedical Journal*, 43(4), pp. 328–333. doi: 10.1016/j.bj.2020.04.007.
- Lubis, M. D. R. H., Ginting, B. S., et al. (2021). 'Correlation of Dynamic D-dimer Levels with Mortality in COVID-19 Patients with Type 2 Diabetes Mellitus' <https://www.google.com/search?q=https://doi.org/10.32734/jetromi.v3i3.6339>
- M. Elbashir. et al, (2022), 'Comparison between D-dimer levels in diabetic and non-diabetic positive COVID-19 adult patients' *Endocrinol Diabetes Metab.* 2022 Jul;5(4):e349. doi: 10.1002/edm2.349. Epub 2022 May 25.
- M. Sakka. et al (2020). 'Association between D-Dimer levels and mortality in patients with coronavirus disease 2019 (COVID-19): a systematic review and pooled analysis'; 2542-4513/© 2020 Elsevier Masson SAS. All rights reserved. <https://doi.org/10.1016/j.jdmv.2020.05.003>
- Maria Tsikala V. Et al (2024). 'Lower Glycosylated Hemoglobin Is Associated With Lower In-Hospital Mortality in Patients With COVID-19'; *A Systematic Review of the Literature and Meta-Analysis*. Jan;30(1):70-77. doi: 10.1016/j.eprac.2023.09.009.
- Marietta, M. et al. (2020) 'COVID-19 and haemostasis: A position paper from Italian Society on Thrombosis and Haemostasis (SISET)', *Blood Transfusion*, 18(3), pp. 167–169. doi: 10.2450/2020.0083-20.
- Mehrdad Esmailian, et al., (2022). 'D-dimer Levels in Predicting Severity of Infection and Outcome in Patients with COVID-19'; *ISSN: 1735-0344*

Tanaffos 2022; 21(4): 419-433

- Mihail Niculae, et al., (2020). 'Mechanisms of COVID-19 Associated Pulmonary Thrombosis: A Narrative Review'; *Biomedicines*. 2023, 11, 929. <https://doi.org/10.3390/biomedicines11030929>
- Miri, C. et al., (2021), '*D-dimer Level and Diabetes in the COVID-19 Infection*' Clin Appl Thromb Hemost. 2021 Jan-Dec;27:10760296211045902. doi: 10.1177/10760296211045902.
- Mishra Y. et al., (2020). '*Relation of D-dimer levels of COVID-19 patients with diabetes mellitus*'; *Diabetes Metab Syndr*. 2020 Nov-Dec;14(6):1927-1930. doi: 10.1016/j.dsx.2020.09.035. Epub 2020 Oct 1.
- Mitra S. et al., (2021), '*Severe COVID-19 and coagulopathy*'; *A systematic review and meta-analysis*'; *Ann Acad Med Singap*. 2021 Apr;50(4):325-335. doi: 10.47102/annals-acadmedsg.2020420.
- Mukhyarjon, Wahid, I. and Manaf, A. (2020) '*Profil dan Beberapa Faktor yang Berhubungan dengan Hemostasis Pasien Diabetes Melitus Tipe 2 Tak Terkontrol*', *Jurnal Kedokteran dan Kesehatan*, 16(2), pp. 128–134. doi: 10.24853/JKK.16.2.128-134.
- Mus, R. et al. (2021) '*Studi Literatur: Tinjauan Pemeriksaan Laboratorium pada Pasien COVID-19*', *Jurnal Kesehatan Vokasional*, 5(4), p. 242. doi: 10.22146/jkesvo.58741.
- Nafila, N., et al. (2023). '*Hubungan Glukosa Darah Admisi dan HbA1c dengan Kadar D-Dimer pada Pasien COVID-19 dengan Diabetes Melitus Tipe 2*'; August 2023. *Plexus Medical Journal* 2(3):85-93. DOI:10.20961/plexus.v2i3.558
- Negara, I. C. and Prabowo, A. (2018) '*Penggunaan Uji Chi-Square*', *Prosiding Seminar Nasional Matematika dan Terapannya*, pp. 1–8. Available at: <http://matematika.fmipa.unsoed.ac.id/wp-content/uploads/3.-igo-et al.pdf> (Accessed: 23 January 2023).
- Nelson, G. et al. (2021) '*Molecular dynamic simulation reveals E484K mutation enhances spike RBD-ACE2 affinity and the combination of E484K, K417N and N501Y mutations (501Y.V2 variant) induces conformational change greater than N501Y mutant alone, potentially resulting in an escap*', *bioRxiv*, p. 2021.01.13.426558. doi: 10.1101/2021.01.13.426558.
- Nemec, H. M. et al. (2022) '*Correlation of D-dimer and Outcomes in COVID-19 Patients*', *American Surgeon*, 88(9), pp. 2115–2118. doi: 10.1177/00031348221091940.

- Nina Moiseiwitsch, et al., (2020). 'COVID-19 patient fibrinogen produces dense clots with altered polymerization kinetics, partially explained by increased sialic acid'; doi: 10.1111/jth.15882
- Nugraha, B. et al. (2020) '*COVID-19 pandemic in Indonesia: Situation and challenges of rehabilitation medicine in Indonesia*', *Acta medica Indonesiana*, 52(3), pp. 299–305.
- Olivia Saville et al., (2023) "*Sex Differences in D-dimer and critical illness in patients with COVID-19: A systematic review and meta-analysis*" [https://www.rpthjournal.org/article/S2475-0379\(23\)00007-9/fulltext](https://www.rpthjournal.org/article/S2475-0379(23)00007-9/fulltext),
- Paliogiannis et al., (2020) "*D-Dimer Concentrations and COVID-19 Severity: A Systematic Review and Meta-Analysis*", <https://doi.org/10.3389/fpubh.2020.00432>
- Pancaharjono, W. et al. (2021) '*Faktor Risiko COVID-19 sebagai Dasar Pencegahan dan Pengendalian Infeksi*', *Jurnal Penelitian dan Pengembangan Pelayanan Kesehatan*, 5(2), pp. 38–45. doi: 10.22435/JPPPK.V5I2.5738.
- Pangaribuan. J.P. & Aron Pase. M (2021). '*Correlation between HbA1C and D-dimer in Type 2 Diabetic with COVID-19 Patients*'; doi: 10.32734/jetromi.v3i4.7529
- Panua et al., (2021) "*Literature Review Faktor Risiko Terjadinya Covid-19 Pada Penderita Diabetes Melitus Tipe 2*" <https://doi.org/10.35816/jiskh.v10i2.668>
- Patil, S., & Patange, A. (2022). '*Predictive value of HbA1c for in-hospital adverse prognosis in COVID-19*'; *International Journal of Health Sciences*, 6(S2), 3053–3057. <https://doi.org/10.53730/ijhs.v6nS2.5732>
- Pérez-Campos Mayoral, L. et al. (2020) '*A letter to the editor on "World Health Organization declares global emergency: A review of the 2019 novel Coronavirus (COVID-19)"*', *International Journal of Surgery*, 79(January), pp. 163–164. doi: 10.1016/j.ijsu.2020.05.066.
- Philipus Senewe, F. et al. (2021) '*Pengaruh Penyakit Penyerta/Komorbid dan Karakteristik Individu dengan Kejadian COVID-19 di Kota Bogor Tahun 2020*', *Jurnal Ekologi Kesehatan*, 20(2), pp. 69–79. doi: 10.22435/JEK.V20I2.5114.
- Poudel et al., (2022). '*The Clinical Significance of D-dimer and its Role in COVID-19 Patients with Underlying Diabetes Mellitus*' *PLoS One*. 2021 Aug 26;16(8):e0256744. doi: 10.1371/journal.pone.0256744.
- Putra Sayakumara U. et al. (2022). '*The Association between Type 2 Diabetes Mellitus and The Outcome of COVID-19 Patients at Sanglah Hospital in*

2020-2022'. Faculty of Medicine > JPDI > Vol. 9 (2022) > Iss. 2.
<https://scholarhub.ui.ac.id/jpdi/vol9/iss2/5/>

- R Zakki Aminy. et al (2023). '*Correlation of Dynamic D-dimer Levels with Mortality in COVID-19 Patients with Type 2 Diabetes Mellitus*'; Inicio /Archivos /Vol. 131 Núm. S2 (2023) /ARTÍCULOS ORIGINALES. <https://orcid.org/0000-0002-6927-7206>
- Rachmi, D. A., Mulia, E. P. B. and Nugroho, J. (2020) '*Possible mechanism and current recommendation of thromboembolism in COVID-19*', *Open Access Macedonian Journal of Medical Sciences*, 8(T1), pp. 66–74. doi: 10.3889/oamjms.2020.4900.
- Rauf, A. et al. (2020) '*COVID-19 pandemic: Epidemiology, etiology, conventional and non-conventional therapies*', *International Journal of Environmental Research and Public Health*, 17(21), pp. 1–32. doi: 10.3390/ijerph17218155.
- Ravi, V., Saxena, S. and Panda, P. S. (2022) '*Basic virology of SARS-CoV 2*', *Indian Journal of Medical Microbiology*, 40(2), pp. 182–186. doi: 10.1016/j.ijmmb.2022.02.005.
- Riley, R. S. et al. (2016) '*Widely used types and clinical applications of D-dimer assay*', *Lab Medicine*, 47(2), pp. 90–102. doi: 10.1093/labmed/lmw001.
- S.G. Kandinata, et al. (2023). '*Random Blood Glucose, but Not HbA1c, Was Associated with Mortality in COVID-19 Patients with Type 2 Diabetes Mellitus*'; <https://doi.org/10.3390/pathophysiology30020012>
- Saini, N., Wadhwa, V., & Singla, V. (2022). '*D-dimer Level and Inflammatory Markers in COVID-19 Patients with and Without Diabetes Mellitus*' doi: [10.31838/jcdr.2022.13.05.215](https://doi.org/10.31838/jcdr.2022.13.05.215)
- Salahshoori, I. et al. (2021) '*Overview of COVID-19 Disease: Virology, Epidemiology, Prevention Diagnosis, Treatment, and Vaccines*', *Biologics*, 1(1), pp. 2–40. doi: 10.3390/biologics1010002.
- Shah, S. et al. (2020) '*Elevated d -dimer levels are associated with increased risk of mortality in coronavirus disease 2019: A systematic review and meta-analysis*', *Cardiology in Review*, 28(6), pp. 295–302. doi: 10.1097/CRD.0000000000000330.
- Sonia S. Saleh, et al. (2024). '*The Relation of Hba1c Levels with Mortality Rates in Hospitalized COVID19 Diabetic Patients*'; *The Egyptian Journal of Community Medicine* Volume 42, Issue 4, October 2024, Pages 209-217 doi: 10.21608/ejcm.2024.269951.1283

- Subhash Chander et al (2023). 'Glycemic Control in Critically Ill COVID-19 Patients'; *J. Clin. Med.* 2023, 12(7), 2555; <https://doi.org/10.3390/jcm12072555>
- Syukur. Et al. (2022). 'IDF21-0109 Coagulation Disorders in Type 2 Diabetes Mellitus Patients with COVID-19'; *Diabetes Res Clin Pract.* 2022 Jun 3;186:109315. doi: 10.1016/j.diabres.2022.109315
- Tabish Khan, et al (2024), 'D-dimer variation in diabetic and non-diabetic patients of COVID-19'; *Journal of Medicine, Surgery, and Public Health* 2 (2024) 100052; <https://doi.org/10.1016/j.glmedi.2024.100052>
- Tandra, N., et al., (2022). 'Correlation of Dynamic D-dimer Levels with Mortality in COVID-19 Patients with Type 2 Diabetes Mellitus'; <https://www.google.com/search?q=https://doi.org/10.32734/jetromi.v3i3.6339>
- Tang, N. et al. (2020) 'Abnormal coagulation parameters are associated with poor prognosis in patients with novel coronavirus pneumonia', *Journal of Thrombosis and Haemostasis*, 18(4), pp. 844–847. doi: 10.1111/jth.14768.
- Valencia, et al., (2024). 'Mechanisms of endothelial activation, hypercoagulation and thrombosis in COVID-19: a link with diabetes mellitus'; *Cardiovascular Diabetology* (2024) 23:75 <https://doi.org/10.1186/s12933-023-02097-8>
- Walker, J. et al, (2021) 'Elevated D-dimers in COVID-19 patients predict PE but caution is needed with higher thresholds' <https://doi.org/10.1136/thorax-2021-BTSabstracts.205>
- Wang, X. and Cheng, Z. (2020) 'Cross-Sectional Studies: Strengths, Weaknesses, and Recommendations', *Chest*, 158(1), pp. S65–S71. doi: 10.1016/j.chest.2020.03.012.
- Wang, Z., Qiang, W. and Ke, H. (2020) 'Pneumonia Control and Prevention', *Hubei Science and technology press*, pp. 1–108. doi: 10.5281/ZENODO.3630678.
- Weitz, J. I., Fredenburgh, J. C. and Eikelboom, J. W. (2017) 'A Test in Context: D-Dimer', *Journal of the American College of Cardiology*, 70(19), pp. 2411–2420. doi: 10.1016/j.jacc.2017.09.024.
- Willim, H. A., Hardigaloch, A. T. and Supit, A. I. (2020) 'Koagulopati pada Coronavirus Disease -2019 (COVID-19): Tinjauan pustaka', *Intisari Sains Medis*, 11(3), pp. 749–756. Available at: <https://www.isainsmedis.id/index.php/ism/article/view/766> (Accessed: 12 January 2023).

- Yadaiah, K.B. et al, (2022). 'Effect of SARS-CoV-2 on glycemic control in post-COVID-19 diabetic patients'. J Family Med Prim Care. 2022 Oct;11(10):6243-6249. doi: 10.4103/jfmprc.jfmprc_709_22.
- Yayun Li, et al. (2021) "Clinical Significance of Plasma D-Dimer in COVID-19 Mortality", *Frontiers in Medicine*, 25 Mei 2021, doi: 10.3389/fmed.2021.638097
- Yujing Sun, et al., (2020). 'Differences in the Clinical and Hematological Characteristics of COVID-19 Patients with and without Type 2 Diabetes'; *Journal of Diabetes Research Volume 2020, Article ID 1038585*, 9 pages <https://doi.org/10.1155/2020/1038585>
- Yuki, K., Fujiogi, M. and Koutsogiannaki, S. (2020) 'COVID-19 pathophysiology: A review', *Clinical Immunology*, 215, p. 108427. doi: 10.1016/j.clim.2020.108427.
- Zhan, H. et al (2021) 'Diagnostic Value of D-Dimer in COVID-19': A systematic review and meta-analysis. *Clinical and Applied Thrombosis/Hemostasis*. Doi: 10.1177/10760296211010976
- Zhang, T., Wu, Q. and Zhang, Z. (2020) 'Probable Pangolin Origin of SARS-CoV-2 Associated with the COVID-19 Outbreak', *Current Biology*, 30(7), pp. 1346-1351.e2. doi: 10.1016/j.cub.2020.03.022.
- Zhao R. et al, (2021). 'Associations of D-Dimer on Admission and Clinical Features of COVID-19 Patients': A Systematic Review, Meta-Analysis, and Meta-Regression; *Front Immunol*. 2021 May 7;12:691249. doi: 10.3389/fimmu.2021.691249.
- Zhou, F. (2020) 'Clinical Course And Risk Factors For Mortality Of Adult In Patients With COVID-19 In Wuhan, China: A Retrospective Cohort Study', *Journal of Medicine Study & Research*, 3(1), pp. 01–02. doi: 10.24966/msr-5657/100015.