




DAFTAR PUSTAKA

DAFTAR PUSTAKA

- Allahverdiyev, A.M. *et al.* (2015) 'Isolation and diagnosis of *Helicobacter pylori* by a new method: Microcapillary culture', *World Journal of Gastroenterology*, 21(9), pp. 2622–2628. Available at: <https://doi.org/10.3748/wjg.v21.i9.2622>.
- Alonso, M. and Rojas, B. (2013) 'Microbiological conditions for culturing *Helicobacter Pylori*', *Revista Colombiana de Gastroenterologia*, 28(2), pp. 94–99.
- Associate Khan, R.A. *et al.* (2007) *Impact of household hygiene and water source on the prevalence and transmission of Helicobacter pylori: a South Indian perspective, Original Article Singapore Med.*
- Atkinson, N.S.S. and Braden, B. (2016) 'Helicobacter Pylori Infection: Diagnostic Strategies in Primary Diagnosis and After Therapy', *Digestive Diseases and Sciences*. Springer New York LLC, pp. 19–24. Available at: <https://doi.org/10.1007/s10620-015-3877-4>.
- Aziz, R.K., Khalifa, M.M. and Sharaf, R.R. (2015) 'Contaminated water as a source of *Helicobacter pylori* infection: A review', *Journal of Advanced Research*. Elsevier B.V., pp. 539–547. Available at: <https://doi.org/10.1016/j.jare.2013.07.007>.
- Backert, S. and Yamaoka, Y. (2016) *Helicobacter pylori Research*. 1st ed. Diedit oleh S. Backert dan Y. Yamaoka. Tokyo: Springer Tokyo.
- Baj, J. *et al.* (2021) 'Helicobacter pylori virulence factors—mechanisms of bacterial pathogenicity in the gastric microenvironment', *Cells*. MDPI, pp. 1–37. Available at: <https://doi.org/10.3390/cells10010027>.
- BPS Jawa Timur (2024) Persentase Rumah Tangga yang Memiliki Akses Terhadap Sumber Air Minum Layak Menurut Kabupaten/Kota di Provinsi Jawa Timur, 2023.
- Breckan, R.K. *et al.* (2016) 'The All-Age Prevalence of *Helicobacter pylori* Infection and Potential Transmission Routes. A Population-Based Study', *Helicobacter*, 21(6), pp. 586–595. Available at: <https://doi.org/10.1111/hel.12316>.
- Brenner Hermann *et al.* (1999) 'Alcohol Consumption and *Helicobacter pylori* Infection: Results from the German National Health and Nutrition Survey', *Epidemiology*, 10(3), pp. 214–218.
- De Brito, B.B. *et al.* (2019) 'Pathogenesis and clinical management of *Helicobacter pylori* gastric infection', *World Journal of Gastroenterology*. Baishideng Publishing Group Co, pp. 5578–5589. Available at: <https://doi.org/10.3748/wjg.v25.i37.5578>.
- Bui, D. *et al.* (2016) 'Serologic evidence for fecal-oral transmission of *helicobacter pylori*', *American Journal of Tropical Medicine and Hygiene*, 94(1), pp. 82–88. Available at: <https://doi.org/10.4269/ajtmh.15-0297>.
- Butt, J. *et al.* (2019) 'Smoking, *Helicobacter pylori* serology, and gastric cancer risk in prospective studies from China, Japan, and Korea', *Cancer Prevention*

- Research*. American Association for Cancer Research Inc., pp. 667–674. Available at: <https://doi.org/10.1158/1940-6207.CAPR-19-0238>.
- Capurso, G. and Lahner, E. (2017) 'The interaction between smoking, alcohol and the gut microbiome', *Best Practice and Research: Clinical Gastroenterology*. Bailliere Tindall Ltd, pp. 579–588. Available at: <https://doi.org/10.1016/j.bpg.2017.10.006>.
- Chang, W.L., Yeh, Y.C. and Sheu, B.S. (2018) 'The impacts of *H. pylori* virulence factors on the development of gastroduodenal diseases', *Journal of Biomedical Science*. BioMed Central Ltd. Available at: <https://doi.org/10.1186/s12929-018-0466-9>.
- Che, T.H. et al. (2023) 'Factors Associated With *Helicobacter Pylori* Infection Among School-Aged Children From a High Prevalence Area in Vietnam', *International Journal of Public Health*, 68. Available at: <https://doi.org/10.3389/ijph.2023.1605908>.
- Chen, Y.C. et al. (2024) 'Global Prevalence of *Helicobacter pylori* Infection and Incidence of Gastric Cancer Between 1980 and 2022', *Gastroenterology*, 166(4), pp. 605–619. Available at: <https://doi.org/10.1053/j.gastro.2023.12.022>.
- Cheok, Y.Y. et al. (2021) 'An overview of *helicobacter pylori* survival tactics in the hostile human stomach environment', *Microorganisms*. MDPI. Available at: <https://doi.org/10.3390/microorganisms9122502>.
- Daivasikamai, P. (2014) 'Advantages of serological testing for <i>Helicobacter pylori</i> infection as a screening test', *International Journal of Advances in Medicine*, 1(3), p. 217. Available at: <https://doi.org/10.5455/2349-3933.ijam20141105>.
- Dumic, I. et al. (2019) 'Gastrointestinal tract disorders in older age', *Canadian Journal of Gastroenterology and Hepatology*, 2019. Available at: <https://doi.org/10.1155/2019/6757524>.
- Elshair, M. et al. (2022) 'Impact of socioeconomic status and sibling number on the prevalence of *Helicobacter pylori* infection: a cross-sectional study in a Japanese population', *Nagoya Journal of Medical Science*, 84(2), pp. 374–387. Available at: <https://doi.org/10.18999/nagjms.84.2.374>.
- Feldman, M., S. Friedman, L. and J. Brandt, L. (2020) *Sleisenger and Fordtran's Gastrointestinal and Liver Disease*. 11th edn. Elsevier.
- Fernandes, R.M. et al. (2017) 'Morphological transition of *Helicobacter pylori* adapted to water', *Future Microbiology*, 12(13), pp. 1167–1179. Available at: <https://doi.org/10.2217/fmb-2016-0174>.
- Ferro, A. et al. (2019) 'Smoking and *Helicobacter pylori* infection: An individual participant pooled analysis (Stomach Cancer Pooling-StoP Project)', *European Journal of Cancer Prevention*, 28(5), pp. 390–396. Available at: <https://doi.org/10.1097/CEJ.0000000000000471>.

- García, A. *et al.* (2014) 'Biofilm and *Helicobacter pylori*: From environment to human host', *World Journal of Gastroenterology*, 20(19), pp. 5632–5638. Available at: <https://doi.org/10.3748/wjg.v20.i19.5632>.
- Goto, Y. *et al.* (2016) 'Prevalence and Risk Factors for *Helicobacter Pylori* Infection among Healthy Inhabitants in Northern Jakarta, Indonesia', *Asian Pacific Journal of Cancer Prevention*, 17(10), pp. 4747–4753. Available at: <https://doi.org/10.22034/APJCP.2016.17.10.4747>.
- Graham, D.Y. and Miftahussurur, M. (2018) '*Helicobacter pylori* urease for diagnosis of *Helicobacter pylori* infection: A mini review', *Journal of Advanced Research*. Elsevier B.V., pp. 51–57. Available at: <https://doi.org/10.1016/j.jare.2018.01.006>.
- Hishida, A. *et al.* (2010) 'Smoking Behavior and Risk of *Helicobacter Pylori* Infection, Gastric Atrophy and Gastric Cancer in Japanese', *Asian Pacific Journal of Cancer Prevention*, 11, pp. 669–673.
- Hussein, R.A., Al-Ouqaili, M.T.S. and Majeed, Y.H. (2022) 'Association between alcohol consumption, cigarette smoking, and *Helicobacter pylori* infection in Iraqi patients submitted to gastrointestinal endoscopy', *Journal of Emergency Medicine, Trauma and Acute Care*, 2022(6). Available at: <https://doi.org/10.5339/jemtac.2022.aimco.12>.
- Jackson, L. *et al.* (2009) 'A Population-Based Epidemiologic Study of *Helicobacter Pylori* Infection and its Association with Systemic Inflammation', *Blackwell Publishing*, 14(5), pp. 460–465. Available at: <https://doi.org/10.1111/j.1523-5378.2009.00711.x>.
- Kao, C.Y., Sheu, B.S. and Wu, J.J. (2016) '*Helicobacter pylori* infection: An overview of bacterial virulence factors and pathogenesis', *Biomedical Journal*. Elsevier B.V., pp. 14–23. Available at: <https://doi.org/10.1016/j.bj.2015.06.002>.
- Kayali, S. *et al.* (2018) '*Helicobacter pylori*, transmission routes and recurrence of infection: State of the art', *Acta Biomedica*. Mattioli 1885, pp. 72–76. Available at: <https://doi.org/10.23750/abm.v89i8-S.7947>.
- Kementerian Kesehatan Republik Indonesia (2023) *Survei Kesehatan Indonesia (SKI) Dalam Angka*.
- Kheyre, H. *et al.* (2018) 'The occupational risk of *Helicobacter pylori* infection: a systematic review', *International Archives of Occupational and Environmental Health*. Springer Verlag, pp. 657–674. Available at: <https://doi.org/10.1007/s00420-018-1315-6>.
- Kotilea, K., Bontems, P. and Touati, E. (2019) 'Epidemiology, Diagnosis and Risk Factors of *Helicobacter pylori* Infection', in *Advances in Experimental Medicine and Biology*. Springer New York LLC, pp. 17–33. Available at: https://doi.org/10.1007/5584_2019_357.
- Krueger, W.S. *et al.* (2015) 'Environmental risk factors associated with *Helicobacter pylori* seroprevalence in the United States: A cross-sectional

- analysis of NHANES data', *Epidemiology and Infection*, 143(12), pp. 2520–2531. Available at: <https://doi.org/10.1017/S0950268814003938>.
- Krzyzek, P. and Gościński, G. (2018) 'Morphology of *Helicobacter pylori* as a result of peptidoglycan and cytoskeleton rearrangements', *Przegląd Gastroenterologiczny*. Termedia Publishing House Ltd., pp. 182–195. Available at: <https://doi.org/10.5114/pg.2018.78284>.
- Kuepper-Nybelen, J. *et al.* (2005) 'Patterns of alcohol consumption and *Helicobacter pylori* infection: Results of a population-based study from Germany among 6545 adults', *Alimentary Pharmacology and Therapeutics*, 21(1), pp. 57–64. Available at: <https://doi.org/10.1111/j.1365-2036.2004.02276.x>.
- Kumar, S. *et al.* (2020) 'Risk Factors and Incidence of Gastric Cancer After Detection of *Helicobacter pylori* Infection: A Large Cohort Study', *Gastroenterology*, 158(3), pp. 527–536.e7. Available at: <https://doi.org/10.1053/j.gastro.2019.10.019>.
- Li, Y. *et al.* (2023) 'Global prevalence of *Helicobacter pylori* infection between 1980 and 2022: a systematic review and meta-analysis', *The Lancet Gastroenterology & Hepatology*, 8(6), pp. 553–564. Available at: [https://doi.org/https://doi.org/10.1016/S2468-1253\(23\)00070-5](https://doi.org/https://doi.org/10.1016/S2468-1253(23)00070-5).
- Lim, S.H. *et al.* (2013) 'Prevalence and risk factors of *Helicobacter pylori* infection in Korea: Nationwide multicenter study over 13 years', *BMC Gastroenterology*, 13(1). Available at: <https://doi.org/10.1186/1471-230X-13-104>.
- Lorenzo, I. *et al.* (2019) 'Helicobacter pylori seroprevalence in Spain: Influence of adult and childhood sociodemographic factors', *European Journal of Cancer Prevention*, 28(4), pp. 294–303. Available at: <https://doi.org/10.1097/CEJ.0000000000000483>.
- Malfertheiner, P. *et al.* (2022) 'Management of *Helicobacter pylori* infection: the Maastricht VI/Florence consensus report', *Gut*, 71(9), pp. 1724–1762. Available at: <https://doi.org/10.1136/gutjnl-2022-327745>.
- Malfertheiner, P. *et al.* (2023) 'Helicobacter pylori infection', *Nature Reviews Disease Primers*, 9(1). Available at: <https://doi.org/10.1038/s41572-023-00431-8>.
- Mao, X. *et al.* (2021) 'Colonization of *Helicobacter pylori* in the oral cavity—an endless controversy?', *Critical Reviews in Microbiology*. Taylor and Francis Ltd., pp. 612–629. Available at: <https://doi.org/10.1080/1040841X.2021.1907740>.
- Maulahela, H. *et al.* (2022) 'Helicobacter pylori prevalence in Indonesia: Higher infection risk in Eastern region population', *F1000Research*, 11, p. 1581. Available at: <https://doi.org/10.12688/f1000research.127094.1>.
- Mhaskar, R.S. *et al.* (2013) 'Assessment of risk factors of helicobacter pylori infection and peptic ulcer disease', *Journal of Global Infectious Diseases*, 5(2), pp. 60–67. Available at: <https://doi.org/10.4103/0974-777X.112288>.

- Miftahussurur, M. *et al.* (2015) 'Helicobacter pylori virulence genes in the five largest islands of Indonesia', *Gut Pathogens*, 7(1). Available at: <https://doi.org/10.1186/s13099-015-0072-2>.
- Miftahussurur, M. *et al.* (2021) 'Overview of helicobacter pylori infection in indonesia: what distinguishes it from countries with high gastric cancer incidence?', *Gut and Liver*. Editorial Office of Gut and Liver, pp. 653–665. Available at: <https://doi.org/10.5009/gnl20019>.
- Miftahussurur, M. and Yamaoka, Y. (2016) 'Diagnostic Methods of Helicobacter pylori Infection for Epidemiological Studies: Critical Importance of Indirect Test Validation', *BioMed Research International*. Hindawi Limited. Available at: <https://doi.org/10.1155/2016/4819423>.
- Monno, R. *et al.* (2019) 'Helicobacter pylori infection: association with dietary habits and socioeconomic conditions', *Clinics and Research in Hepatology and Gastroenterology*, 43(5), pp. 603–607. Available at: <https://doi.org/10.1016/j.clinre.2018.10.002>.
- Nurgalieva, Z.Z. *et al.* (2002) 'Helicobacter Pylori Infection in Kazakhstan: Effect of Water Source and Household Hygiene', *The American Society of Tropical Medicine and Hygiene*, 67(2), pp. 201–206.
- Ogihara, A. *et al.* (2000) 'Relationship between H pylori infection and smoking and drinking habits', *Journal of Gastroenterology and Hepatology*, 15, pp. 271–276.
- Olivera-Severo, D. *et al.* (2017) 'A new role for Helicobacter pylori urease: Contributions to angiogenesis', *Frontiers in Microbiology*, 8(SEP). Available at: <https://doi.org/10.3389/fmicb.2017.01883>.
- Ozaydin, N., Turkeyilmaz, S.A. and Cali, S. (2013) *Prevalence and risk factors of helicobacter pylori in Turkey: a nationally-representative, cross-sectional, screening with the 13 C-Urea breath test*. Available at: <http://www.biomedcentral.com/1471-2458/13/1215>.
- Percival, S.L. and Suleman, L. (2014) 'Biofilms and Helicobacter pylori: Dissemination and persistence within the environment and host', *World Journal of Gastrointestinal Pathophysiology*, 5(3), p. 122. Available at: <https://doi.org/10.4291/wjgp.v5.i3.122>.
- Pérez, L.M. *et al.* (2010) 'Quantification of Helicobacter pylori levels in soil samples from public playgrounds in Spain', *Journal of Zhejiang University: Science B*, 11(1), pp. 27–29. Available at: <https://doi.org/10.1631/jzus.B0900238>.
- Razuka-Ebela, D. *et al.* (2020) 'Sociodemographic, lifestyle and medical factors associated with helicobacter pylori infection', *Journal of Gastrointestinal and Liver Diseases*, 29(3), pp. 319–327. Available at: <https://doi.org/10.15403/jgld-870>.
- Roesler, B.M., Rabelo-Gonçalves, E.M.A. and Zeitune, J.M.R. (2014) 'Virulence factors of helicobacter pylori: A review', *Clinical Medicine Insights*:

- Gastroenterology*. Libertas Academica Ltd., pp. 9–27. Available at: <https://doi.org/10.4137/CGast.S13760>.
- Sánchez-Cuén, J.A. *et al.* (2013) ‘Infección por helicobacter pylori y su asociación con el consumo de alcohol. Estudio de casos y controles’, *Revista de Gastroenterología de Mexico*, 78(3), pp. 144–150. Available at: <https://doi.org/10.1016/j.rgm.2013.06.003>.
- Santos, I.S. *et al.* (2005) ‘Prevalence of *Helicobacter pylori* infection and associated factors among adults in Southern Brazil: A population-based cross-sectional study’, *BMC Public Health*, 5. Available at: <https://doi.org/10.1186/1471-2458-5-118>.
- Sasaki, Kanae *et al.* (1999) *Helicobacter pylori in the Natural Environment*, *Scand J Infect Dis*.
- Sharndama, H.C. and Mba, I.E. (2022) ‘*Helicobacter pylori*: an up-to-date overview on the virulence and pathogenesis mechanisms’, *Brazilian Journal of Microbiology*. Springer Science and Business Media Deutschland GmbH, pp. 33–50. Available at: <https://doi.org/10.1007/s42770-021-00675-0>.
- Suzuki, H. and Mori, H. (2016) ‘Different Pathophysiology of Gastritis between East and West? An Asian Perspective’, *Inflammatory Intestinal Diseases*. S. Karger AG, pp. 123–128. Available at: <https://doi.org/10.1159/000446301>.
- Syam, A.F. *et al.* (2015) ‘Risk factors and prevalence of *Helicobacter pylori* in five largest islands of Indonesia: A preliminary study’, *PLoS ONE*, 10(11). Available at: <https://doi.org/10.1371/journal.pone.0140186>.
- Taylor, C.S. *et al.* (2024) ‘Birth cohort and age-specific trends in global *Helicobacter pylori* seroprevalence: a scoping review’. Available at: www.thelancet.com.
- Vale, F.F. and Vitor, J.M.B. (2010) ‘Transmission pathway of *Helicobacter pylori*: Does food play a role in rural and urban areas?’, *International Journal of Food Microbiology*, pp. 1–12. Available at: <https://doi.org/10.1016/j.ijfoodmicro.2010.01.016>.
- Venneman, K. *et al.* (2018) ‘The epidemiology of *Helicobacter pylori* infection in Europe and the impact of lifestyle on its natural evolution toward stomach cancer after infection: A systematic review’, *Helicobacter*. Blackwell Publishing Ltd. Available at: <https://doi.org/10.1111/hel.12483>.
- Wang, X. *et al.* (2021) ‘Prevalence and risk factors of *Helicobacter pylori* infection in Wuwei, a high-risk area for gastric cancer in northwest China: An all-ages population-based cross-sectional study’, *Helicobacter*, 26(4). Available at: <https://doi.org/10.1111/hel.12810>.
- WHO (2015) ‘Technical Brief Boil Water’. Available at: https://iris.who.int/bitstream/handle/10665/155821/WHO_FWC_WSH_15.02_eng.pdf (Accessed: 5 May 2025).
- Yeh Lee, Y. *et al.* (2011) ‘Sociocultural and Dietary Practices Among Malay Subjects in the North-Eastern Region of Peninsular Malaysia: A Region of Low Prevalence of *Helicobacter pylori* Infection’.

- Zaman, A. *et al.* (2020) 'Observation of changes in helicobacter pylori antigen and antibody positivity according to non-invasive tests before and after helicobacter pylori eradication therapy in symptomatic patients', *International Journal of General Medicine*, 13, pp. 1093–1103. Available at: <https://doi.org/10.2147/IJGM.S273368>.
- Zhang, L. *et al.* (2022) 'Helicobacter pylori in the Oral Cavity: Current Evidence and Potential Survival Strategies', *International Journal of Molecular Sciences*. MDPI. Available at: <https://doi.org/10.3390/ijms232113646>.
- Zhu, Y. *et al.* (2014) 'Risk factors and prevalence of helicobacter pylori infection in persistent high incidence area of gastric carcinoma in yangzhong city', *Gastroenterology Research and Practice*, 2014. Available at: <https://doi.org/10.1155/2014/481365>.

