



DAFTAR PUSTAKA



DAFTAR PUSTAKA

- Ahmed, F., Miller, K., Beganovic, M., Siddiqui, A., & Smith, C. (2025). A Sex Comparison of Fall and Fracture Occurrence in the Elderly Diabetic Population: A Quantitative Study. *Women's Health Reports*, 6(1), 230–235. <https://doi.org/10.1089/whr.2024.0158>
- Alam, U., Riley, D. R., Jugdey, R. S., Azmi, S., Rajbhandari, S., D'Août, K., & Malik, R. A. (2017). Diabetic Neuropathy and Gait: A Review. In *Diabetes Therapy* (Vol. 8, Number 6, pp. 1253–1264). Springer Healthcare. <https://doi.org/10.1007/s13300-017-0295-y>
- Anggraini, B. M., & Purwanti, O. S. (2024). The Relationship Between Body Mass Index and Diabetic Neuropathy in Patients With Diabetes Mellitus at the Regional General Hospital dr. Soehadi Prijonegoro Sragen District. *Contagion: Scientific Periodical Journal of Public Health and Coastal Health*, 6(1), 453. <https://doi.org/10.30829/contagion.v6i1.19460>
- Antar, S. A., Ashour, N. A., Sharaky, M., Khattab, M., Ashour, N. A., Zaid, R. T., Roh, E. J., Elkamhawy, A., & Al-Karmalawy, A. A. (2023). Diabetes mellitus: Classification, mediators, and complications; A gate to identify potential targets for the development of new effective treatments. *Biomedicine and Pharmacotherapy*, 168, 115734. <https://doi.org/10.1016/j.biopha.2023.115734>
- Armand, S., Sawacha, Z., Goudriaan, M., Horsak, B., van der Krogt, M., Huenaearts, C., Daly, C., Kranzl, A., Boehm, H., Petrarca, M., Guiotto, A., Merlo, A., Spolaor, F., Campanini, I., Cosma, M., Hallems, A., Horemans, H., Gasq, D., Moissenet, F., Sangeux, M. (2024). Current practices in clinical gait analysis in Europe: A comprehensive survey-based study from the European society for movement analysis in adults and children (ESMAC) standard initiative. *Gait and Posture*, 111, 65–74. <https://doi.org/10.1016/j.gaitpost.2024.04.014>
- Blackwood, J. (2019). Cognitive Function and Falls in Older Adults With Type 2 Diabetes Mellitus. *Journal of Geriatric Physical Therapy*, 42(4), E91–E96. <https://doi.org/10.1519/JPT.0000000000000209>
- Bondar, A., Popa, A., Papanas, N., Popoviciu, M., Vesa, C., Sabau, M., Daina, C., Stoica, R., Katsiki, N., & Stoian, A. (2021). Diabetic neuropathy: A narrative review of risk factors, classification, screening and current pathogenic treatment options (Review). *Experimental and Therapeutic Medicine*, 22(1). <https://doi.org/10.3892/etm.2021.10122>
- Brown, S. J., Handsaker, J. C., Bowling, F. L., Boulton, A. J. M., & Reeves, N. D. (2015). Diabetic peripheral neuropathy compromises balance during daily activities. *Diabetes Care*, 38(6), 1116–1122. <https://doi.org/10.2337/dc14-1982>
- Çakici, R., Saldiran, T. Ç., Kara, İ., & Açıık, H. (2023). Plantar fascia stiffness in patients with type 2 diabetes mellitus: Stiffness effect on fall risk and gait speed. *The Foot*, 56, 102020. <https://doi.org/10.1016/j.foot.2023.102020>
- Callaghan, B. C., Cheng, H. T., Stables, C. L., Smith, A. L., & Feldman, E. L. (2012). Diabetic neuropathy: Clinical manifestations and current treatments. In *The Lancet*

- Neurology* (Vol. 11, Number 6, pp. 521–534). [https://doi.org/10.1016/S1474-4422\(12\)70065-0](https://doi.org/10.1016/S1474-4422(12)70065-0)
- Chatterjee, S., Khunti, K., & Davies, M. J. (2017). Type 2 diabetes. *The Lancet*, 389(10085), 2239–2251. [https://doi.org/10.1016/S0140-6736\(17\)30058-2](https://doi.org/10.1016/S0140-6736(17)30058-2)
- Chen, C., & Liao, D.-M. (2024). Sarcopenia: A review. *Tungs' Medical Journal*, 18(Suppl 1). https://journals.lww.com/tmj/fulltext/2024/09001/sarcopenia__a_review.5.aspx
- Chen, H., Huang, X., Dong, M., Wen, S., Zhou, L., & Yuan, X. (2023). The Association Between Sarcopenia and Diabetes: From Pathophysiology Mechanism to Therapeutic Strategy. In *Diabetes, Metabolic Syndrome and Obesity* (Vol. 16, pp. 1541–1554). Dove Medical Press Ltd. <https://doi.org/10.2147/DMSO.S410834>
- Cheng, Y., Cao, W., Zhang, J., Wang, J., Liu, X., Wu, Q., & Lin, Q. (2022). Determinants of Diabetic Peripheral Neuropathy and Their Clinical Significance: A Retrospective Cohort Study. *Frontiers in Endocrinology*, 13. <https://doi.org/10.3389/fendo.2022.934020>
- Clair, C., Cohen, M. J., Eichler, F., Selby, K. J., & Rigotti, N. A. (2015). The Effect of Cigarette Smoking on Diabetic Peripheral Neuropathy: A Systematic Review and Meta-Analysis. *Journal of General Internal Medicine*, 30(8), 1193–1203. <https://doi.org/10.1007/s11606-015-3354-y>
- Dahlan, S. (2013). *Sample Size & Sampling Method in Medicine and Health Research (Besarnya Sampel dan Cara Pengambilan Sampel dalam Penelitian Kedokteran dan Kesehatan)*.
- Damanik, J., & Yunir, E. (2021). Type 2 Diabetes Mellitus and Cognitive Impairment. In *Acta Med Indones-Indones J Intern Med* • (Vol. 53, Number 2).
- Dani Safitri, E., Nurdian Asnindari, L., Murni Setiawati Program Studi Keperawatan, E., Ilmu Kesehatan, F., & Yogyakarta, A. (2025). *Hubungan neuropati diabetik perifer dengan risiko jatuh pasien diabetes tipe 2 Puskesmas Godean 1 Sleman* (Vol. 3).
- Feldman, E. L., Callaghan, B. C., Pop-Busui, R., Zochodne, D. W., Wright, D. E., Bennett, D. L., Bril, V., Russell, J. W., & Viswanathan, V. (2019a). Diabetic neuropathy. In *Nature Reviews Disease Primers* (Vol. 5, Number 1). Nature Publishing Group. <https://doi.org/10.1038/s41572-019-0092-1>
- Feldman, E. L., Callaghan, B. C., Pop-Busui, R., Zochodne, D. W., Wright, D. E., Bennett, D. L., Bril, V., Russell, J. W., & Viswanathan, V. (2019b). Diabetic neuropathy. In *Nature Reviews Disease Primers* (Vol. 5, Number 1). Nature Publishing Group. <https://doi.org/10.1038/s41572-019-0092-1>
- Freire, L. B., Brasil-Neto, J. P., da Silva, M. L., Miranda, M. G. C., de Mattos Cruz, L., Martins, W. R., & da Silva Paz, L. P. (2024). Risk factors for falls in older adults with diabetes mellitus: systematic review and meta-analysis. *BMC Geriatrics*, 24(1). <https://doi.org/10.1186/s12877-024-04668-0>
- Gravesande, J., & Richardson, J. (2017). Identifying non-pharmacological risk factors for falling in older adults with type 2 diabetes mellitus: a systematic review. In

- Disability and Rehabilitation* (Vol. 39, Number 15, pp. 1459–1465). Taylor and Francis Ltd. <https://doi.org/10.1080/09638288.2016.1199741>
- Hewston, P., & Deshpande, N. (2016). Falls and Balance Impairments in Older Adults with Type 2 Diabetes: Thinking Beyond Diabetic Peripheral Neuropathy. *Canadian Journal of Diabetes*, 40(1), 6–9. <https://doi.org/10.1016/j.cjcd.2015.08.005>
- Hirano, Y., Matsui, Y., Nemoto, T., Ota, S., Yamada, Y., & Arai, H. (2022). Change in ground reaction force parameters according to the frailty level of older women in the Timed Up and Go test. *Nagoya Journal of Medical Science*, 84(2), 418–432. <https://doi.org/10.18999/nagjms.84.2.418>
- IDF Diabetes Atlas. (2021). IDF Diabetes Atlas 2021 _ IDF Diabetes Atlas. In *IDF official website*. <https://diabetesatlas.org/atlas/tenth-edition/%0Ahttps://diabetesatlas.org/data/en/world/>
- Iliescu, B., Herascu, A., Gaita, L., Avram, V. F., & Timar, B. (2025). Associations Between Diabetic Neuropathy and Balance Impairments in Patients with Type 2 Diabetes: A Cross-Sectional Study. *Journal of Clinical Medicine*, 14(23). <https://doi.org/10.3390/jcm14238323>
- Indriyani, P., Yuliyanasari, N., Kartikasari, I., & Irfana, L. (2025). The Relationship between Blood Pressure Levels and The Incidence of Diabetic Neuropathy in Type-2 Diabetes Mellitus Patients. *Biomedika*, 108–115. <https://doi.org/10.23917/biomedika.v17i2.11121>
- Ismail, L., Materwala, H., & Al Kaabi, J. (2021). Association of risk factors with type 2 diabetes: A systematic review. In *Computational and Structural Biotechnology Journal* (Vol. 19, pp. 1759–1785). Elsevier B.V. <https://doi.org/10.1016/j.csbj.2021.03.003>
- Jatmiko, A. S. A., & Leni, A. S. M. (2023). Hubungan antara keseimbangan dengan risiko jatuh pada lansia penderita diabetes melitus tipe II. *Journal Physical Therapy UNISA*, 2(2), 104–109. <https://doi.org/10.31101/jitu.2825>
- Jeong, S. M., Shin, D. W., Han, K., Jung, J. H., Chun, S., Jung, H. W., & Son, K. Y. (2019). Timed up-and-go test is a useful predictor of fracture incidence. *Bone*, 127, 474–481. <https://doi.org/10.1016/j.bone.2019.07.018>
- Kautzky-Willer, A., Leutner, M., & Harreiter, J. (2023). *Sex differences in type 2 diabetes*. <https://doi.org/10.1007/s00125-023-05891-x/Published>
- Kelly, C., Fleischer, A., Yalla, S., Grewal, G. S., Albright, R., Berns, D., Crews, R., & Najafi, B. (2016). *Fear of Falling Is Prevalent in Older Adults with Diabetes Mellitus But Is Unrelated to Level of Neuropathy*.
- Kim, Y. J., Lee, N. Y., Lee, K. A., Park, T. S., & Jin, H. Y. (2022). Influence of Glucose Fluctuation on Peripheral Nerve Damage in Streptozotocin-Induced Diabetic Rats. *Diabetes and Metabolism Journal*, 46(1), 117–128. <https://doi.org/10.4093/DMJ.2020.0275>
- Köhler, E., Dalgas, U., Buhl, C. S., & Brincks, J. (2025). Content and effects of balance training in people with diabetic peripheral neuropathy—a systematic review and meta-analysis. In *Physiotherapy Theory and Practice* (Vol. 41, Number 5, pp.

1083–1094). Taylor and Francis Ltd.
<https://doi.org/10.1080/09593985.2024.2391823>

- Lee, B.-W., Kim, J. H., Ko, S.-H., Hur, K.-Y., Kim, N.-H., Rhee, S. Y., Kim, H. J., Moon, M. K., Park, S.-O., & Choi, K. M. (2017). Insulin Therapy for Adult Patients with Type 2 Diabetes Mellitus: A Position Statement of the Korean Diabetes Association, 2017. *Diabetes Metab J*, 41, 367–373. <https://doi.org/10.4093/dmj.2017.41.5.367>
- Liu, T., Lin, Y., Qi, R., Chen, X., Xiao, Y., Xu, W., Yao, J., & Hua, Y. (2026). Prevalence and Risk Factors for Falls in Older Adults With Diabetes: A Systematic Review and Meta-Analysis. In *Journal of the American Medical Directors Association* (Vol. 27, Number 3). Elsevier Inc. <https://doi.org/10.1016/j.jamda.2025.106012>
- Lu, Y., Xing, P., Cai, X., Luo, D., Li, R., Lloyd, C., Sartorius, N., & Li, M. (2020). Prevalence and Risk Factors for Diabetic Peripheral Neuropathy in Type 2 Diabetic Patients From 14 Countries: Estimates of the INTERPRET-DD Study. *Frontiers in Public Health*, 8. <https://doi.org/10.3389/fpubh.2020.534372>
- Mallet, M. L., Hadjivassiliou, M., Sarrigiannis, P. G., & Zis, P. (2020). The Role of Oxidative Stress in Peripheral Neuropathy. In *Journal of Molecular Neuroscience* (Vol. 70, Number 7, pp. 1009–1017). Humana Press Inc. <https://doi.org/10.1007/s12031-020-01495-x>
- Mardastuti, Y., Asmedi, A., Gofi, A., Margono Soekarjo, R., Neurologi, B., & Kedokteran UGM, F. (2016). *Diabetic Neuropathy Symptom-versi Indonesia dan*.
- Mustapa, A., Justine, M., Mohd Mustafah, N., Jamil, N., & Manaf, H. (2016). Postural Control and Gait Performance in the Diabetic Peripheral Neuropathy: A Systematic Review. In *BioMed Research International* (Vol. 2016). Hindawi Limited. <https://doi.org/10.1155/2016/9305025>
- Mziray, M., Nowosad, K., Śliwińska, A., Chwesiuk, M., & Małgorzewicz, S. (2024). Malnutrition and Fall Risk in Older Adults: A Comprehensive Assessment Across Different Living Situations. *Nutrients*, 16(21). <https://doi.org/10.3390/nu16213694>
- Naeem, M. H., Raza, M., Aziz, M. Bin, Ullah, N., Wahab, A., Khan, Z. A., & Farooq, H. (2025). Effectiveness of Insulin Versus Oral Agents in Patients with Uncontrolled Type 2 Diabetes Mellitus: A Retrospective Comparative Study. *Cureus*. <https://doi.org/10.7759/cureus.90196>
- Nisar, M. U., Asad, A., Waqas, A., Ali, N., Nisar, A., Qayyum, M. A., Maryam, H., Javaid, M., & Jamil, M. (2015). Association of Diabetic Neuropathy with Duration of Type 2 Diabetes and Glycemic Control. *Cureus*. <https://doi.org/10.7759/cureus.302>
- Niu, J., Ganta, C., & Kim, L. D. (2023). Peripheral Neuropathy in Older Adults. *Journal of Electrodiagnosis and Neuromuscular Diseases*, 25(3), 92–99. <https://doi.org/10.18214/jend.2023.00115>
- Oh, T. J., Lee, J. E., Choi, S. H., & Jang, H. C. (2019). Association between body fat and diabetic peripheral neuropathy in middle-aged adults with type 2 diabetes

- mellitus: A preliminary report. *Journal of Obesity and Metabolic Syndrome*, 28(2), 112–117. <https://doi.org/10.7570/JOMES.2019.28.2.112>
- Ojo, O. A., Ibrahim, H. S., Rotimi, D. E., Ogunlakin, A. D., & Ojo, A. B. (2023). Diabetes mellitus: From molecular mechanism to pathophysiology and pharmacology. In *Medicine in Novel Technology and Devices* (Vol. 19). Elsevier B.V. <https://doi.org/10.1016/j.medntd.2023.100247>
- Ortega-Bastidas, P., Gómez, B., Aqueveque, P., Luarte-Martínez, S., & Cano-de-la-Cuerda, R. (2023). Instrumented Timed Up and Go Test (iTUG)—More Than Assessing Time to Predict Falls: A Systematic Review. In *Sensors* (Vol. 23, Number 7). MDPI. <https://doi.org/10.3390/s23073426>
- Ozawa, H., Fukui, K., Komukai, S., Y Baden, M., Fujita, S., Fujita, Y., Kimura, T., Tokunaga, A., Iwahashi, H., Kozawa, J., & Shimomura, I. (2021). Maximum body mass index before onset of type 2 diabetes is independently associated with advanced diabetic complications. *BMJ Open Diabetes Research and Care*, 9(2). <https://doi.org/10.1136/bmjdr-2021-002466>
- Panou, T., Gouveri, E., Popovic, D. S., Papazoglou, D., & Papanas, N. (2025). The Role of Inflammation in the Pathogenesis of Diabetic Peripheral Neuropathy: New Lessons from Experimental Studies and Clinical Implications. In *Diabetes Therapy* (Vol. 16, Number 3, pp. 371–411). Adis. <https://doi.org/10.1007/s13300-025-01699-7>
- Parasoglou, P., Rao, S., & Slade, J. M. (2017). Declining Skeletal Muscle Function in Diabetic Peripheral Neuropathy. In *Clinical Therapeutics* (Vol. 39, Number 6, pp. 1085–1103). Excerpta Medica Inc. <https://doi.org/10.1016/j.clinthera.2017.05.001>
- Pfannkuche, A., Alhajjar, A., Ming, A., Walter, I., Piehler, C., & Mertens, P. R. (2020). Prevalence and risk factors of diabetic peripheral neuropathy in a diabetics cohort: Register initiative “diabetes and nerves”. *Endocrine and Metabolic Science*, 1(1–2). <https://doi.org/10.1016/j.endmts.2020.100053>
- Phelan, E. A., Mahoney, J. E., Voit, J. C., & Stevens, J. A. (2015). Assessment and Management of Fall Risk in Primary Care Settings. In *Medical Clinics of North America* (Vol. 99, Number 2, pp. 281–293). W.B. Saunders. <https://doi.org/10.1016/j.mena.2014.11.004>
- Pleven, S., Papanas, N., Gatt, A., & Formosa, C. (2024). Screening for Diabetic Peripheral Neuropathy: Subjective Versus Objective Measures. *International Journal of Lower Extremity Wounds*, 3–8. <https://doi.org/10.1177/15347346241295461>
- Podsiadlo, J. D., Bscpt, S., & Richardson, M. D. J. (1991a). The Timed ‘Up & Go’: A Test of Basic Functional Mobility for Frail Elderly Persons. In *J Am Geriatr SOC* (Vol. 39).
- Podsiadlo, J. D., Bscpt, S., & Richardson, M. D. J. (1991b). The Timed ‘Up & Go’: A Test of Basic Functional Mobility for Frail Elderly Persons. In *J Am Geriatr SOC* (Vol. 39).

- Pratiwi, B. R. H., Yulianti, A., & Rahayu, P. S. (2023). Pemeriksaan Fisioterapi pada Resiko Jatuh di Posyandu Lansia Dusun Clangap Mojokerto. *Inovasi Jurnal Pengabdian Masyarakat*, 1(3), 259–264. <https://doi.org/10.54082/ijpm.157>
- Reeves, N. D., Orlando, G., & Brown, S. J. (2021). Sensory-motor mechanisms increasing falls risk in diabetic peripheral neuropathy. In *Medicina (Lithuania)* (Vol. 57, Number 5). MDPI AG. <https://doi.org/10.3390/medicina57050457>
- Riandini, T., Khoo, E. Y. H., Tai, B. C., Tavintharan, S., Phua, M. S. L. A., Chandran, K., Hwang, S. W., & Venkataraman, K. (2020). Fall Risk and Balance Confidence in Patients With Diabetic Peripheral Neuropathy: An Observational Study. *Frontiers in Endocrinology*, 11. <https://doi.org/10.3389/fendo.2020.573804>
- Rodrigues, F., Domingos, C., Monteiro, D., & Morouço, P. (2022). A Review on Aging, Sarcopenia, Falls, and Resistance Training in Community-Dwelling Older Adults. In *International Journal of Environmental Research and Public Health* (Vol. 19, Number 2). MDPI. <https://doi.org/10.3390/ijerph19020874>
- Scarton, A., Jonkers, I., Guiotto, A., Spolaor, F., Guarneri, G., Avogaro, A., Cobelli, C., & Sawacha, Z. (2017). Comparison of lower limb muscle strength between diabetic neuropathic and healthy subjects using OpenSim. *Gait and Posture*, 58(July), 194–200. <https://doi.org/10.1016/j.gaitpost.2017.07.117>
- Sethi, Y., Uniyal, N., Vora, V., Agarwal, P., Murli, H., Joshi, A., Patel, N., Chopra, H., Hasabo, E. A., & Kaka, N. (2023). Hypertension the ‘Missed Modifiable Risk Factor’ for Diabetic Neuropathy: a Systematic Review. In *Current Problems in Cardiology* (Vol. 48, Number 4). Elsevier Inc. <https://doi.org/10.1016/j.cpcardiol.2022.101581>
- Shah, K., Solan, M., & Dawe, E. (2020). The gait cycle and its variations with disease and injury. *Orthopaedics and Trauma*, 34(3), 153–160. <https://doi.org/10.1016/j.mporth.2020.03.009>
- Shibata, Y., Himeno, T., Kamiya, T., Tani, H., Nakayama, T., Kojima, C., Sugiura-Roth, Y., Naito, E., Kondo, M., Tsunekawa, S., Kato, Y., Nakamura, J., & Kamiya, H. (2019). Validity and reliability of a point-of-care nerve conduction device in diabetes patients. *Journal of Diabetes Investigation*, 10(5), 1291–1298. <https://doi.org/10.1111/jdi.13007>
- Shillo, P., Sloan, G., Greig, M., Hunt, L., Selvarajah, D., Elliott, J., Gandhi, R., Wilkinson, I. D., & Tesfaye, S. (2019). Painful and Painless Diabetic Neuropathies: What Is the Difference? In *Current Diabetes Reports* (Vol. 19, Number 6). Current Medicine Group LLC 1. <https://doi.org/10.1007/s11892-019-1150-5>
- Shim, G. Y., Yoo, M. C., Soh, Y., Chon, J., & Won, C. W. (2024). Obesity, Physical Performance, Balance Confidence, and Falls in Community-Dwelling Older Adults: Results from the Korean Frailty and Aging Cohort Study. *Nutrients*, 16(5). <https://doi.org/10.3390/nu16050614>
- Sina, M. I., Fithrie, A., & Iqbal, K. M. (2019). International Journal of Research Science & Management Association between Diabetic neuropathy Symptom and Diabetic Neuropathy Examination with Berg Balance Scale in in Diabetic Neuropathy Patients. 6(5). <https://doi.org/10.5281/zenodo.2673435>

- Sloan, G., Selvarajah, D., & Tesfaye, S. (2021). Pathogenesis, diagnosis and clinical management of diabetic sensorimotor peripheral neuropathy. In *Nature Reviews Endocrinology* (Vol. 17, Number 7, pp. 400–420). Nature Research. <https://doi.org/10.1038/s41574-021-00496-z>
- Son, S. M. (2016). Influence of Obesity on Postural Stability in Young Adults. *Osong Public Health and Research Perspectives*, 7(6), 378–381. <https://doi.org/10.1016/j.phrp.2016.10.001>
- Stino, A. M., Rumora, A. E., Kim, B., & Feldman, E. L. (2020). Evolving concepts on the role of dyslipidemia, bioenergetics, and inflammation in the pathogenesis and treatment of diabetic peripheral neuropathy. In *Journal of the Peripheral Nervous System* (Vol. 25, Number 2, pp. 76–84). Blackwell Publishing Inc. <https://doi.org/10.1111/jns.12387>
- Strini, V., Schiavolin, R., & Prendin, A. (2021). Fall risk assessment scales: A systematic literature review. In *Nursing Reports* (Vol. 11, Number 2, pp. 430–443). MDPI. <https://doi.org/10.3390/nursrep11020041>
- Susanti, I., Maria Seraph, N., Natasya Edward, M., & Burhan, A. (2025). National Trends in the Prevalence of Diabetic Peripheral Neuropathy Among Diabetes Mellitus Patients in Indonesia (2010–2024): A Pooled Meta-Analysis of 46 Studies with 2,808 Participants. *Java Nursing Journal*, 3(2), 124–146. <https://doi.org/10.61716/jnj.v3i2.103>
- Tilahun, E., Workina, A., Habtamu, A., Tufa, H., Abebe, F., Fikadu, A., & Atomsa, F. (2024). Survival, incidence, and predictors of diabetic neuropathy among type 2 diabetic patients in hospitals of Addis Ababa. *Frontiers in Clinical Diabetes and Healthcare*, 5. <https://doi.org/10.3389/fcdhc.2024.1386426>
- Timar, B., Timar, R., Gaiță, L., Oancea, C., Levai, C., & Lungeanu, D. (2016). The impact of diabetic neuropathy on balance and on the risk of falls in patients with type 2 diabetes mellitus: A cross-sectional study. *PLoS ONE*, 11(4). <https://doi.org/10.1371/journal.pone.0154654>
- Umegaki, H. (2015). Sarcopenia and diabetes: Hyperglycemia is a risk factor for age-associated muscle mass and functional reduction. In *Journal of Diabetes Investigation* (Vol. 6, Number 6, pp. 623–624). <https://doi.org/10.1111/jdi.12365>
- Viigimaa, M., Sachinidis, A., Toumpourleka, M., Koutsampasopoulos, K., Alliksoo, S., & Titma, T. (2020). Macrovascular Complications of Type 2 Diabetes Mellitus. *Current Vascular Pharmacology*, 18(2), 110–116. <https://doi.org/10.2174/1570161117666190405165151>
- Wang, Z., Peng, S., Zhang, H., Sun, H., & Hu, J. (2022). Gait Parameters and Peripheral Neuropathy in Patients With Diabetes: A Meta-Analysis. *Frontiers in Endocrinology*, 13. <https://doi.org/10.3389/fendo.2022.891356>
- Wu, R. L., Chen, N., Chen, Y., Wu, X., Ko, C. Y., & Chen, X. Y. (2024). Visceral Adiposity as an Independent Risk Factor for Diabetic Peripheral Neuropathy in Type 2 Diabetes Mellitus: A Retrospective Study. *Journal of Diabetes Research*, 2024(1). <https://doi.org/10.1155/2024/9912907>

- Xu, Q., Ou, X., & Li, J. (2022). The risk of falls among the aging population: A systematic review and meta-analysis. *Frontiers in Public Health*, 10(4). <https://doi.org/10.3389/fpubh.2022.902599>
- Yang, Y., Hu, X., Zhang, Q., & Zou, R. (2016). Diabetes mellitus and risk of falls in older adults: A systematic review and meta-analysis. In *Age and Ageing* (Vol. 45, Number 6, pp. 761–767). Oxford University Press. <https://doi.org/10.1093/ageing/afw140>
- Yang, Y., Zhao, B., Wang, Y., Lan, H., Liu, X., Hu, Y., & Cao, P. (2025). Diabetic neuropathy: cutting-edge research and future directions. In *Signal Transduction and Targeted Therapy* (Vol. 10, Number 1). Springer Nature. <https://doi.org/10.1038/s41392-025-02175-1>
- Yeung, S. S. Y., Reijnierse, E. M., Pham, V. K., Trappenburg, M. C., Lim, W. K., Meskers, C. G. M., & Maier, A. B. (2019). Sarcopenia and its association with falls and fractures in older adults: A systematic review and meta-analysis. In *Journal of Cachexia, Sarcopenia and Muscle* (Vol. 10, Number 3, pp. 485–500). Wiley Blackwell. <https://doi.org/10.1002/jcsm.12411>

