



DAFTAR PUSTAKA

DAFTAR PUSTAKA

- Alviggi, C. *et al.* (2016) 'A new more detailed stratification of low responders to ovarian stimulation: from a poor ovarian response to a low prognosis concept', *Fertility and Sterility*, 105(6), pp. 1452–1453. Available at: <https://doi.org/10.1016/j.fertnstert.2016.02.005>.
- Alviggi, C. *et al.* (2018) 'Recombinant luteinizing hormone supplementation in assisted reproductive technology: a systematic review', *Fertility and Sterility*, 109(4), pp. 644–664. Available at: <https://doi.org/10.1016/j.fertnstert.2018.01.003>.
- Arnanz, A. *et al.* (2023) 'Antimüllerian hormone (AMH) and age as predictors of preimplantation genetic testing for aneuploidies (PGT-A) cycle outcomes and blastocyst quality on day 5 in women undergoing in vitro fertilization (IVF)', *Journal of Assisted Reproduction and Genetics*, 40(6), pp. 1467–1477. Available at: <https://doi.org/10.1007/s10815-023-02805-z>.
- Atkinson, P. *et al.* (2014) 'GnRH Agonist Triggers and their Use in Assisted Reproductive Technology: The Past, the Present and the Future', *Women's Health*, 10(3), pp. 267–276. Available at: <https://doi.org/10.2217/WHE.14.14>.
- Awwad, J. *et al.* (2024) 'FSH/LH co-stimulation in Advanced Maternal Age (AMA) and hypo-responder patients – Arabian gulf delphi consensus group', *Frontiers in Endocrinology*, 15. Available at: <https://doi.org/10.3389/fendo.2024.1506332>.
- Ayu Rahayu, D. (2020) 'Surrogate Mother (Ibu Pengganti) Dalam Perspektif Hukum Di Indonesia'. Available at: <https://doi.org/10.21067>.
- Bergandi, L. *et al.* (2020) 'Human Recombinant FSH and Its Biosimilars: Clinical Efficacy, Safety, and Cost-Effectiveness in Controlled Ovarian Stimulation for In Vitro Fertilization', *Pharmaceuticals*, 13(7), p. 136. Available at: <https://doi.org/10.3390/ph13070136>.
- Boeri, L. *et al.* (2022) 'The impact of different WHO reference criteria for semen analysis in clinical practice: Who will benefit from the new 2021 thresholds for normal semen parameters?', *Andrology*, 10(6), pp. 1134–1142. Available at: <https://doi.org/10.1111/andr.13213>.
- Campbell, M.J. *et al.* (2021) 'Distribution of semen examination results 2020 – A follow up of data collated for the WHO semen analysis manual 2010', *Andrology*, 9(3), pp. 817–822. Available at: <https://doi.org/10.1111/andr.12983>.
- Canosa, S. *et al.* (2022) 'Effect of rLH Supplementation during Controlled Ovarian Stimulation for IVF: Evidence from a Retrospective Analysis of 1470 Poor/Suboptimal/Normal Responders Receiving Either rFSH plus rLH or rFSH Alone', *Journal of Clinical Medicine*, 11(6), p. 1575. Available at: <https://doi.org/10.3390/jcm11061575>.

- Carlos Hernandez-Nieto, O. *et al.* (2019) 'Premature Luteinization In The Era Of Pgt-A: Embryonic Reproductive Potential Is Not Affected By Elevated Progesterone Levels During Hyperstimulation.
- Chang, K.T. *et al.* (2022) 'High levels estradiol affect blastocyst implantation and post-implantation development directly in mice', *Biomedical Journal*, 45(1), pp. 179–189. Available at: <https://doi.org/10.1016/j.bj.2021.01.004>.
- Chapuis, A. *et al.* (2017) 'Sperm quality and paternal age: effect on blastocyst formation and pregnancy rates', *Basic and Clinical Andrology*, 27(1), p. 2. Available at: <https://doi.org/10.1186/s12610-016-0045-4>.
- Chawre, S. *et al.* (2024) 'A Review of Semen Analysis: Updates From the WHO Sixth Edition Manual and Advances in Male Fertility Assessment', *Cureus* [Preprint]. Available at: <https://doi.org/10.7759/cureus.63485>.
- Chinta, P. *et al.* (2021) 'POSEIDON classification and the proposed treatment options for groups 1 and 2: Time to revisit? A retrospective analysis of 1425 ART cycles', *Human Reproduction Open*, 2021(1). Available at: <https://doi.org/10.1093/hropen/hoaa070>.
- Chung, E. *et al.* (2024) 'Sixth edition of the World Health Organization laboratory manual of semen analysis: Updates and essential take away for busy clinicians', *Arab Journal of Urology*, 22(2), pp. 71–74. Available at: <https://doi.org/10.1080/20905998.2023.2298048>.
- Conforti, A. *et al.* (2019a) 'The role of recombinant LH in women with hyporesponse to controlled ovarian stimulation: a systematic review and meta-analysis', *Reproductive Biology and Endocrinology*, 17(1), p. 18. Available at: <https://doi.org/10.1186/s12958-019-0460-4>.
- Conforti, A. *et al.* (2019b) 'The role of recombinant LH in women with hyporesponse to controlled ovarian stimulation: a systematic review and meta-analysis', *Reproductive Biology and Endocrinology*, 17(1), p. 18. Available at: <https://doi.org/10.1186/s12958-019-0460-4>.
- Demir, A. *et al.* (2022) 'GnRH agonist administration as luteal support on the transfer day of single blastocyst in dual-triggered cycles', *Ginekologia Polska* [Preprint]. Available at: <https://doi.org/10.5603/GP.a2022.0082>.
- Dong, L. *et al.* (2022) 'Reproductive outcomes of dual trigger with combination GnRH agonist and hCG versus trigger with hCG alone in women undergoing IVF/ICSI cycles: a retrospective cohort study with propensity score matching', *BMC Pregnancy and Childbirth*, 22(1), p. 583. Available at: <https://doi.org/10.1186/s12884-022-04899-2>.
- Drakopoulos, P. *et al.* (2020) 'Update on the management of poor ovarian response in IVF: the shift from Bologna criteria to the Poseidon concept', *Therapeutic Advances in Reproductive Health*, 14. Available at: <https://doi.org/10.1177/2633494120941480>.
- Du, Y., Yang, K. and Liu, J. (2023) 'Effects of serum estrogen levels before frozen-thawed blastocyst transfer on pregnancy outcomes in hormone replacement

- cycles', *Scientific Reports*, 13(1), p. 1194. Available at: <https://doi.org/10.1038/s41598-023-27877-w>.
- Esteves, S.C. *et al.* (2018) 'Defining Low Prognosis Patients Undergoing Assisted Reproductive Technology: POSEIDON Criteria—The Why', *Frontiers in Endocrinology*, 9(AUG). Available at: <https://doi.org/10.3389/fendo.2018.00461>.
- Esteves, S.C. *et al.* (2019) 'The POSEIDON Criteria and Its Measure of Success Through the Eyes of Clinicians and Embryologists', *Frontiers in Endocrinology*, 10. Available at: <https://doi.org/10.3389/fendo.2019.00814>.
- Esteves, S.C., Andersen, C.Y., *et al.* (2021) 'Editorial: POSEIDON's Stratification of "Low Prognosis" Patients in ART: The WHY, the WHAT, and the HOW', *Frontiers in Endocrinology*, 12. Available at: <https://doi.org/10.3389/fendo.2021.719647>.
- Esteves, S.C., Yarali, H., *et al.* (2021) 'Low Prognosis by the POSEIDON Criteria in Women Undergoing Assisted Reproductive Technology: A Multicenter and Multinational Prevalence Study of Over 13,000 Patients', *Frontiers in Endocrinology*, 12. Available at: <https://doi.org/10.3389/fendo.2021.630550>.
- Gat, I. *et al.* (2017) 'Sperm DNA fragmentation index does not correlate with blastocyst aneuploidy or morphological grading', *PLOS ONE*. Edited by W. Dean, 12(6), p. e0179002. Available at: <https://doi.org/10.1371/journal.pone.0179002>.
- George, J.S. *et al.* (2024) 'The impact of increasing body mass index on in vitro fertilization treatment, obstetrical, and neonatal outcomes', *American Journal of Obstetrics and Gynecology*, 230(2), pp. 239.e1-239.e14. Available at: <https://doi.org/10.1016/j.ajog.2023.10.018>.
- Goldman, R.H. *et al.* (2022) 'Association between serum estradiol level on day of progesterone start and outcomes from frozen blastocyst transfer cycles utilizing oral estradiol', *Journal of Assisted Reproduction and Genetics*, 39(7), pp. 1611–1618. Available at: <https://doi.org/10.1007/s10815-022-02521-0>.
- Grisendi, V., Mastellari, E. and La Marca, A. (2019) 'Ovarian Reserve Markers to Identify Poor Responders in the Context of Poseidon Classification', *Frontiers in Endocrinology*, 10(MAY). Available at: <https://doi.org/10.3389/fendo.2019.00281>.
- Grøndahl, M.L. *et al.* (2017) 'Effect of women's age on embryo morphology, cleavage rate and competence—A multicenter cohort study', *PLOS ONE*. Edited by R. Sturmey, 12(4), p. e0172456. Available at: <https://doi.org/10.1371/journal.pone.0172456>.
- Guan, L. *et al.* (2025) 'Effect of progesterone levels on the hCG trigger day and the progesterone-to-basal progesterone ratio on pregnancy outcomes in fresh IVF/ICSI cycles with GnRH antagonist protocol: a retrospective cohort study', *Frontiers in Endocrinology*, 16. Available at: <https://doi.org/10.3389/fendo.2025.1653555>.

- Haahr, T. *et al.* (2019) 'Management Strategies for POSEIDON Groups 3 and 4', *Frontiers in Endocrinology*, 10. Available at: <https://doi.org/10.3389/fendo.2019.00614>.
- He, H. *et al.* (2024) 'How to balance the live birth rate and the multiple pregnancy rate by selecting the cleavage-stage embryo number and quality for POSEIDON Group 1 and Group 2? A retrospective study', *Archives of Gynecology and Obstetrics* [Preprint]. Available at: <https://doi.org/10.1007/s00404-024-07850-2>.
- He, Z. *et al.* (2024) 'Dual trigger versus human chorionic gonadotropin trigger for blastocyst quality and cumulative live birth', *Journal of Assisted Reproduction and Genetics*, 41(12), pp. 3445–3453. Available at: <https://doi.org/10.1007/s10815-024-03293-5>.
- Van Heertum, K. *et al.* (2018) 'Body mass index (BMI) is not correlated with blastulation rate', *Fertility and Sterility*, 110(4), p. e123. Available at: <https://doi.org/10.1016/j.fertnstert.2018.07.368>.
- Hu, D. *et al.* (2022) 'Impact of elevated body mass index on cumulative live birth rate and obstetric safety in women undergoing assisted reproductive technology', *Scientific Reports*, 12(1), p. 18858. Available at: <https://doi.org/10.1038/s41598-022-23576-0>.
- Huang, P. *et al.* (2024) 'Peri-implantation estradiol level has no effect on pregnancy outcome in vitro fertilization- embryo transfer', *Frontiers in Endocrinology*, 15. Available at: <https://doi.org/10.3389/fendo.2024.1326098>.
- Humaidan, P. *et al.* (2016) 'The novel POSEIDON stratification of "Low prognosis patients in Assisted Reproductive Technology" and its proposed marker of successful outcome', *F1000Research*, 5, p. 2911. Available at: <https://doi.org/10.12688/f1000research.10382.1>.
- Jeon, H., Lee, W.S. and Kim, J.W. (2024) 'Elevated luteinizing hormone levels during the artificial endometrial preparation cycle do not impact pregnancy outcomes in patients undergoing single vitrified-warmed blastocyst transfer', *Human Fertility*, 27(1). Available at: <https://doi.org/10.1080/14647273.2024.2424336>.
- Jiang, W. *et al.* (2024) 'What sperm parameters effect blastocyst formation and quality during ICSI with severe male infertility', *Systems Biology in Reproductive Medicine*, 70(1), pp. 218–227. Available at: <https://doi.org/10.1080/19396368.2024.2375710>.
- Junaidi, N. and Syafi'ie, A.M. (2023) 'Penanaman Embrio Pada Rahim Istri Yang Lain', *Shakhsiyah Burhaniyah: Jurnal Penelitian Hukum Islam*, 8(1), pp. 43–66. Available at: <https://doi.org/10.33752/sbjphi.v8i1.3759>.
- Jurnal, P.: *Et Al.* (2024) 'Hubungan Usia Dan Lama Menikah Terhadap Keberhasilan Program Bayi Tabung Di Rsud. Dr Soetomo Surabaya Dan Rsia Putri Klinik Tiara Cita Surabaya'.

- Kidera, N. *et al.* (2023) 'Maternal body mass index is not associated with assisted reproductive technology outcomes', *Scientific Reports*, 13(1), p. 14817. Available at: <https://doi.org/10.1038/s41598-023-41780-4>.
- Kushnir, V.A., Smith, G.D. and Adashi, E.Y. (2022) 'The Future of IVF: The New Normal in Human Reproduction', *Reproductive Sciences*, 29(3), pp. 849–856. Available at: <https://doi.org/10.1007/s43032-021-00829-3>.
- Li, F. *et al.* (2021) 'Predictive Factors for Live Birth in Fresh In Vitro Fertilization/Intracytoplasmic Sperm Injection Treatment in Poor Ovarian Reserve Patients Classified by the POSEIDON Criteria', *Frontiers in Endocrinology*, 12. Available at: <https://doi.org/10.3389/fendo.2021.630832>.
- Li, Z. *et al.* (2025) 'Evaluation of day 5 versus day 6 blastocyst biopsy in preimplantation genetic testing: clinical and neonatal outcomes', *Frontiers in Endocrinology*, 16. Available at: <https://doi.org/10.3389/fendo.2025.1544009>.
- Lin, K.B. *et al.* (2025) 'FSH priming and hormonal modulation of oocyte competence in in vitro maturation for infertility treatment: a systematic review and meta-analysis', *Frontiers in Endocrinology*, 16. Available at: <https://doi.org/10.3389/fendo.2025.1682277>.
- Lin, W.-Q. *et al.* (2013) 'The predictive value of anti-mullerian hormone on embryo quality, blastocyst development, and pregnancy rate following in vitro fertilization-embryo transfer (IVF-ET)', *Journal of Assisted Reproduction and Genetics*, 30(5), pp. 649–655. Available at: <https://doi.org/10.1007/s10815-013-9973-5>.
- Liu, R. *et al.* (2024) 'What is the optimal number of embryos to transfer for POSEIDON group 1 and group 2? A retrospective study', *Journal of Ovarian Research*, 17(1), p. 117. Available at: <https://doi.org/10.1186/s13048-024-01443-y>.
- Marqueta, L. *et al.* (2026) 'Does systemic LH concentration influence live birth rate in programmed single euploid frozen embryo transfer cycles?', *Reproductive BioMedicine Online*, 52(1), p. 105210. Available at: <https://doi.org/10.1016/j.rbmo.2025.105210>.
- Marti Vilanova, M. *et al.* (2025) 'P-478 Patients with low estradiol (E2) levels in frozen embryo transfers (FET) in a stimulated cycle achieve good clinical pregnancy rates', *Human Reproduction*, 40(Supplement_1). Available at: <https://doi.org/10.1093/humrep/deaf097.784>.
- Mochtar, M.H. *et al.* (2017) 'Recombinant luteinizing hormone (rLH) and recombinant follicle stimulating hormone (rFSH) for ovarian stimulation in IVF/ICSI cycles', *Cochrane Database of Systematic Reviews*, 2017(5). Available at: <https://doi.org/10.1002/14651858.CD005070.pub3>.
- Orvieto, R. (2019) 'HMG versus recombinant FSH plus recombinant LH in ovarian stimulation for IVF: does the source of LH preparation matter?', *Reproductive BioMedicine Online*, 39(6), pp. 1001–1006. Available at: <https://doi.org/10.1016/j.rbmo.2019.08.010>.

- Özdemir, A., Karli, P. and Gülümser, Ç. (2020) 'Does high estrogen level negatively affect pregnancy success in frozen embryo transfer?', *Archives of Medical Science*, 18(3), pp. 647–651. Available at: <https://doi.org/10.5114/aoms.2020.92466>.
- Pal, A. (2022) 'POSEIDON 1 and 2: Probable Causes and Proposed Treatment Strategies? An Evidence-based Update', *International Journal of Infertility & Fetal Medicine*, 13(1), pp. 23–27. Available at: <https://doi.org/10.5005/jp-journals-10016-1257>.
- Pembentukan Embrio (2026). Available at: https://st2.depositphotos.com/1752931/6094/i/950/depositphotos_6094033_5-stock-illustration-human-ontogeny-fertilization-developmental-stage.jpg?forcejpeg=true (Accessed: June 8, 2026).
- Poempida, F.P. *et al.* (2022) 'Factors Affecting The Outcome of in Vitro Fertilization (IVF)', *Syntax Literate ; Jurnal Ilmiah Indonesia*, 7(1), p. 444. Available at: <https://doi.org/10.36418/syntax-literate.v7i1.5780>.
- Polyzos, N.P. *et al.* (2018) 'Cumulative live birth rates according to the number of oocytes retrieved after the first ovarian stimulation for in vitro fertilization/intracytoplasmic sperm injection: a multicenter multinational analysis including ~15,000 women', *Fertility and Sterility*, 110(4), pp. 661–670.e1. Available at: <https://doi.org/10.1016/j.fertnstert.2018.04.039>.
- Proses IVF (2026). Available at: <https://preethihospitals.com/wp-content/uploads/2025/02/ivf-treatment.jpg> (Accessed: June 8, 2026).
- Roque, M. *et al.* (2021) 'The POSEIDON stratification - moving from poor ovarian response to low prognosis', *JBRA Assisted Reproduction*, 25(2), pp. 282–292. Available at: <https://doi.org/10.5935/1518-0557.20200100>.
- Rossant, J. and Tam, P.P.L. (2022) 'Early human embryonic development: Blastocyst formation to gastrulation', *Developmental Cell*, 57(2), pp. 152–165. Available at: <https://doi.org/10.1016/j.devcel.2021.12.022>.
- Rottiers, A.-S. *et al.* (2025) 'Serum progesterone concentrations on fresh blastocyst transfer day do not correlate with live birth rates', *Reproductive BioMedicine Online*, 51(5), p. 105019. Available at: <https://doi.org/10.1016/j.rbmo.2025.105019>.
- Sadler, W.T. (2013) *Embriologi kedokteran Langham*. 12th ed. Jakarta: EGC.
- Sahin, G. *et al.* (2021) 'In-vitro fertilization outcome predictors in women with high baseline follicle-stimulating hormone levels: Analysis of over 1000 cycles from a tertiary center', *Jornal Brasileiro de Reproducao Assistida*, 25(2), pp. 235–241. Available at: <https://doi.org/10.5935/1518-0557.20200088>.
- Salehpour, S. *et al.* (2024) 'Luteinizing hormone supplementation in controlled ovarian stimulation: the Iran Delphi consensus', *Frontiers in Reproductive Health*, 6. Available at: <https://doi.org/10.3389/frph.2024.1397446>.
- Saupstad, M. *et al.* (2024) 'Progesterone concentrations on blastocyst transfer day in modified natural cycle frozen embryo transfer cycles', *Reproductive*

- BioMedicine Online*, 49(1), p. 103862. Available at: <https://doi.org/10.1016/j.rbmo.2024.103862>.
- Soares, J.B. *et al.* (2003) *Influence of female age on blastulation rate of embryo produced by ICSI* *Influência da idade da mulher na taxa de blastulação de embriões produzidos por ICSI**, *einstein*.
- Somer, S. *et al.* (2025) ‘Effect of Ovarian Stimulation and Trigger Protocols on Oocyte and Embryo Numbers—Real World Experience’, *Journal of Clinical Medicine*, 14(17), p. 6096. Available at: <https://doi.org/10.3390/jcm14176096>.
- Sun, Y. *et al.* (2025) ‘Effects of trigger-day progesterone in c-IVF/ICSI cycles on blastocyst culture outcomes’, *Frontiers in Endocrinology*, 16. Available at: <https://doi.org/10.3389/fendo.2025.1496803>.
- Sunkara, S.K., Ramaraju, G.A. and Kamath, M.S. (2020) ‘Management Strategies for POSEIDON Group 2’, *Frontiers in Endocrinology*, 11. Available at: <https://doi.org/10.3389/fendo.2020.00105>.
- Ten, J. *et al.* (2026) ‘Cumulus cell-mediated sperm selection enhances blastocyst quality using sibling oocytes’, *Journal of Assisted Reproduction and Genetics* [Preprint]. Available at: <https://doi.org/10.1007/s10815-026-03818-0>.
- Thum, M., Kalu, E. and Abdalla, H. (2009) ‘Elevated basal FSH and embryo quality: lessons from extended culture embryos’, *Journal of Assisted Reproduction and Genetics*, 26(6), pp. 313–318. Available at: <https://doi.org/10.1007/s10815-009-9313-y>.
- Vanni, V.S. *et al.* (2017) ‘Top quality blastocyst formation rates in relation to progesterone levels on the day of oocyte maturation in GnRH antagonist IVF/ICSI cycles’, *PLOS ONE*. Edited by S. Kim, 12(5), p. e0176482. Available at: <https://doi.org/10.1371/journal.pone.0176482>.
- Wang, T. *et al.* (2025) ‘The impact of hCG trigger versus dual trigger on reproductive outcomes in elderly infertile women: a retrospective cohort study’, *Frontiers in Endocrinology*, 16. Available at: <https://doi.org/10.3389/fendo.2025.1580610>.
- WHO (2023) *Infertility prevalence estimates*.
- Wiweko, B. *et al.* (2024) ‘Ten years of in vitro fertilization in Indonesia: Access to infertility care in a developing country’, *International Journal of Gynecology & Obstetrics*, 165(3), pp. 1144–1150. Available at: <https://doi.org/10.1002/ijgo.15322>.
- Yao, L. *et al.* (2015) *The role of serum AMH and FF AMH in predicting pregnancy outcome in the fresh cycle of IVF/ICSI: a meta-analysis*, *Int J Clin Exp Med*. Available at: www.ijcem.com/.
- Zhou, Y. *et al.* (2025) ‘The impact of changes in LH levels in flexible antagonist protocols on the clinical outcomes of fresh IVF/ICSI cycles in populations of POSEIDON groups 1 and 2: a retrospective cohort study’, *PeerJ*, 13, p. e19857. Available at: <https://doi.org/10.7717/peerj.19857>.