



DAFTAR PUSTAKA





DAFTAR PUSTAKA

- Agarwal, R. (2021) "Pathogenesis of Diabetic Nephropathy," *ADA Clinical Compendia*, 2021(1), pp. 2–7. Available at: <https://doi.org/10.2337/db20211-2>.
- Bukhari, H.A. *et al.* (2024a) "In vivo and computational investigation of butin against alloxan-induced diabetes via biochemical, histopathological, and molecular interactions," *Scientific Reports*, 14(1), p. 20633. Available at: <https://doi.org/10.1038/s41598-024-71577-y>.
- Bukhari, H.A. *et al.* (2024b) "In vivo and computational investigation of butin against alloxan-induced diabetes via biochemical, histopathological, and molecular interactions," *Scientific Reports*, 14(1), p. 20633. Available at: <https://doi.org/10.1038/s41598-024-71577-y>.
- Dai, Y. *et al.* (2019) "Overview of pharmacological activities of *Andrographis paniculata* and its major compound andrographolide," *Critical Reviews in Food Science and Nutrition*, 59(sup1), pp. S17–S29. Available at: <https://doi.org/10.1080/10408398.2018.1501657>.
- D'Marco, L. *et al.* (2022) "Renal Histologic Findings in Necropsies of Type 2 Diabetes Mellitus Patients," *Journal of Diabetes Research*, 2022, pp. 1–9. Available at: <https://doi.org/10.1155/2022/3893853>.
- Fajarwati, I. *et al.* (2023) "Self-recovery in diabetic Sprague Dawley rats induced by intraperitoneal alloxan and streptozotocin," *Heliyon*, 9(5), p. e15533. Available at: <https://doi.org/10.1016/j.heliyon.2023.e15533>.
- Galicia-Garcia, U. *et al.* (2020) "Pathophysiology of Type 2 Diabetes Mellitus," *International Journal of Molecular Sciences*, 21(17), p. 6275. Available at: <https://doi.org/10.3390/ijms21176275>.
- Harreiter, J. and Roden, M. (2023) "Diabetes mellitus – Definition, Klassifikation, Diagnose, Screening und Prävention (Update 2023)," *Wiener klinische Wochenschrift*, 135(S1), pp. 7–17. Available at: <https://doi.org/10.1007/s00508-022-02122-y>.
- Hidayat, R. and Wulandari, P. (2021) "Effects of *Andrographis paniculata* (Burm. F.) Extract on Diabetic Nephropathy in Rats," *Reports of Biochemistry and Molecular Biology*, 10(3), pp. 445–454. Available at: <https://doi.org/10.52547/rbmb.10.3.445>.
- Hossain, Md.S. *et al.* (2014) "*Andrographis paniculata* (Burm. f.) Wall. ex Nees: A Review of Ethnobotany, Phytochemistry, and Pharmacology," *The Scientific World Journal*, 2014, pp. 1–28. Available at: <https://doi.org/10.1155/2014/274905>.
- Ighodaro, O.M., Adeosun, A.M. and Akinloye, O.A. (2017a) "Alloxan-induced diabetes, a common model for evaluating the glycemic-control potential of therapeutic compounds and plants extracts in experimental studies,"

- Medicina*, 53(6), pp. 365–374. Available at: <https://doi.org/10.1016/j.medic.2018.02.001>.
- Ighodaro, O.M., Adeosun, A.M. and Akinloye, O.A. (2017b) “Alloxan-induced diabetes, a common model for evaluating the glycemic-control potential of therapeutic compounds and plants extracts in experimental studies,” *Medicina*, 53(6), pp. 365–374. Available at: <https://doi.org/10.1016/j.medic.2018.02.001>.
- Intharuksa, A. *et al.* (2022) “A Comprehensive Review of *Andrographis paniculata* (Burm. f.) Nees and Its Constituents as Potential Lead Compounds for COVID-19 Drug Discovery,” *Molecules*, 27(14), p. 4479. Available at: <https://doi.org/10.3390/molecules27144479>.
- Ji, X. *et al.* (2016) “Andrographolide ameliorates diabetic nephropathy by attenuating hyperglycemia-mediated renal oxidative stress and inflammation via Akt/NF- κ B pathway,” *Molecular and Cellular Endocrinology*, 437, pp. 268–279. Available at: <https://doi.org/10.1016/j.mce.2016.06.029>.
- Jin, Q. *et al.* (2023) “Oxidative stress and inflammation in diabetic nephropathy: role of polyphenols,” *Frontiers in Immunology*, 14. Available at: <https://doi.org/10.3389/fimmu.2023.1185317>.
- Khalid, M., Petroianu, G. and Adem, A. (2022) “Advanced Glycation End Products and Diabetes Mellitus: Mechanisms and Perspectives,” *Biomolecules*, 12(4), p. 542. Available at: <https://doi.org/10.3390/biom12040542>.
- Kim, J.-M. (2024) “Induction of Diabetes Mellitus Using Alloxan in Sprague Dawley Rats,” *Cureus* [Preprint]. Available at: <https://doi.org/10.7759/cureus.63359>.
- Kovesdy, C.P. (2022) “Epidemiology of chronic kidney disease: an update 2022,” *Kidney International Supplements*, 12(1), pp. 7–11. Available at: <https://doi.org/10.1016/j.kisu.2021.11.003>.
- Lenzen, S. (2008) “The mechanisms of alloxan- and streptozotocin-induced diabetes,” *Diabetologia*, 51(2), pp. 216–226. Available at: <https://doi.org/10.1007/s00125-007-0886-7>.
- Louisa, M., Patintingan, C.G.H. and Wardhani, B.W.K. (2022) “*Moringa Oleifera* Lam. in Cardiometabolic Disorders: A Systematic Review of Recent Studies and Possible Mechanism of Actions,” *Frontiers in Pharmacology*, 13. Available at: <https://doi.org/10.3389/fphar.2022.792794>.
- Lu, X. *et al.* (2024) “Type 2 diabetes mellitus in adults: pathogenesis, prevention and therapy,” *Signal Transduction and Targeted Therapy*, 9(1), p. 262. Available at: <https://doi.org/10.1038/s41392-024-01951-9>.
- Ma, X. *et al.* (2023) “Advances in oxidative stress in pathogenesis of diabetic kidney disease and efficacy of TCM intervention,” *Renal Failure*, 45(1). Available at: <https://doi.org/10.1080/0886022X.2022.2146512>.
- Mthiyane, F.T. *et al.* (2022) “A Review on the Antidiabetic Properties of *Moringa oleifera* Extracts: Focusing on Oxidative Stress and Inflammation as Main

- Therapeutic Targets,” *Frontiers in Pharmacology*, 13. Available at: <https://doi.org/10.3389/fphar.2022.940572>.
- Mussard, E. *et al.* (2019) “Andrographolide, A Natural Antioxidant: An Update,” *Antioxidants*, 8(12), p. 571. Available at: <https://doi.org/10.3390/antiox8120571>.
- Omodanisi, E., Aboua, Y. and Oguntibeju, O. (2017) “Assessment of the Anti-Hyperglycaemic, Anti-Inflammatory and Antioxidant Activities of the Methanol Extract of *Moringa Oleifera* in Diabetes-Induced Nephrotoxic Male Wistar Rats,” *Molecules*, 22(4), p. 439. Available at: <https://doi.org/10.3390/molecules22040439>.
- Pareek, Ashutosh *et al.* (2023) “*Moringa oleifera*: An Updated Comprehensive Review of Its Pharmacological Activities, Ethnomedicinal, Phytopharmaceutical Formulation, Clinical, Phytochemical, and Toxicological Aspects,” *International Journal of Molecular Sciences*, 24(3), p. 2098. Available at: <https://doi.org/10.3390/ijms24032098>.
- Putra, I.M.W.A. *et al.* (2023) “A Review of Medicinal Plants with Renoprotective Activity in Diabetic Nephropathy Animal Models,” *Life*, 13(2), p. 560. Available at: <https://doi.org/10.3390/life13020560>.
- Roden, M. and Shulman, G.I. (2019) “The integrative biology of type 2 diabetes,” *Nature*, 576(7785), pp. 51–60. Available at: <https://doi.org/10.1038/s41586-019-1797-8>.
- Rosdah, A.A. *et al.* (2025) “Temporal changes in blood glucose levels and organ histopathology in alloxan-induced diabetic rats,” *MEDISAINS: Jurnal Ilmiah Ilmu-Ilmu Kesehatan*, 23(2), pp. 94–99. Available at: <https://doi.org/10.30595/medisains.v23i2.27022>.
- Serdar, C.C. *et al.* (2021) “Sample size, power and effect size revisited: simplified and practical approaches in pre-clinical, clinical and laboratory studies,” *Biochemia medica*, 31(1), pp. 27–53. Available at: <https://doi.org/10.11613/BM.2021.010502>.
- Suemanotham, N. *et al.* (2023) “Antidiabetic effects of *Andrographis paniculata* supplementation on biochemical parameters, inflammatory responses, and oxidative stress in canine diabetes,” *Frontiers in Pharmacology*, 14. Available at: <https://doi.org/10.3389/fphar.2023.1077228>.
- Sun, H. *et al.* (2022) “IDF Diabetes Atlas: Global, regional and country-level diabetes prevalence estimates for 2021 and projections for 2045,” *Diabetes Research and Clinical Practice*, 183, p. 109119. Available at: <https://doi.org/10.1016/j.diabres.2021.109119>.
- Szkudelski (2021) “The mechanism of alloxan and streptozotocin action in B cells of the rat pancreas,” *Physiological Research*, 50(6), 536–546.
- Tervaert, T.W.C. *et al.* (2010) “Pathologic Classification of Diabetic Nephropathy,” *Journal of the American Society of Nephrology*, 21(4), pp. 556–563. Available at: <https://doi.org/10.1681/ASN.2010010010>.

- Thongrung, R. *et al.* (2023) “*Moringa oleifera* leaf extract ameliorates early stages of diabetic nephropathy in streptozotocin-induced diabetic rats,” *Journal of Applied Pharmaceutical Science* [Preprint]. Available at: <https://doi.org/10.7324/JAPS.2023.89429>.
- Tuorkey, M.J. (2016) “Effects of *Moringa oleifera* aqueous leaf extract in alloxan induced diabetic mice,” *Interventional Medicine and Applied Science*, 8(3), pp. 109–117. Available at: <https://doi.org/10.1556/1646.8.2016.3.7>.
- Villarruel-López, A. *et al.* (2018) “Effect of *Moringa oleifera* consumption on diabetic rats,” *BMC Complementary and Alternative Medicine*, 18(1), p. 127. Available at: <https://doi.org/10.1186/s12906-018-2180-2>.
- Wu, X.-Q. *et al.* (2021) “AGE/RAGE in diabetic kidney disease and ageing kidney,” *Free Radical Biology and Medicine*, 171, pp. 260–271. Available at: <https://doi.org/10.1016/j.freeradbiomed.2021.05.025>.

