



DAFTAR PUSTAKA



DAFTAR PUSTAKA

- Beardi, J., Hessmann, M., Hansen, M. and Rommens, P.M. (2008) "Operative treatment of tibial shaft fractures: a comparison of different methods of primary stabilisation," *Archives of Orthopaedic and Trauma Surgery*, 128(7), pp. 709–715. Available at: <https://doi.org/10.1007/s00402-008-0619-5>.
- Borrelli, J., Prickett, W., Song, E., Becker, D. and Ricci, W. (2002) "Extraosseous Blood Supply of the Tibia and the Effects of Different Plating Techniques: A Human Cadaveric Study," *Journal of Orthopaedic Trauma*, 16(10), pp. 691–695. Available at: <https://doi.org/10.1097/00005131-200211000-00002>.
- Campbell, M., McKenzie, J.E., Sowden, A., Katikireddi, S.V., Brennan, S.E., Ellis, S., Hartmann-Boyce, J., Ryan, R., Shepperd, S., Thomas, J., Welch, V. and Thomson, H. (2020) "Synthesis without meta-analysis (SWiM) in systematic reviews: reporting guideline," *BMJ*, p. 16890. Available at: <https://doi.org/10.1136/bmj.16890>.
- Drake, R., Vogl, W. and Mutchell, A. (2023) *Gray's Basic Anatomy*. Third Edition. Edited by C. Lewis, M. Lazarus, B. Jones, J. McBride, and M. Hankin. Philadelphia: Churchill Livingstone, an imprint of Elsevier Inc.
- El-Desouky, M.A., Saleh, A.A., Amr, S.M. and Barakat, A.S. (2022) "Finite element analysis modeling of plates versus intramedullary nails in closed comminuted midshaft tibial fractures," *SICOT-J*, 8. Available at: <https://doi.org/10.1051/sicotj/2022025>.
- Ferguson, M., Brand, C., Lowe, A., Gabbe, B., Dowrick, A., Hart, M. and Richardson, M. (2008) "Outcomes of isolated tibial shaft fractures treated at level 1 trauma centres," *Injury*, 39(2), pp. 187–195. Available at: <https://doi.org/10.1016/j.injury.2007.03.012>.
- Fernandes, H.J.A., Silva, M.H.S.J. dos S., Reis, F.B. dos and Zumioti, V. (2006) *Comparative Multicenter Study of Treatment of Multi-Fragmented Tibial Diaphyseal Fractures with Nonreamed Interlocking Nails and with Bridging Plates*.
- Gage, M. and Lowe, J.A. (2024) *Tibia (Shinbone) Shaft Fractures*. Available at: <https://orthoinfo.aaos.org/en/diseases--conditions/tibia-shinbone-shaft-fractures/> (Accessed: July 20, 2025).
- Haddaway, N.R., Page, M.J., Pritchard, C.C. and McGuinness, L.A. (2022) "PRISMA 2020: An R package and Shiny app for producing PRISMA 2020-compliant flow diagrams, with interactivity for optimised digital transparency and Open Synthesis," *Campbell Systematic Reviews*, 18(2), p. e1230. Available at: <https://doi.org/https://doi.org/10.1002/cl2.1230>.
- He, G.C., Wang, H.S., Wang, Q.F., Chen, Z.H. and Cai, X.H. (2014) "Effect of minimally invasive percutaneous plates versus interlocking intramedullary nailing in tibial shaft treatment for fractures in adults: A metaanalysis," *Clinics*, 69(4), pp. 234–240. Available at: [https://doi.org/10.6061/clinics/2014\(04\)03](https://doi.org/10.6061/clinics/2014(04)03).

- Kamal, D.M., Kholeif, A.M., Mohamed, A. bakr Z. and Elbadry, A.A. (2025) "Is intramedullary nailing superior to minimally invasive plate osteosynthesis in patients with tibial metadiaphyseal fractures?," *Journal of Orthopaedic Reports* [Preprint]. Available at: <https://doi.org/10.1016/j.jorep.2025.100835>.
- Kang, H., Rho, J.Y., Song, J.K., Choi, J., Kwon, Y. suk and Choi, S. (2021) "Comparison between intramedullary nailing and minimally invasive plate osteosynthesis for tibial shaft fractures," *Injury*, 52(4), pp. 1011–1016. Available at: <https://doi.org/10.1016/j.injury.2021.01.038>.
- Kati, Y.A., Öken, O.F., Yıldırım, A.O., Köse, O. and Ünal, M. (2020) "May minimally invasive plate osteosynthesis be an alternative to intramedullary nailing in selected spiral oblique and spiral wedge tibial shaft fractures?," *Joint Diseases and Related Surgery*, 31(3), pp. 494–501. Available at: <https://doi.org/10.5606/ehc.2020.75052>.
- Katsoulis, E., Court-Brown, C. and Giannoudis, P. V. (2006) "Incidence and aetiology of anterior knee pain after intramedullary nailing of the femur and tibia," *The Journal of Bone and Joint Surgery. British volume*, 88-B(5), pp. 576–580. Available at: <https://doi.org/10.1302/0301-620X.88B5.16875>.
- Khatibi, H., Jah, A.A.E., Zaeem, M.M.S. and Moghaddam, A.K. (2006) "Knee and ankle function after displaced non-isolated fractures of the tibial shaft, a retrospective comparison between plate fixation and intramedullary nailing," *European Journal of Orthopaedic Surgery and Traumatology*, 16(2), pp. 140–145. Available at: <https://doi.org/10.1007/s00590-005-0056-x>.
- Larsen, P., Elsoe, R., Hansen, S.H., Graven-Nielsen, T., Laessoe, U. and Rasmussen, S. (2015) "Incidence and epidemiology of tibial shaft fractures," *Injury*, 46(4), pp. 746–750. Available at: <https://doi.org/10.1016/j.injury.2014.12.027>.
- Leliveld, M.S. and Verhofstad, M.H.J. (2012) "Injury to the infrapatellar branch of the saphenous nerve, a possible cause for anterior knee pain after tibial nailing?," *Injury*, 43(6), pp. 779–783. Available at: <https://doi.org/10.1016/j.injury.2011.09.002>.
- Li, H., Yu, D., Wu, S., Zhang, Y. and Ma, L. (2019) "Multiple comparisons of the efficacy and safety for seven treatments in tibia shaft fracture patients," *Frontiers in Pharmacology*, 10(APR). Available at: <https://doi.org/10.3389/fphar.2019.00197>.
- Li, X., Chen, K., Xue, H., Cheng, J. and Yu, X. (2024) "Efficacy comparison between intramedullary nail fixation and plate fixation in distal tibia fractures: a meta-analysis of randomized controlled trials," *Journal of Orthopaedic Surgery and Research*, 19(1), p. 403. Available at: <https://doi.org/10.1186/s13018-024-04900-y>.
- McGuinness, L.A. and Higgins, J.P.T. (2021) "Risk-of-bias VISualization (robvis): An R package and Shiny web app for visualizing risk-of-bias assessments," *Research Synthesis Methods*, 12(1), pp. 55–61. Available at: <https://doi.org/10.1002/jrsm.1411>.
- Mirza, M.I., Khalid Syed, M., Baluch, T.A., Azhar, N., Mirza, A.I. and Hussain, R. (2020) *Early Management of Diaphyseal Gustelo Anderson Type II Open*

Tibial Fracture by Unreamed Intermedullary Nail Versus Narrow DCP as Bridge Plate.

- Morris, R., Pallister, I. and Trickett, R.W. (2019) "Measuring outcomes following tibial fracture," *Injury*, 50(2), pp. 521–533. Available at: <https://doi.org/10.1016/j.injury.2018.11.025>.
- Mukherjee, S., Arambam, M.S., Waikhom, S., Santosha, Masatwar, P.V. and Maske, R.G. (2017) "Interlocking nailing versus plating in tibial shaft fractures in adults: A comparative study," *Journal of Clinical and Diagnostic Research*, 11(4), pp. RC08-RC13. Available at: <https://doi.org/10.7860/JCDR/2017/25577.9746>.
- O'Neill, C.N., Hooper, N., Wait, J., Satalich, J., Cinats, D., Toney, C., Perdue, P. and Satpathy, J. (2023) "No Difference in Short-Term Complications following Treatment of Closed Tibial Shaft Fractures with Intramedullary Nailing versus Plate Fixation," *Advances in Orthopedics*, 2023. Available at: <https://doi.org/10.1155/2023/1627225>.
- Page, M.J., McKenzie, J.E., Bossuyt, P.M., Boutron, I., Hoffmann, T.C., Mulrow, C.D., Shamseer, L., Tetzlaff, J.M., Akl, E.A., Brennan, S.E., Chou, R., Glanville, J., Grimshaw, J.M., Hróbjartsson, A., Lalu, M.M., Li, T., Loder, E.W., Mayo-Wilson, E., McDonald, S., McGuinness, L.A., Stewart, L.A., Thomas, J., Tricco, A.C., Welch, V.A., Whiting, P. and Moher, D. (2021) "The PRISMA 2020 statement: an updated guideline for reporting systematic reviews," *BMJ*, p. n71. Available at: <https://doi.org/10.1136/bmj.n71>.
- Perren, S.M. (2002) "Evolution of the internal fixation of long bone fractures: The scientific basis of biological internal fixation: choosing a new balance between stability and biology," *The Journal of Bone and Joint Surgery*, 84(8), pp. 1093–1110. Available at: <https://doi.org/10.1302/0301-620X.84B8.13752>.
- Radaideh, A., Alrawashdeh, M.A., Al Khateeb, A.H., Obeidat, O., Tabar, M.A.F.A., Essa, S.M.B., Alkhatatba, M.A., Albayati, M.M. and Albashaireh, M. (2022) "Outcomes of Treating Tibial Shaft Fractures Using Intramedullary Nailing (IMN) versus Minimally Invasive Percutaneous Plate Osteosynthesis (MIPPO)," *Medical Archives*, 76(1), pp. 55–61. Available at: <https://doi.org/10.5455/medarh.2022.76.55-61>.
- Saeed-Banadaky, S.H., Raadabadi, M., Sotoudehnia, A.M., Daroudi, R., Mousavi, S.M. and Ranjbar, M. (2026) "Plate fixation vs. intramedullary nailing: Which is more cost-effective for tibial shaft fractures?," *Cost Effectiveness and Resource Allocation* [Preprint]. Available at: <https://doi.org/10.1186/s12962-026-00776-3>.
- Saied, A., Ostovar, M., Mousavi, A.A. and Arabnejhad, F. (2016) "Comparison of intramedullary nail and plating in treatment of diaphyseal tibial fractures with intact fibulae: A randomized controlled trial," *Indian Journal of Orthopaedics*, 50(3), pp. 277–282. Available at: <https://doi.org/10.4103/0019-5413.181793>.
- Saxena, A., Mahore, S.K., Gupta, A., Sriwastava, A.K. and Gupta, M. (2025) "Comparative Evaluation of Functional Outcomes Following Surgical and Conservative Management of Distal Tibia Shaft Fractures: A Prospective

- Observational Study,” *Journal of Orthopaedic Case Reports*, 15(7), pp. 275–281. Available at: <https://doi.org/10.13107/jocr.2025.v15.i07.5848>.
- Sayed, A., Naeem, A., Soffar, A., Elkohail, A., Elbannan, M., Abdalla, M. and Attallah, A.E. (2025) “Comparative Study Between Minimally Invasive Plate Osteosynthesis and Distal Tip Locking Tibial Nailing in the Treatment of Lower Third Tibial Shaft Fractures,” *Cureus* [Preprint]. Available at: <https://doi.org/10.7759/cureus.97136>.
- Schulte, P.A., Grosch, J., Scholl, J.C. and Tamers, S.L. (2018) “Framework for Considering Productive Aging and Work,” *Journal of Occupational and Environmental Medicine*, 60(5), pp. 440–448. Available at: <https://doi.org/10.1097/JOM.0000000000001295>.
- Skoog, A., Söderqvist, A., Törnkvist, H. and Ponzer, S. (2001) “One-Year Outcome After Tibial Shaft Fractures: Results of a Prospective Fracture Registry,” *Journal of Orthopaedic Trauma*, 15(3), pp. 210–215. Available at: <https://doi.org/10.1097/00005131-200103000-00011>.
- Solomon, L., Warwick, D. and Nayagam, S. (2010) *Apley’s System of Orthopaedics and Fractures*. Ninth Edition. Taylor & Francis Group, LLC.
- Sterne, J.A., Hernán, M.A., Reeves, B.C., Savović, J., Berkman, N.D., Viswanathan, M., Henry, D., Altman, D.G., Ansari, M.T., Boutron, I., Carpenter, J.R., Chan, A.W., Churchill, R., Deeks, J.J., Hróbjartsson, A., Kirkham, J., Jüni, P., Loke, Y.K., Pigott, T.D., Ramsay, C.R., Regidor, D., Rothstein, H.R., Sandhu, L., Santaguida, P.L., Schünemann, H.J., Shea, B., Shrier, I., Tugwell, P., Turner, L., Valentine, J.C., Waddington, H., Waters, E., Wells, G.A., Whiting, P.F. and Higgins, J.P. (2016) “ROBINS-I: A tool for assessing risk of bias in non-randomised studies of interventions,” *BMJ (Online)*, 355. Available at: <https://doi.org/10.1136/bmj.i4919>.
- Sterne, J.A.C., Savović, J., Page, M.J., Elbers, R.G., Blencowe, N.S., Boutron, I., Cates, C.J., Cheng, H.-Y., Corbett, M.S., Eldridge, S.M., Emberson, J.R., Hernán, M.A., Hopewell, S., Hróbjartsson, A., Junqueira, D.R., Jüni, P., Kirkham, J.J., Lasserson, T., Li, T., McAleenan, A., Reeves, B.C., Shepperd, S., Shrier, I., Stewart, L.A., Tilling, K., White, I.R., Whiting, P.F. and Higgins, J.P.T. (2019) “RoB 2: a revised tool for assessing risk of bias in randomised trials,” *BMJ*, p. 14898. Available at: <https://doi.org/10.1136/bmj.14898>.
- Tavakoli, A., Tadi, M. and Mahmoodian, A. (2010) *A Comparison between Unreamed Locked Intramedullary Nailing and Plate-Screw Fixation in the Treatment of Tibial Diaphyseal Fractures, Iranian Red Crescent Medical Journal IRCMJ*. Available at: www.SID.ir.
- Thompson, J.H., Koutsogiannis, P. and Jahangir, A. (2025) *Tibia Fractures Overview*. StatPearls Publishing LLC. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK513267/> (Accessed: July 21, 2025).
- Vallier, H.A., Cureton, B.A. and Patterson, B.M. (2011) “Randomized, Prospective Comparison of Plate versus Intramedullary Nail Fixation for Distal Tibia Shaft Fractures,” *Journal of Orthopaedic Trauma*, 25(12), pp. 736–741. Available at: <https://doi.org/10.1097/BOT.0b013e318213f709>.
- Vallier, H.A., Le, T.T. and Bedi, A. (2008) “Radiographic and Clinical Comparisons of Distal Tibia Shaft Fractures (4 to 11 cm Proximal to the

- Plafond): Plating Versus Intramedullary Nailing,” *Journal of Orthopaedic Trauma*, 22(5), pp. 307–311. Available at: <https://doi.org/10.1097/BOT.0b013e31816ed974>.
- Vaughn, J.E., Shah, R. V, Samman, T., Stirton, J., Liu, J. and Ebraheim, N.A. (2018) “Systematic review of dynamization vs exchange nailing for delayed/non-union femoral fractures,” *World journal of orthopedics*, 9(7), pp. 92–99. Available at: <https://doi.org/10.5312/wjo.v9.i7.92>.
- Wang, C., Chen, E., Ye, C. and Pan, Z. (2018) “Suprapatellar versus infrapatellar approach for tibia intramedullary nailing: A meta-analysis,” *International Journal of Surgery*, 51, pp. 133–139. Available at: <https://doi.org/10.1016/j.ijssu.2018.01.026>.
- Warwick, David., Blom, Ashley. and Whitehouse, Michael. (2022) *Apley & Solomon’s concise system of orthopaedics and trauma*. CRC Press, Taylor & Francis Group.
- Yavuz, U., Sökücü, S., Demir, B., Yildirim, T., Özcan, Ç. and Kabukçuoğlu, Y.S. (2014) “Comparison of intramedullary nail and plate fixation in distal tibia diaphyseal fractures close to the mortise,” *Ulusal Travma ve Acil Cerrahi Dergisi*, 20(3), pp. 189–193. Available at: <https://doi.org/10.5505/tjtes.2014.92972>.
- Zhu, D.C., Liu, L., Gao, F., Li, Q. and Zhang, B. (2015) “Comparison of closed reduction and expert tibial nailing with open reduction and plate and screw fixation in the treatment of two segmental tibial fractures,” *Chinese Journal of Traumatology - English Edition*, 18(4), pp. 219–222. Available at: <https://doi.org/10.1016/j.cjtee.2015.06.001>.

