

DAFTAR PUSTAKA

- Alghamdi, Y. A., Al-Shahrani, F. S., Alanazi, S. S., Alshammari, F. A., Alkhudair, A. M., & Jatoui, N.-A. (2021). The Association of Blood Glucose Levels and Arterial Stiffness (Cardio-Ankle Vascular Index) in Patients With Type 2 Diabetes Mellitus. *Cureus*. <https://doi.org/10.7759/cureus.20408>
- American Diabetes Association (ADA) Professional Practice Committee. (2024). 2. Diagnosis and Classification of Diabetes: Standards of Care in Diabetes—2024. *Diabetes Care*, 47, S20–S42. <https://doi.org/10.2337/dc24-S002>
- Anisah, H., Limanto, D. H., Suryantoro, S. D., Utomo, B., & Permana, P. B. D. (2024). Type 2 Diabetes Mellitus Status with Ankle-Brachial Index among Patients with Diabetic Foot Ulcer at Universitas Airlangga Hospital, Surabaya. *JUXTA: Jurnal Ilmiah Mahasiswa Kedokteran Universitas Airlangga*, 15(1), 51–56. <https://doi.org/10.20473/juxta.v15i12024.51-56>
- Arsianti, R. W., Sardina, S., Fairul, F., Irfan, I., & Mulyadi, M. (2020). Rancang Bangun Alat Ukur Ankle Brachial Indeks Untuk Deteksi Peripheral Artery Disease. *Jurnal Rekayasa Elektrika*, 16(3). <https://doi.org/10.17529/jre.v16i3.17877>
- Artikaria, W., & Machmudah, M. (2022). Peningkatan Ankle Brachial Index Pada Pasien Diabetes Mellitus Tipe 2 yang Dilakukan Senam Kaki Diabetes. *Ners Muda*, 3(2). <https://doi.org/10.26714/nm.v3i2.9401>
- Aspilayuli, Suhartatik, & Mato. Rusni. (2023). Literatur Review: Faktor Yang Mempengaruhi Diabetes Mellitus Gestasional. *JIMPK: Jurnal Ilmiah Mahasiswa & Penelitian Keperawatan*, 3(4), 111–120.
- Brady, R. P., Urbina, E. M., Gao, Z., Dabelea, D., Lustigova, E., Marcovina, S., Mottl, A. K., Pihoker, C., Reynolds, K., Sancrainte, L., Dolan, L. M., & Shah, A. S. (2025). Arterial Stiffness Is Related to Diabetes-Associated Microvascular Complications: The SEARCH for Diabetes in Youth Study. *Diabetes Care*, 48(4), 639–647. <https://doi.org/10.2337/dc24-2320>
- Carmo, G., Mandil, A., Nascimento, B., Arantes, B., Bittencourt, J., Falqueto, E., & Ribeiro, A. (2008). Can we measure the ankle-brachial index using only a stethoscope? A pilot study. *Family Practice*, 26(1), 22–26. <https://doi.org/10.1093/fampra/cmn086>
- Chan, C. X., Dong, Y., Lim, P., Kumari, S., Nambiar, A., Chee, Y. H., Murphy, D. P., Babu, R., Hong, C. C., & Muhammed, Y. H. (2025). Economics of inpatient diabetic foot ulcer care in a multiethnic Asian population: a retrospective analysis of cost drivers and impact of high-cost users. *BMJ Public Health*, 3(2), e003414. <https://doi.org/10.1136/bmjph-2025-003414>
- Chesbro, S. B., Asongwed, E. T., Brown, J., & John, E. B. (2011). Reliability of Doppler and Stethoscope Methods of Determining Systolic Blood Pressures: Considerations for Calculating an Ankle-Brachial Index. *Journal of the National Medical Association*, 103(9–10), 863–869. [https://doi.org/10.1016/S0027-9684\(15\)30441-7](https://doi.org/10.1016/S0027-9684(15)30441-7)

- Conyers, Y., Lomauro, C., Stemke, K., White, M., Storer, A., & Richmond, A. (2025). Ankle Brachial Index: Quick Reference Guide for Clinicians: WOCN Society Ankle Brachial Task Force. *Journal of Wound, Ostomy and Continence Nursing*, 52(4), 271–278. <https://doi.org/10.1097/WON.0000000000001188>
- Darni, Z. (2024). Analisis Faktor Yang Mempengaruhi Kejadian Gangren Diabetik. *Afiat*, 10(2), 132–144. <https://doi.org/10.34005/afiat.v10i2.4354>
- Decroli, E. (2019). *Diabetes Melitus Tipe 2* (A. Kam, Y. P. Efendi, G. P. Decroli, & A. Rahmadi, Eds.; 1st ed.). Pusat Penerbit Bagian Ilmu Penyakit Dalam Fakultas Kedokteran Universitas Andalas.
- Dewi, E. M., Ramadhan, G., Parlindungan, R., Iryani, L., & Yuwono, T. (2022). Measurement of Ankle Brachial Index with Oscillometric Method for Early Detection of Peripheral Artery Disease. *Jurnal Rekayasa Elektrika*, 18(2). <https://doi.org/10.17529/jre.v18i2.25758>
- Dianti, A. R., Setiawaty, S., & Noviyanti, S. R. (2022). Analisis Risiko dan Perilaku Pencegahan Penyakit DM Tipe 2 Pada Usia Produktif di Wilayah DKI Jakarta Tahun 2021. *Journal of Public Health Education*, 1(02), 82–90. <https://doi.org/10.53801/jphe.v1i02.49>
- Dinkes Jatim. (2025). *Profil Kesehatan Provinsi Jawa Timur 2024*.
- Dou, X., Wang, X., Yu, X., Yao, J., Shen, H., Xu, Y., Zheng, B., Zhang, Z., Tan, Q., & Hu, T. (2023). Increased soluble endoglin levels in newly-diagnosed type 2 diabetic patients are associated with endothelial dysfunction. *Endocrine Journal*, 70(7), EJ22-0550. <https://doi.org/10.1507/endocrj.EJ22-0550>
- Fagher, K., & Löndahl, M. (2021). The combined impact of ankle–brachial index and transcutaneous oxygen pressure on mortality in patients with type 2 diabetes and foot ulcers. *Acta Diabetologica*, 58(10), 1359–1365. <https://doi.org/10.1007/s00592-021-01731-9>
- Fariski, R., Kusumajaya, H., & Maryana. (2025). Faktor-Faktor Yang Berhubungan Dengan Terjadinya Luka Gangren Pada Penderita Dm Tipe 2 Di Rsud Depati Hamzah Kota Pangkalpinang Tahun 2024. *Jurnal Kesehatan Tambusai*, 6(1), 2054–2064.
- Felício, J. S., de Melo, F. T. C., Vieira, G. M., de Aquino, V. T., de Souza Parente, F., da Silva, W. M., Said, N. M., da Silva, E. R., de Souza, A. C. C. B., de Oliveira, M. C. N. I., de Lemos, G. N., de Souza, Í. J. A., de Alcântara, A. L., de Moraes, L. V., Abrahão Neto, J. F., de Queiroz, N. N. M., Mourão, N. A. L., Piani, P. P. F., Oliveira dos Reis, M. de S., & Felício, K. M. (2022). Peripheral arterial disease progression and ankle brachial index: a cohort study with newly diagnosed patients with type 2 diabetes. *BMC Cardiovascular Disorders*, 22(1), 1–10. <https://doi.org/10.1186/s12872-022-02722-6>
- Fitrianingsih, Sauriasari, R., Yunir, E., & Saptaningsih, A. B. (2025). In-hospital costs of diabetic foot infection at a national referral hospital in Jakarta, Indonesia. *Heliyon*, 11(2), e41263. <https://doi.org/10.1016/j.heliyon.2024.e41263>
- Goyal, R., Singhal, M., & Jialal, I. (2023). *Type 2 Diabetes*. StatPearls [Internet] . <https://www.ncbi.nlm.nih.gov/books/NBK513253/>

- He, J., Li, Z., Li, R., Ma, X., & Sun, X. (2024). Plasma Lipidomic Profiles Improve upon Traditional Risk Factors for the Prediction of Arterial Stiffness Among Patients with Type 2 Diabetes Mellitus: A Randomized, Placebo-Controlled Trial. *Nutrients*, 16(21). <https://doi.org/10.3390/nu16213618>
- Hidayati, P. H., Asrar, Muh. F., Chaniago, H., Iskandar, D., & Hidayatullah, S. (2024). Hubungan Ankle Brachial Index dengan Keparahannya Ulkus Kaki Diabetic Derajat Wagner pada Penderita Diabetes Melitus. *Fakumi Medical Journal: Jurnal Mahasiswa Kedokteran*, 4(3), 172–180. <https://doi.org/10.33096/fmj.v4i3.385>
- Hijriana, I., Sahara, T., Keperawatan, D. A., & Ghafur, J. (2020). Gambaran Nilai Ankle Brachial Index (ABI) Pada Pasien Dm Tipe 2. *Idea Nursing Journal*, 11(3).
- IDF. (2025). IDF Diabetes Atlas. In IDF Diabetes Atlas. In *International Diabetes Federation: 11th editi*. <https://www.idf.org/aboutdiabetes/type-2-diabetes.html>
- Jatmiko, S. A., & Tarwoto, T. (2024). Application of Foot Exercise Increases Ankle Brachial Values Index (ABI) in Type 2 Diabetes Mellitus Patients at Fatmawati General Hospital: Case Report. *Journal of Health and Cardiovascular Nursing*, 4(1), 42–49. <https://doi.org/10.36082/jhcn.v4i1.1650>
- Kamieńska, A., Danieluk, A., Niwińska, M. M., & Chlabicz, S. (2024). Arterial Stiffness and Ankle-Brachial Index – Cross-Sectional Study of 259 Primary Care Patients 350 Year-Old. *Medical Science Monitor*, 30. <https://doi.org/10.12659/msm.942718>
- Kemenkes. (2023). *Laporan Survei Kesehatan Indonesia (SKI) 2023*.
- Kusyanti, E., Ilyas, A. S., Milwati, S., Purwanto, E., Manalu, T. A., & Suryatna, S. Y. (2025). *Buku Referensi Manajemen Luka Pada Pasien Diabetes* (1st ed.). Optimal Untuk Negeri. https://www.google.co.id/books/edition/BUKU_REFERENSI_MANAJEMEN_LUKA_PADA_PASIE/Nwx_EQAAQBAJ?hl=id&gbpv=1&dq=klasifikasi+luka+gangren+wagner&pg=PA3&printsec=frontcover
- Li, F., Li, Y., Zhong, X., Wang, J., Miao, R., Chen, T., Hong, Y., Zhu, L., & Lu, Y. (2025). Associations of arterial stiffness onset age with type 2 diabetes risk: a large-scale Chinese cohort study. *BMJ Open*, 15(11), 1–7. <https://doi.org/10.1136/bmjopen-2024-091678>
- Li, Y.-H., Sheu, W. H.-H., & Lee, I.-T. (2020). Use of the ankle-brachial index combined with the percentage of mean arterial pressure at the ankle to improve prediction of all-cause mortality in type 2 diabetes mellitus: an observational study. *Cardiovascular Diabetology*, 19(1), 173. <https://doi.org/10.1186/s12933-020-01149-7>
- McClary, K. N., & Massey, P. (2023, January 16). *Ankle Brachial Index*. StatPearls [Internet]. <https://www.ncbi.nlm.nih.gov/books/NBK544226/>
- Nadrati, B., & Supriatna, L. D. (2021). *Buerger Allen Exercise Dan Ankle Brachial Indeks (ABI) Pada Penyandang Diabetes Melitus*. NEM.
- Naki, M. I., Tambengi, R. A., & Sumariangen, A. B. (2025). Diabetes Mellitus Tipe 2 : Prevalensi , Etiologi , dan Pelaksanaannya. *Public Health and Safety International Journal (PHASIJ)*, 5(1), 77–87.

- Nikola, N., Sucipto, A., & Supriyatna, Y. (2025). Hubungan Kadar Gula Darah Dengan Ankle Brachial Index (ABI) Dan Karakteristik Luka Gangrene Pada Pasien Diabetes Melitus Tipe Ii Di Rsud Sultan Imanudin Pangkalan Bun. *The Scientific Journal Helath (TSJH)*, 2(1). <https://jurnal.stikesyahyabima.ac.id>
- Ningsih, S. E. P., Yusuf, A., Fitryasari, R., Firdaus, S., Ilmi, B., Setyowati, A., & Husaini, A. (2023). Psychometric Evaluation of the Indonesia Version of Connor-Davidson Resilience Scale-25 Among Diabetic Foot Ulcer Patients: A Confirmatory Factor Analysis. *Malaysian Journal of Medicine and Health Sciences*, 19(SUPP6), 2636–9346.
- Notoatmodjo, S. (2018). *Metodologi Penelitian Kesehatan*. Rineka Cipta.
- Park, Y. J. (2023). Association between blood glucose levels and arterial stiffness marker: comparing the second derivative of photoplethysmogram and cardio-ankle vascular index scores. *Frontiers in Endocrinology*, 14. <https://doi.org/10.3389/fendo.2023.1237282>
- Ríos-González, B. E., López-Barragán, L., Saldaña-Cruz, A. M., Gallardo-Moya, S. G., Brambila-Tapia, A. J. L., Soto-Ramirez, C. E., & Garcia-Calvario, E. B. (2024). Foot Sole Temperature Correlates with Ankle–Brachial Index, Pulse Wave Velocity, and Arterial Age in Diabetic Patients Without Diagnosis of Peripheral Arterial Disease. *Journal of Clinical Medicine*, 13(21). <https://doi.org/10.3390/jcm13216383>
- Rümenapf, G., Abilmona, N., Morbach, S., & Sigl, M. (2024). Peripheral Arterial Disease and the Diabetic Foot Syndrome: Neuropathy Makes the Difference! A Narrative Review. In *Journal of Clinical Medicine* (Vol. 13, Number 7). Multidisciplinary Digital Publishing Institute (MDPI). <https://doi.org/10.3390/jcm13072141>
- Sartore, G., Caprino, R., Ragazzi, E., Bianchi, L., Lapolla, A., & Piarulli, F. (2023). The ankle-brachial index for assessing the prevalence of peripheral artery disease and cardiovascular risk in patients with type 2 diabetes mellitus. *Nutrition, Metabolism and Cardiovascular Diseases*, 33(3), 560–567. <https://doi.org/10.1016/j.numecd.2022.11.019>
- Satria, D., Amalia, R., Safuni, N., & Keperawatan, F. (2024). Asuhan Keperawatan Pada Pasien Dengan Gangren Diabetikum. *Jurnal Penelitian Perawat Profesional*, 6(4), 1657–1668. <http://jurnal.globalhealthsciencegroup.com/index.php/JPPP>
- Schaper, N. C., van Netten, J. J., Apelqvist, J., Bus, S. A., Hinchliffe, R. J., Lavery, L. A., Monteiro-Soares, M., Rasmussen, A., Raspovic, A., Sacco, I. C. N., Armstrong, D. G., Gooday, C., Jarl, G., Caravaggi, C. M. F., Viswanathan, V., Lazzarini, P. A., Forsythe, R. O., Boyko, E. J., Fitridge, R., ... Morbach, S. (2023). Panduan IWGDF Mengenai Pencegahan dan Tatalaksana Kaki Diabetes (S. Waspadji, T. J. E. Tarigan, A. Sarumpaet, & E. V. Christabel, Trans.). In E. Yunir (Ed.), *Diabetes/Metabolism Research and Reviews* (Vol. 36, Number S1). PIP Interna (Perkumpulan Informasi dan Perkumpulan Interna).
- Senneville, É., Albalawi, Z., van Asten, S. A., Abbas, Z. G., Allison, G., Aragón-Sánchez, J., Embil, J. M., Lavery, L. A., Alhasan, M., Oz, O., Uçkay, I., Urbančič-Rovan, V., Xu, Z.-R., & Peters, E. J. G. (2023). IWGDF/IDSA Guidelines on the Diagnosis and Treatment of Diabetes-

- related Foot Infections (IWGDF/IDSA 2023). *Clinical Infectious Diseases*. <https://doi.org/10.1093/cid/ciad527>
- Sugiyono. (2023). *Metode Penelitian Kuantitatif, Kualitatif, Dan R&D* (2nd ed., Vol. 5). ALFABETA.
- Suryanti, & Duwi Pudjiati. (2025). Prevalensi Komplikasi Makrovaskuler Dan Mikrovaskuler Pada Penyandang Diabetes Melitus. *Medical Journal of Nusantara*, 4(1), 1–11. <https://doi.org/10.55080/mjn.v4i1.1273>
- Tuttolomondo, A., Casuccio, A., Guercio, G., Maida, C., Del Cuore, A., Di Raimondo, D., Simonetta, I., Di Bona, D., Pecoraro, R., Della Corte, V., Gulotta, E., Gulotta, G., & Pinto, A. (2017). Arterial stiffness, endothelial and cognitive function in subjects with type 2 diabetes in accordance with absence or presence of diabetic foot syndrome. *Cardiovascular Diabetology*, 16(1). <https://doi.org/10.1186/s12933-016-0483-5>
- Tuttolomondo, A., Del Cuore, A., La Malfa, A., Casuccio, A., Daidone, M., Maida, C. D., Di Raimondo, D., Di Chiara, T., Puleo, M. G., Norrito, R., Guercio, G., & Pinto, A. (2021). Assessment of heart rate variability (HRV) in subjects with type 2 diabetes mellitus with and without diabetic foot: correlations with endothelial dysfunction indices and markers of adipo-inflammatory dysfunction. *Cardiovascular Diabetology*, 20(1). <https://doi.org/10.1186/s12933-021-01337-z>
- Untari, E. K., Andayani, T. M., Yasin, N. M., & Asdie, R. H. (2025). Direct Medical Costs of Diabetes and the Foot Ulcer Outpatients in A General Hospital, Yogyakarta. *Jurnal Manajemen Dan Pelayanan Farmasi (Journal of Management and Pharmacy Practice)*, 15(2), 80. <https://doi.org/10.22146/jmpf.90615>
- Vicen, M., Igreja Sá, I. C., Tripská, K., Vitverová, B., Najmanová, I., Eissazadeh, S., Micuda, S., & Nachtigal, P. (2021). Membrane and soluble endoglin role in cardiovascular and metabolic disorders related to metabolic syndrome. In *Cellular and Molecular Life Sciences* (Vol. 78, Number 6, pp. 2405–2418). Springer Science and Business Media Deutschland GmbH. <https://doi.org/10.1007/s00018-020-03701-w>
- Virani, S. S., Alonso, A., Benjamin, E. J., Bittencourt, M. S., Callaway, C. W., Carson, A. P., Chamberlain, A. M., Chang, A. R., Cheng, S., Delling, F. N., Djousse, L., Elkind, M. S. V., Ferguson, J. F., Fornage, M., Khan, S. S., Kissela, B. M., Knutson, K. L., Kwan, T. W., Lackland, D. T., ... Tsao, C. W. (2020). Heart disease and stroke statistics—2020 update a report from the American Heart Association. *Circulation*, 141(9), E139–E596. <https://doi.org/10.1161/CIR.0000000000000757>
- Wang, X., Yuan, C.-X., Xu, B., & Yu, Z. (2022). Diabetic foot ulcers: Classification, risk factors and management. *World Journal of Diabetes*, 13(12), 1049–1065. <https://doi.org/10.4239/wjd.v13.i12.1049>
- Weningtyas, D. A., Biomed, M., Lintang, D., Sishartami, W., Kiky, D., & Ariesaka, M. (2025). *Buku Ajar Metabolisme Glukosa Dan Kematian Sel: Tantangan Besar Dalam Komplikasi Diabetes*. Perkumpulan Rumah Cemerlang Indonesia. www.rcipress.rcipublisher.org
- WHO. (2024a). *Considerations for Use of Avian Influenza A(H5) Vaccines During the Interpandemic and Emergence Periods* (Number September).

- WHO. (2024b). *Diabetes (WHO Fact Sheet)*. World Health Organization (WHO). <https://www.who.int/news-room/fact-sheets/detail/diabetes>
- Widyanata, K. A. J., Widya, I. K., & Yudhawati, N. L. P. S. (2022). Ankle Brachial Index (ABI) Score in Patient with Type 2 Diabetes Mellitus. *Babali Nursing Research*, 3(2), 94–102. <https://doi.org/10.37363/bnr.2022.32104>
- Yang, M. C., Huang, Y. Y., Hsieh, S. H., Sun, J. H., Wang, C. C., & Lin, C. H. (2021). Ankle-Brachial Index Is Independently Associated With Cardiovascular Outcomes and Foot Ulcers in Asian Patients With Type 2 Diabetes Mellitus. *Frontiers in Endocrinology*, 12(November), 1–7. <https://doi.org/10.3389/fendo.2021.752995>

