# Change of Attitude, Behaviour in Choosing Healthy Snacks Through Health Education with Educative Game Media of Monopoly About Healthy Snacks for Children of School

Age

by Dede Nasrullah

Submission date: 30-Sep-2021 08:57AM (UTC+0700)

**Submission ID:** 1661158754

File name: Jurnal\_11.pdf (381.31K)

Word count: 3083

Character count: 16185

1st Borobudur International Symposium on Humanities, Economics and Social Sciences (BIS-HESS 2019)

# Change of Attitude, Behaviour in Choosing Healthy Snacks Through Health Education with Educative Game Media of Monopoly About Healthy Snacks for Children of School Age

Eni Sumarliyah<sup>1</sup>, Aries Chandra Anandita<sup>1</sup>, Dede Nasrullah<sup>1\*</sup>, Rizaldi Heru Susanto<sup>1</sup>

## ABSTRACT

Choosing unhealthy food is one of problems that occur to many children. Choosing snacks that are not in health standards would cause health problems. The purpose of this study identified change of attitude, behavioural in choosing healthy snacks through health education with the educative game media of monopoly about healthy snacks for children of school age. This study used the Quays Experimental Design (Pre-test-Post-test with control group design) with 140 samples in elementary school in Surabaya. Data were analysed using Wilcoxon Sign Rank Test and Mann Whitney U Test with a significance level of  $\leq 0.05$ . The results showed that there was a change of positive attitude 86% with p = 0.000, while the behaviour was 69% behaving well and the results of statistical tests p = 0.000. This was because they had good experience through games that were fun, as well as teacher support and available facilities. Thus, the experience through health education by using monopoly about healthy snacks that could change the behaviour of choosing healthy snacks for children of school age to reduce and prevent the occurrence of disease.

Keywords: healthy snacks, educative game, children of school age, monopoly, attitude, behaviour

# 1. INTRODUCTION

School-age children have the habit of buying snacks outside the home. The habit of buying snacks makes them rarely to have breakfast at home and ask for pocket money to buy snacks instead. This has an impact on the child's diet, which is generally when hungry children prefer to buy snacks to just fill the stomach. Data shows that only 99% of school children have a habit of buying snacks around schools [1]. On average they buy twice a day when school breaks [2]. Research in Bogor in 2009 said school-age children consumed 6-7 types of snacks per week [3]. Snacking habits that are too often can indirectly reduce the child's appetite. Currently there are still many snacks that do not meet food safety requirements so that they can endanger children's health [4].

Based on data from Extraordinary Events (KLB) on schoolchildren snacks in 2008-2012, elementary school students (SD) were the group most frequently experienced food poisoning [5]. In East Java, it is not much different from other regions, namely the large number of mobile food vendors who do not guarantee the hygiene and safety of the food they sell. The coverage of networking and health services for elementary and equivalent students in East Java Province in 2013 was 57.25%, of course this figure had not reached the expected target [5]. The cause of illness due to snacks in school-age children in 2014 was the highest due to microbial pollution by 74.9%, excess food additives by 9% and use of hazardous materials 15.7% [1]. Four types of

snacks for schoolchildren who did not meet the requirements in Indonesia in 2014 were ice drinks, coloured drinks and syrup, meatballs and jelly [1]. A person's habits relate to personal characteristics and environmental factors. In this case, the environment that most influences the healthy snack behaviour of children is the family and the environment at school. Habits and patterns of behaviour that are created among school-age children are strongly influenced by peers, including behaviour to consume snacks at school [6].

Snacking schoolchildren who are not guaranteed health can potentially cause poisoning, indigestion and if it lasts long it will cause poor nutritional status. In addition, unhealthy snacks can also disrupt children's performance in school [7]. Dangerous snacks are packaged, their shape and colour are very popular with school-age children so that many children consume them without knowing the dangers and consequences that can arise from these snacks. The misuse of addictive substances that are put in excess into snacks is very dangerous. This indeed will not be seen in the near term but in the long term there will be damage to the kidneys and disorders in the child's body. Any snack can make and cause a child to become diarrhoea, food ingredients that are carcinogenic can cause cancer and tumours. Other impacts caused are uncontrolled obesity, nausea and vomiting poisoning [8].

In addition, the occurrence of food-borne diseases or foodborne diseases is a result of unhealthy snacking behaviour. In general, foodborne diseases are a public health problem that is less Changing Unlimited Snacks Behaviour, preferably in many countries, because this

<sup>&</sup>lt;sup>1</sup> Faculty Health of Science University Muhammadiyah of Surabaya, Surabaya, Indonesia \*Corresponding author. Email: dedenasrullah@um-surabaya.ac.id



disease is considered not a serious disease. In fact, this case is often not reported. This disease is usually toxic and infectious, caused by disease agents that enter the body through consumption of contaminated food [9].

# 2. METHOD

The research design 13 ed in this study is Quays Experimental design (pre-test - post-test control group design), which is a research design that seeks to reveal causal relationships by involving the control group in addition to the experimental group [10]. The sampling technique used is by using purposive sampling. The sample used in this study was elementary school students in Surabaya with 140 respondents. Data is processed using the W10 pxon Sign Rank Test and Mann Whitney U Test with a significance level of ≤ 0.05.

# 3. RESULTS AND DISCUSSION

# 3.1. Identification of Healthy Snacks Choosing Before and After Healthy Health Monopoly Health Education in Treatment and Control Groups in Elementary Students in Surabaya

Respondent data when pre-test in the treatment group 86% were negase, while in the post-test 86% were positive. Based on Table 1 shows that the results of the research attitudes of respondents before being given health education interventions through the media of healthy snacks monopoly mostly have a negative attitude that is as much as 60 respondents (86%) in the treatment group and 58 (83%) respondents in the control group. While after treatment almost all of them had a positive attitude, namely 60 respondents (86%) and in the control group 56 respondents in the control group (80%).

**Table 1** Attitudes of healthy snacks selection before and after health healthy monopoly health education in the treatment and control groups in Surabaya elementary school students

					5			
	Treatment				Control			
	Pre-test		Post test		Pre-test		Post test	
	f	%	f	%	f	%	f	%
Positive	10	14	60	86	12	17	14	20
Negative	60	86	10	14	58	83	56	80
Total	70	100	70	100	70	100	70	100

Many things are influential in this regard, including the influence of the environment both formally and informally. Attitudes are formed when someone has gained knowledge and by the interaction experienced by individuals. Interaction is not just contact and relationships between individuals as group members. In interaction there is a relationship of 7 tual influence between individuals with each other [11]. After someone knows the stimulus / object, the next process will assess or behave towards the stimulus or object of the health process. Therefore, Indicators for health attitudes are also in line with knowledge about health. Positive knowledge can make someone be positive or negative[12]. In addition attitudes are also influenced by physiological factors (age, health), direct experience of the object of attitudes, factors of reference, and social communication [13]. Primary school age is a young age so it is less mature in seeing problems. In addition, they also have not had a lot of experience with real objects, as well as information that is still lacking.

# 3.2. Identification of Healthy Snacks Selection Behaviour Before and After Given Healthy Snack Monopoly Health Education in Treatment and Control Groups in Surabaya Elementary School Students

Based on table 2 shows that the results of the respondents' action research before being given a health education intervention through the g15 media healthy snacks monopolies from each group both the treatment group and the co14 ol group had less action, namely 52 respondents (74%) in the treatment group and 46 (66%) in the control group. Whereas after the treatment the treatment group had a good action as many as 48 respondents (69%). Whereas in the treatment group 32 (46%) is sufficient.

**Table 2** Behavioural selection of healthy snacks before and after given healthy snack monopoly health education in treatment and control groups in Surabaya elementary School Students

Enough 12 17 20 28 16 23 32 46 Less 52 74 2 3 46 66 28 40									
f         %         f         %         f         %         f         %           Good         6         9         48         69         8         11         10         14           Enough         12         17         20         28         16         23         32         46           Less         52         74         2         3         46         66         28         40		Treatmen	t			Control			
Good     6     9     48     69     8     11     10     14       Enough     12     17     20     28     16     23     32     46       Less     52     74     2     3     46     66     28     40		Pre test		Post test		Pre test		Post test	
Enough 12 17 20 28 16 23 32 46 Less 52 74 2 3 46 66 28 40		f	%	f	%	f	%	f	%
Less 52 74 2 3 46 66 28 40	Good	6	9	48	69	8	11	10	14
	Enough	12	17	20	28	16	23	32	46
Total 70 100 70 100 70 100 70 100 70 100	Less	52	74	2	3	46	66	28	40
	Total	70	100	70	100	70	100	70	100



The data showed that in the treatment group when the most pre-test behaved less 74%, while at post-test 69% behaved positively. Practice is the third domain of behaviour after knowledge and attitude [12]. After knowing the stimulus or object, then making an assessment or opinion on what is known (attitude), then someone is expected to be able to implement, practice or have the ability to practice what is known 14 d addressed. Knowledge or cognitive is a domain that is very important for the formation of one's actions [12].

# 3.3. Analysis of the Effect of Health Education through Media Healthy Monopoly Games on Attitudes to Choosing Healthy Snacks of Elementary Students in Surabaya

Wilcoxon Signed Rank Test statistical test results in the treatment group is  $\rho=0.000<\alpha=0.05$ , while in the control group is  $\rho=0.317>\alpha=0.05$ . The Mann U Whitney test

results obtained  $\rho = 0.000 < \alpha = 0.05$ . Based on the results of the statistical test of wilcoxon signed ranks test obtained the significance value of pre-post in the treatment group was p = 0,000 so that it was smaller than the alpha value (<0.05). This means that H0 is rejected and H1 is accepted, meaning that there is an influence of health education through the media playing a healthy snack monopoly on increasing attitudes in choosing healthy snacks for elementary students in Surabaya. Whereas in the control group obtained the significance value of p = 0.080 so that it is greater than the alpha value (> 0.05). This means that H0 is accepted and it can be concluded that there is no effect of health education through the media of healthy snacks monopoly on increasing attitudes in choosed healthy snacks for elementary students in S<sup>2</sup> baya in the control group. And the Mann U Whitney test results showed p value =  $0.000 < \alpha$ = 0,05 so there was a difference between the attitude of the treatment group given health education media healthy snacks monopoly with the control group without being given health education media healthy snacks monopoly.

Table 3 Influence of health education through media monopoly games for healthy snacks against attitude choosing healthy snacks of elementary students in Surabaya

	Treatment			T	reatment			
	Pre-test	Po	st test	Pı	e-test	P	ost test	
	f	%	f	%	f	%	f	%
Positive	10	14	60	86	12	17	14	20
Negative	60	86	10	14	58 _	83	56	80
Total	70	100	70	100	70 8	100	70	100
	Result test Wilco	oxon Signed	l Rank Test	Re	esult Test Wi	lcoxon Sig	ned Rank Test	
	Test $\rho = 0.000 <$	$\alpha = 0.05$		ρ	$= 0.317 > \alpha =$	= 0.05		
	Result Test Ma	nn U Whitn	$ev \rho = 0.000$	$< \alpha = 0.05$				

An increase in the attitude of respondents after health education interventions through educational media, healthy snacks monopoly is caused by the experience gained during playing healthy snacks monopoly educational games. The experience of choosing healthy snacks is strengthened by the simulations that exist in the healthy snack's monopoly educational game. Learning from simulation of healthy snacks monopoly game tools makes children understand and understand the danger of snacking so that the child responds with an attitude that changes toward the positive. Positive attitudes of children in choosing snacks because of the healthy snacks monopoly educational games there are positive and negative effects of consuming snacks that they will directly get when playing and comparing with reality in children.

# 3.4. Analysis of the Effect of Health Education Through Media on Healthy Snack Monopoly Games on Behaviour in Choosing Healthy Snacks of Elementary Students in Surabaya

The Wilcoxon Signed Rank Test statistical test results in the treatment group is  $\rho=0,000$  Wilcoxon Signed Rank Test statistical test results in the treatment group is  $\rho=0,000<\alpha=0.05,$  while in the control group is  $\rho=0.317>\alpha=0.05.$  The Mann U Whitney test results obtained  $\rho=0,000<\alpha=0.05$ 

Table 4 Effect of health education through media on healthy snack monopoly games on behaviour in choosing healthy snacks of elementary students in Surabaya

	Treatmen	t			Control			
	Pre-test	Pre-test		Post test		Pre-test		est
	f	%	f	%	f	%	f	%
Good	6	9	48	69	8	11	10	14
Enough	12	17	20	28	16	23	32	46
Less	52	74	2	3	46	66	28	40
Total	70	100	70	100	70	8 00	70	100
	Result Tes	t Wilcoxo	n Signed Rank	t Test	Result Tes	t Wilcoxor	n Signed Ran	ık Test
	Test $\rho = 0$ .	$000 < \alpha =$	0.05		$\rho = 0.317$	$\alpha = 0.05$	Ü	
	Result Tes	t Mann U	Whitney $\rho = 0$	0.000 < 0	t = 0.05			



Based on the results of the statistical test of wilcoxon signed ranks test obtained the significance value of pre-post in the treatment group was p = 0,000 so that it was smaller than the alpha value (<0.05). This means that H0 is rejected and H1 is accepted, meaning that there is an influence of health education through the media playing a healthy snack monopoly on increasing actions in choosing healthy snacks for elementary students in Surabaya. Whereas in the control group obtained the significance value of p = 1,000 so that it is greater than the alpha value (> 0.05). This means that H0 is accepted and it can be concluded that there is no influence of health education through the media playing a healthy snack monopoly on increasing actions in choosing healthy snacks for elementary students in Surabaya. And the Mann U Whitney test results showed the value of p = 0,000  $<\alpha$  = 0,05 there was a difference between the action (practice) of the treatment group given health education of healthy snacks monopoly with the control group without being given health education media healthy snacks monopoly. With this in mind it can be concluded that there is an effectiveness of the implementation of health education media on healthy snacks monopoly on the actions of students in choosing healthy snacks for elementary students in Surabava.

Individuals in determining a complete attitude apart from ing determined by knowledge, are also influenced by thoughts, beliefs and emotions that play an important role[14]. The individual concerned must be able to absorb, process, and understand the information received as a stimulus. An increase in the attitude of respondents after being given an intervention can be influenced by the knowledge gained from learning and the information contained in the media of healthy snacks monopolies. The attitude aspect of respondents within 3 weeks after being given healthy snacks monopoly intervention has gradually increased through the process of learning activities by giving health education about choosing healthy snacks for school-age children.

A person's actions are influenced by one's knowledge the better the level of respondents, the better in determining decisions in buying healthy snacks [14]. An increase in respondents 'actions in choosing healthy snacks is obtained through the media of healthy snacks monopoly by playing the game and through respondents' questions to measure the value of the respondent's actions before and after the intervention is given.

# 4. CONCLUSION

The attitude of elementary school students in Surabaya in choosing healthy snacks before being given health education through the media of healthy snacks monopoly in the control and treatm 11 groups is mostly negative. Whereas after the action in the treatment group was mostly positive and in the negative control group. The actions of elementary school students in Surabaya in the selection of healthy snacks before being given health education through the medium of healthy snacks monopoly in the control group 41 treatment are mostly lacking. Whereas after the action in the treatment group was mostly good and the control group was mostly sufficient. There is an influence

of health education through the media of healthy snacks monopoly educational games on attitudes of elementary school students in Surabaya. There is an influence of health education through the media of healthy snacks monopoly educational games on the actions of elementary school students in Surabaya.

# **ACKNOWLEDGMENT**

We gratefully acknowledge the support of the Muhammadiyah University of Surabaya

### REFERENCES

- [1] Badan Pengawas Obat dan Makanan (BPOM) RI, Laporan kinerja badan pengawas obat dan makanan R.I tahun 2013. Jakarta: Kepala Badan Pengawas Obat dan Makanan R.I, 2014.
- [2] A. Putra, "Gambaran Kebiasaan Jajan Siswa Disekolah," Universitas Diponegoro, 2009.
- [3] K. Febriani, "Hubungan asupan energi dengan prestasi belajar remaja di smp pl demonico savio Semarang," Universitas Diponegoro. Semarang, 2013.
- [4] E. S.T.C, "Gambaran perilaku jajan murid sekolah dasar di Jakarta," Universitas Atma Jaya Jakarta, 2009.
- [5] Departemen Kesehatan RI, "Promosi kesehatan di daerah bermasalah kesehatan," 2013. .
- [6] J. Februhartanti, "Amankah makanan jajanan anak sekolah di Indonesia? Serial Online 2008." 2009.
- [7] F. C. Mora AM, Fernández-ares A, Merelo JJ, García-sánchez P, "Effect of Noisy Fitness in Real-Time Strategy Games Player Behaviour Optimisation Using Evolutionary Algorithms," J. Comput. Sci. Technol., vol. 27, no. 5, pp. 1007–1023, 2012.
- [8] P. . P. Potter, Buku ajar fundamental keperawatan: konsep, proses dan praktik. Edisi 7 Volume 1. Jakarta: Salemba Medika, 2010.
- [9] L. C.-M. Flahive MW, Chuang Y-C, "The Multimedia Piers-Harris Children's Self-Concept Scale 2: Its Psychometric Properties, Equivalence with the Paper-and-Pencil Version, and Respondent Preferences," PLoS One, vol. 10, no. 8, pp. 1–13, 2015.
- [10] A. A. A. Hidayat, Metodologi Penelitian Kesehatan. Surabaya: Health Books Publishing, 2010.
- [11] S. Azwar, Sikap manusia: Teori dan pengukurannya edisi 2. Yogyakarta: EGC, 2011.



[12] S. Notoatmodjo, Promosi kesehatan dan ilmu perilaku Edisi revisi. Jakarta: PT.Rineka Cipta, 2012.

[13] Sunaryo, Psikologi untuk keperawatan. Jakarta: Penerbit Buku Kedokteran, 2015.

[14] S. Notoatmodjo, Ilmu perilaku kesehatan. Jakarta: PT. Rineka Cipta, 2010.

# Change of Attitude, Behaviour in Choosing Healthy Snacks Through Health Education with Educative Game Media of Monopoly About Healthy Snacks for Children of School Age

	ALITY REPORT	out Healthy Sna	cks for Childrer	n of School Age	
9 SIMILA	% ARITY INDEX	6% INTERNET SOURCES	6% PUBLICATIONS	2% STUDENT PAPERS	
PRIMAR'	Rumaho Effective	anti, Desmania rbo. "Progressi eness of the Blo Diabetes", Open	ve Muscle Rela od Sugar Patie	ents with	%
2	Submitte Yogyaka Student Paper		as Muhammad	iyah <b>1</b>	%
3	Psycholo Client Th	noirun Nisa. "Im ogical Health As nrough Psychoe Research, 2020	spect of Tubero education", Bal	culosis	%
4	ejurnal.p	ooltekkes-tjk.ac	.id	1	%
5	reposito Internet Source	rio.udec.cl		1	%

6	Internet Source	1%
7	Submitted to Universitas Hasanuddin Student Paper	1 %
8	docobook.com Internet Source	1 %
9	www.sciencegate.app Internet Source	<1%
10	www.rsu.ac.th Internet Source	<1%
11	Shangmei Cao, Xiaojing Liu, Xinxin sun, Xixia Chen, Shuifu Tang. "Effect of Reynoutria Japonica and its Extract on Sirt1 in Cisplatin-Induced Renal Injury", Research Square Platform LLC, 2021	<1%
12	article.sciencepublishinggroup.com Internet Source	<1%
13	ujcontent.uj.ac.za Internet Source	<1%
14	scitepress.org Internet Source	<1%
15	Candra Adi Wirawan, Sandi Alfa Wiga Arsa. "Development of Guide Basic Life Support (BLS) Application Based on Android to	<1%

# Increase Accuracy Compression Ritme And Ventilation to Handling of Out Hospital Cardiac Arrest", Babali Nursing Research, 2020

Publication

uia.e-journal.id
Internet Source

zombiedoc.com
Internet Source
<1 %</pre>

Exclude quotes On

Exclude matches

Off

Exclude bibliography Or